

Index

- Acoustic wave biosensors, 272
- Acrylamide gel electrophoresis: *see*
Electrophoresis
- Acrylamide gel pads, arrays, 216
- Adenosine analogues, 153, 154, 155
- Adjacent label format, label interactions, 84–85
- Affinity binding formats, 73
- Affymetrix, 217
- A-512 chemical structures and emission spectra, 18
- Agarose embedded bacteria, flow cytometry studies, 261
- Alexa, 193, 221, 222
- Alkaline phosphatase, 72
- Alkyl transferase coupled assay, 163–165
- Allophycocyanine, 193
- Alu, 303, 304
- 7-Amino-4-methylcoumarin-3-acetic acid, 79–80
- Amino-functionalized reagents, 140, 274
- (3-Aminopropyl)triethoxysilane (APTES), 276, 278
- 2-Aminopurines, 152, 171–173, 174
- Amplification: *see also* Polymerase chain reaction
- fluorescent dyes for labeling and sequencing, 25, 27
 - hybridization assays: *see* Hybridization assays
 - lanthanide luminescence with PCR, 187–189
- Analogues, nucleoside: *see* Nucleoside analogues
- Anisotropy measurements, nucleoside analogues, 152, 167–170
- Antennae structures, lanthanide, 179, 180
- Antibody conjugates, hybridization, 75, 77, 78, 80–81, 82
- Arrays, 213–234
- applications, 229–233, 230
 - arrayers, 223–225
 - image analysis, 225–229, 227–228
 - array target segmentation, 226–227
- Arrays (*cont.*)
- image analysis (*cont.*)
 - background intensity extraction, 227
 - multiple image analysis, 229
 - ratio analysis, 228–229
 - target intensity extraction, 228
 - perspectives, 233
 - probes, 220–223
 - sample preparation, 214–220
 - in situ* syntheses, 216–220
 - spotting method, 214–216
- Artificial chromosomes, 7
- flow cytometry, 244, 252–255, 258, 259
 - FISH, 294, 299, 304
- AT-cut TSM, biosensors, 272
- Autocorrelation rates, hybridization, 90
- Autoradiographic detection, DNA sequencing, 16
- Avidin-biotin-streptavidin: *see also*
Biotinylated reagents
- biosensors, evanescent wave, 276, 278–279
 - DNA sequencing, 59–61
 - hybridization, 76
 - in situ*/FISH, 292, 293, 302
 - PCR modification, 80–81
 - lanthanide fluorescence-based assays, 186
- Bacterial artificial chromosomes, FISH, 294, 299, 304
- Bacteria species and strain discrimination, flow cytometry, 260–265, 266, 267, 269
- Base calling, DNA sequencing, 57
- Base pairing, Watson–Crick, 4, 5–6
- Base pairing/stacking, nucleoside analogues, 151–152, 172
- BCPDA complex, lanthanide, 77, 79, 179–180, 186
- Beta-diketone antennae, lanthanide, 180
- Big Dye reagents
- energy transfer studies, 106, 117, 119
 - on-the-fly lifetime detection, 140
 - sequencing, 28, 32, 240
- Biochips, 216–217

- BIODIPY reagents
 DNA sequencing, 24, 25, 26, 27
 energy transfer studies, 105–106
 hybridization, dual label formats, 88
 on-the-fly lifetime detection, 135, 136–137, 138
- Biosensors, 271–287
 definition of, 271
 evanescent wave, 274–279
 fiber, 273–274
 future prospects, 57
 nonevanescent intrinsic mode, 279–281, 282, 283, 284
 reagentless, 284–286
 selectivity and calibration issues, 281, 283–284
 types of, 272
- Biotinylated reagents
 arrays, 217
 biosensors, evanescent wave, 276, 278–279, 286
 DNA sequencing, 59–61
 DTPA-pAS polychelate, 185
 energy transfer studies, 106, 122–124
 FISH, 293, 295, 300, 302
 hybridization, 76
 PCR modification, 78–79, 80
 signal amplification, 77
 lanthanide detection sensitivity, 186
- Bipyridine antenna molecules, lanthanide, 179
- Branched DNA (b-DNA), 72
- Bubble Jet deposition, array fabrication, 215
- C-4 primer sets, 115–116
- C-6 primer sets, 115–116
- C-10 primer sets, 113, 115, 116
- C-519, chemical structures and emission spectra, 18
- Calibration, biosensors, 281, 283–284
- Capillary electrophoresis
 DNA sequencing, 15–16
 high-throughput systems, 35–36
 selection of formats and systems, 55, 56, 57, 58
 energy transfer studies, 113
 lifetime detection, on-the-fly
 data analysis, 133
 detection, 133–137, 138
 measurement, 131–133
 RFLP analysis, 142–146, 147
- Capillary electrophoresis (*cont.*)
 lifetime detection, on-the-fly (*cont.*)
 sequencing, 138–146, 147
 STR analysis, energy transfer labels, 120–122
- 5'-Carboxyfluorescein, 79–80
- 6-Carboxyrhodamine, 93, 94
- 6-Carboxy-X-rhodamine, 79–80
- Cassettes, energy transfer labels
 biotinylated, 122–124
 primer construction, 116–117, 118, 119
- cDNA
 arrays, 217, 219, 221
 FISH, 294
- CGH (comparative genome hybridization), 296, 300, 308
- CHEF gel electrophoresis, 261
- Chelates, lanthanide, 177, 185; *see also specific chelators*
 hybridization, 74–75
 photostability, 190
 representative, 178–182
- Chemical solid-phase synthesis, array probes, 220
- Chronopotentiometry, 272
- Circular DNA, flow cytometry, 247, 266
- Collisional quenching, 84, 85
- Combinatorial labeling, FISH spectral karyotyping, 310
- Comparative genome hybridization (CGH), 296, 300, 308
- Competitive primers, 96
- Competitive probe assay, 91
- Complementary probe pair, hybridization label interactions, 85–86
- Confocal geometry
 array readers, 223, 224–225
 DNA sequencing, 36
- Conformation
 flow cytometry, 247, 266
 nucleoside analogues and, 160, 171
 protein-induced DNA bends, LRET studies, 197–199
- Copy number, 307–308, 310
- Correlation analysis, hybridization, 95
- Cosmids, FISH, 299
- Cot I suppression, 301, 309
- cRNA, arrays, 219
- Crosslinkers, array fabrication, 215
- Crosstalk between detection channels, spectral overlap, 129–130

- Cryptates, lanthanide, 178, 183
- CyA
- energy transfer studies, 109
 - biotinylated cassettes, 122–124
 - emission spectra, 116
 - primers, 113, 116
- Cy2 array probes, 222
- Cy3
- arrays, 221, 222, 224
 - lanthanide resonance energy transfer, 193
 - microarray image analysis, 226, 229
 - on-the-fly lifetime detection, 135, 140, 141–142, 143, 144
- Cy5
- arrays, 221, 224
 - DNA sequencing, 60
 - FISH, 293
 - hybridization, 93
 - lanthanide RET, 193–195
 - LCTFs, 206
 - protein-induced DNA bends, 198–199 - microarray image analysis, 226, 229
- Cy5.5, 222
- Cy5.5T12, 43, 44
- Cy5T7, 43, 44
- Cyanine dyes: *see also specific dyes*
- array probes, 221, 222
 - DNA sequencing, 43
 - energy transfer studies, 113
- Cyclic voltammetry, biosensors, 272
- CyDye, 221
- DABCYL labeling, 222
- DAPI, 311
- DAS, 154–155
- DELFLIA (dissociation-enhanced lanthanide fluorescence immunoassay), 180, 181, 182–183, 185, 187–189
- Demodulation factor, 131
- Deoxynucleotides: *see* Dideoxynucleotides; Nucleoside analogues; Nucleotides, labeled
- Detection systems: *see specific systems*
- 4',5'-Dichloro-2',7'-dimethoxy-6-carboxyfluorescein, 79–80
- Dichloro-substituted TMR (dTMR), 140
- Dideoxynucleotides (ddNTPs), 10, 12–13
- energy transfer studies
 - Sanger dideoxy chain termination sequencing, 107, 108
- Dideoxynucleotides (ddNTPs) (*cont.*)
 - energy transfer studies (*cont.*)
 - template directed dye terminator incorporation, 124 - terminators, 119
 - hybridization, 94
- Diffusion
- and FISH spatial resolution, 303
 - hybridization, 90
- 4,4-Difluoro-4-bora-3,4 α -diazas-indacene propionic acid: *see* BIODIPY reagents
- Digioxigenin, FISH, 81, 293, 295, 300, 302
- Diketone antennae, lanthanide, 180
- Dimeric dyes, 144, 222, 279; *see also* TOTO-1
- Dimers, primer, 96
- Dimethoxytrityl protecting groups, biosensors, 279
- 4-(4'-Dimethylaminophenylazo)benzoic acid, 93
- Dinitrophenol
- FISH, 293, 300
 - lanthanide chelates, 79
- Dipicolinic acid, 185
- Dipyrometheneboron (BIOIPY) reagents: *see* BIODIPY reagents
- Dissociation-enhanced lanthanide fluorescence immunoassay (DELFLIA), 180, 181, 182–183, 185, 187–189
- Dithiothreitol (DTT), 33, 118
- DMAP
- fluorescence properties, 174
 - nucleoside analogues, 153, 154, 155
- DNA bends, protein induced, LRET, 197–201
- DNA biosensors: *see* Biosensors
- DNA conformation: *see* Conformation
- DNA duplexes, biosensors, 272
- DNA fragment sizing: *see* Flow cytometry
- DNA hybridization: *see* Hybridization; Hybridization assays
- DNA libraries, 252–255
- DNA polymerase, 72
- arrays, 219
 - Taq sensitivity to dyes, 29
 - terminators, 18, 119
- DNA sequencing
- arrays, 213–214, 218
 - detection, instrumentation for, 34–40
 - imaging systems, 37–40
 - scanning instruments, 36–37 - detection methods, 16–21, 22

- DNA sequencing (*cont.*)
detection methods (*cont.*)
 autoradiographic, 16
 fluorescence, 16–21, 22
dye primer/terminator chemistry and
 detection formats, 40–59
 choice of formats, 51, 53–54
 four color/single lane, 50–51, 52
 single color/four lane, 43, 45, 46
 single-color/four lifetime sequencing, 54–58
 single color/single lane, 45, 47, 48
 two color/single lane, 47–50, 51
electrophoresis, modes of, 10–11, 14–16
 capillary gels, 15–16
 slab gels, 14
energy transfer studies, 105–106; *see also*
 Energy transfer labels
factories for, 2–3, 5
fluorescent dyes for, 21, 23–34
 ET, 30–32
 near-IR, 32–34
 properties of, 23–24
 visible, 24–30
flow cytometry fragment sizing, 244, 246–247
gene function, 2
genome organization, 1–2
lanthanides, LCTFs, 202
microarray applications, 230
on-the-fly lifetime detection, 138–146, 147
primary structure, methods for determining,
 6–10, 12–13
 Maxam–Gilbert sequencing, 7–10
 Sanger chain termination method, 10, 12–13
single molecule, 59–65
 structure of DNA, 4, 5–6
 nucleotide bases, 4, 5
 Watson–Crick base pairing, 4, 5–6
 types of, 2–3, 5
DNA triplexes, biosensors, 272
Double-strand-specific dyes, 96; *see also*
 Intercalating dyes
dNTPs: *see* Nucleotides, labeled
dTMR (dichloro-substituted TMR), 140
DTPA chelates, 74–75, 180, 185
Dual-label assays: *see* Two-label applications
Duplexes, DNA, 272
Dye-dependent mobility shifts, 43, 57, 120
Dye exchange between fragments, 144, 145
DYEnamic reagents, 106
 primers, 113, 114, 115, 116
 terminators, 119, 120
Dye substitution, near-IR dyes, 33, 34
Dynamic quenching, nucleoside analogues,
 160–161
Electrochemical biosensors, 272
Electroelution, flow cytometry, 261
Electrophoresis
 capillary: *see also* Capillary electrophoresis
 DNA sequencing, 10–11, 14–16, 35–36
 capillary gels, 15–16
 on-the-fly lifetime detection, 140
 slab gels, 14
 lanthanide-labeled DNA, 197–198
 nucleoside analogues, 157
 on-the-fly lifetime detection, 140
ELISAs, lanthanide, 182
End point detection, PCR products, 91
Energy transfer
 hybridization, 83, 86, 94
 lanthanide-labeled DNA
 advantages of, 193–196, 197
 DNA bends, protein-induced, 107–202
 donors in, 192–193
 new dyes with tuneable emission color and
 excited-state lifetime, 202–207
 protein-DNA interactions, 197–201
 nucleoside analogues, 159–161
Energy transfer efficiency, 111
Energy transfer labels, 105–125
 cassettes, 122–124
 biotinylated, 122–124
 for construction of primers, 116–117, 118, 119
DNA sequencing, 30–32, 105–106
primers, 107–116
 C10R110, C10G, C10T, C10R, 113
 CyA, 113, 116
 DYEnamic, 113, 114, 115, 116
 FAM-JOE-ROX-TAMRA, 108, 110–113
 properties of, 107–108, 109
Sanger dideoxy chain-termination
 sequencing, 107, 108
STR analysis with capillary array
 electrophoresis, 120–122
template-directed dye terminator
 incorporation, 124

- Energy transfer labels (*cont.*)
 terminators, 117, 119–120
 theory, 106–107
- Enzyme-amplified lanthanide luminescence
 (EALL), 77–78, 80
- Enzyme and enzyme coupled labels
 FISH, 302
 hybridization, 72, 77, 78
 nucleoside analogues
 alkyl transferase, 164–165
 HIV-1 integrase, 161–163
 lanthanide fluorescence-based, 77–78, 186–187
- Enzymes, restriction: *see* Restriction enzymes
 and digests
- Ethenoadenine phosphoramidites, nucleoside
 analogues, 152
- I,N⁶-ethenoadenosine, 173–174
- Ethidium bromide, 76, 85, 95–96
- 1-Ethyl-3-(3-dimethylaminopropyl)-
 carbodiimide, 279
- Europium
 BCPDA complexes, 186
 DELFIA, 180
 emission spectra and lifetime, 180–182
 hybridization
 PCR modification, 79
 signal amplification, 77
 imaging with, 189–191
 lanthanide resonance energy transfer, 193–
 195, 198–199
 LCTFs, 206
 luminescence, 178–179
 protein-induced DNA bends, 198–199
- Excited-state lifetime: *see also* Lifetime
 detection
- F10, F10G, F10t, F10R, 112, 113, 115
- Factories for sequencing, 2–3, 5
- FAM
 array probes, 222
 DNA sequencing
 on-the-fly lifetime detection, 139
 two-color, single-lane, 48, 49
 energy transfer studies, cassette construction,
 118
 near-IR dye comparison, 33
 on-the-fly lifetime detection, 139
 structure and emission profile, 24, 25
- FAM/JOE/TAMRA/ROX series
 DNA sequencing, 30, 31
- FAM/JOE/TAMRA/ROX series (*cont.*)
 DNA sequencing (*cont.*)
 four-color, single-lane, 50–51
 on-the-fly lifetime detection, 139
 energy transfer studies, 30, 31, 108, 109, 110,
 111, 112
 on-the-fly lifetime detection, 139
- Far-red dyes, lanthanides with, 193
- FIAgen, 186
- Fiber biosensors, 273–274
- FISH (fluorescent *in situ* hybridization)
 applications, 303–305, 306
 chromosome evolution, 305, 307
 clinical and cancer cytogenetics, 305, 306
 gene mapping, 303–304
 somatic hybrid analysis, 304–305
 lanthanides, 189–192, 204
 principles, 294–303
 cytology specimen preparation, 296–299
 detection and visualization, 302
 DNA probe preparation, 299–300
 high sensitivity detection procedures,
 302–303
 hybridization of probe to specimen, 302
 labeling of DNA probes, 300–301
 5' to 3' nuclease format, hybridization, 92–93
- Fixed thresholding method, 228
- Flow cytometry, 239–268
 DNA fragment sizing, 244, 246–247
 apparatus, 247–248
 data analysis, 248–249
 λ DNA, μ digests, and λ concatemers,
 249–252, 253, 254, 255, 256, 257
 sample preparation, 249
 DNA fragment sizing applications, 252–255,
 257–265
 bacteria species and strain discrimination,
 260–265, 266, 267
 PAC clones, 252–255, 258, 259
 PCR fragments, 255, 258–259, 260, 261
- FISH, 299
 hybridization, PCR modification, 80–81
 single molecule detection, 239–244, 245
- Fluorescein
 autofluorescence in imaging studies, 190
 biosensors, evanescent wave, 276
 chemical structures and emission spectra, 17
 DNA sequencing
 on-the-fly lifetime detection, 139
 two-color, single-lane, 49–50

- Fluorescein (*cont.*)
 hybridization, 93, 94
 lanthanides with, 193, 204–205, 206
 on-the-fly lifetime detection, 139
 terminators, energy transfer studies, 119
- Fluoresceinamide, arrays, 221
- Fluorescein-based dyes: *see also* FAM; FAM/JOE/TAMRA/ROX series; JOE
 energy transfer studies, 108, 109, 110, 111, 112, 118
- FITC (fluorescein isothiocyanate)
 array probes, 222
 array readers, 224
 DNA sequencing, 22, 23
 FISH, 293, 295
 intracellular transport of oligonucleotides, 170
 hybridization, PCR modification, 79–80
 on-the-fly lifetime detection, 139, 140, 141, 144
 TAQ sensitivity, 29
- Fluorescein-dTMR, 140, 141, 144
- Fluorescence correlation analysis, 95
- Fluorescence detection: *see specific methods*
- Fluorescence lifetime: *see* Lifetime detection
- Fluorescence polarization, 89–90, 95
- Fluorescent *in situ* hybridization: *see* FISH
- Fluorosilylic acid phosphate ester (FSAP), 186–187
- 5-Fluorosilyl phosphate, 77–78
- Forster energy transfer, 30–32, 83; *see also* Energy transfer labels
- Four-color applications: *see also* Multiplex analysis
 array probes, 222
 DNA sequencing, 50–51, 52, 138–139
 energy transfer studies, 108–113
 on-the-fly lifetime detection, 138–139
- Fourier transform, 133, 217
- Fragmentation, arrays, 217
- Fragment sizing
 energy transfer studies, 106
 flow cytometry: *see* Flow cytometry
- Frequency domain detection, 130, 139
- FRET: *see* Energy transfer
- Functionalized probes: *see also specific functional groups*
 array fabrication, 215
 biosensors
 evanescent wave, 276, 277
 fluorimetric, 274
- GAP-LCR, 81–82
- GC-rich templates, terminators, 119
- Gel electrophoresis: *see* Electrophoresis
- Gel pads, arrays, 216
- Gel shift assays, lanthanide-labeled DNA, 197–198
- Gene chips, arrays, 216–217
- Gene expression: *see specific techniques*
- Genome organization, 1–2
- Giemsa, 311
- Glutaraldehyde autofluorescence, 190
- Glycidyoxypropyltrimethoxysilane, 277
- Guanosine analogues, 153–154, 155, 156, 157, 174
- Hairpin structures
 hybridization, 86, 93, 94
 rhodamine dyes and, 29
- Heteroduplex formation, PCR, 81
- Heterogeneous hybridization: *see* Hybridization assays
- Hexaethylene glycol, 279–280
- High-throughput DNA sequencing, 36
- HLA typing, 92
- HMG (high mobility group) proteins,
 lanthanide resonance energy transfer, 198
- Homodimer dyes, array probes, 222
- Homogeneous hybridization: *see* Hybridization assays
- Horseradish peroxidase, 72, 77, 78
- Human artificial chromosomes, FISH, 299
- HU protein, 167–170
- Hybridization
 arrays, 217
 array probes, 222
 biosensors, 272
 evanescent wave, 277–278
 fluorimetric, 273
 comparative genome, 308–310
 flow cytometry, PCR modification, 80–81
in situ: *see* FISH
 lanthanide cryptates, 183
- Hybridization assays
 amplified, 71–72
 heterogeneous, 72–82
 heterogeneous, amplified, 76–82
 signal amplification, 77–78
 target amplification, 78–82
 heterogeneous, non-amplified, 72–76

- Hybridization assays (*cont.*)
heterogenous versus homogeneous, 70–71
homogeneous, amplified, 91–96
 binding dyes, 95–96
 dual interacting label, 91–94
 single label, 95
homogeneous, non-amplified, 82–91
 dual label, 82–88
 single label, 88–91
- Hydrodynamic focusing, flow cytometry, 240, 247
- Imaging systems
array data analysis, 225–229
 array target segmentation, 226–227
 background intensity extraction, 227
 multiple image analysis, 229
 ratio analysis, 228–229
 target intensity extraction, 228
array readers, 224–225
DNA sequencing, 26, 37–40
lanthanide-labeled DNA, 189–192
- Immunoassays, lanthanide
hybridization, 75, 77, 78, 80–81, 82
lanthanide (DELFI A), 75, 180, 181, 182–183, 185, 187–18
- Indium-tin-oxide (ITO) electrodes, 287
- Ink Jet printer deposition, array fabrication, 215
- In situ* hybridization: *see* FISH
- In situ* syntheses, array sample preparation, 216–220
- Integrase assay, pteridines, 161–163
- Intensity extraction, 225
- Intercalating dyes
array probes, 222
flow cytometry, 244, 246
hybridization, 76, 95–96
 label interactions, 85
 single label formats, 89
on-the-fly lifetime detection, RFLP, 143–146
- Interferometry, biosensors, 272
- Internal labeling
DNA sequencing, 49–50
hybridization, 91–92
- Intrinsic mode biosensors, nonevanescant,
279–281, 282, 283, 284
- IRD800, 222
- Isoluminol, 84–85
- Isothermal SDA reactions, 95
- Isothiocyanate functional groups, near-IR dyes, 33
- JA169, 60
- JA242, 60
- JOE, 24, 25; *see also* FAM/JOE/TAMRA/ROX series
array probes, 222
DNA sequencing
 on-the-fly lifetime detection, 139
 two-color, single-lane, 48, 49
- Karyotype analysis, FISH, 307–311
- Kinetic PCR, 93
- Klenow fragment, 173
- λ DNA, μ digests, and λ concatemers, 249–252, 253, 254, 255, 256, 257
- Landing lights, microarrays, 226
- Lanthanide-labeled DNA, 177–207
alternative time-resolved probes, 192
chelates, representative, 178–182
hybridization, 74–75
 interactions of labels, 88
 signal amplification, 77–78
imaging, 189–192
multiple labeling and selected applications, 183–189
resonance energy transfer
 advantages of, 193–196, 197
 DNA bends, protein-induced, 197–202
 donors in, 192–193
 new dyes with tuneable emission color and excited-state lifetime, 202–207
 protein-DNA interactions, 197–201
 sensitivity, 182–183
- Laser capture microdissection, 234
- Lasers: *see specific systems*
- LCR amplification, 81–82
- LCTF (lifetime and color tailored fluorophores), 202–207
- Least squares analysis, on-the-fly lifetime data, 133
- Libraries, flow cytometry applications, 252–255
- Lifetime and color tailored fluorophores (LCTF), 202–207
- Lifetime detection
DNA sequencing, single color/four lifetime, 54–58
flow cytometry, 240, 242
lanthanide resonance energy transfer, 196
LCTFs, 206–207

- Lifetime detection (*cont.*)
 lanthanide resonance energy transfer (*cont.*)
 new dyes, 202–207
 nucleoside analogues, 155, 156, 160
 on-the-fly, 129–147
 data analysis, 133
 detection, 133–137, 138
 measurement, 131–133
 RFLP analysis, 142–146, 147
 sequencing, 138–146, 147
- Linearization of circular/supercoiled DNA, 247
- Loss of heterozygosity analysis, 120–122
- LRET: *see* Lanthanide-labeled DNA
- Lumazine, 86
- M13 primers, on-the-fly lifetime detection, 133–135
- Magnetic collection, hybridization products, 80–81
- γ -Maleimidobutyric acid
 N-hydroxysuccinimide ester, 278
- Mann-Whitney method, microarray image analysis, 228
- 6-MAP
 fluorescence properties, 174
 nucleoside analogues, 153, 154, 155
- Maxam–Gilbert sequencing, 7–10
- Maximum likelihood estimator (MLE), DNA sequencing, 56–57
- Maxwell–Garnet theory, 280
- Melting temperatures, pteridines, 156–157, 159–161
- Membrane supports
 array fabrication, 214
 hybridization targets and probes, 72
- Mercaptomethyldimethylethoxysilane (MDS), 276, 278
- Metal chelators: *see* Chelates, lanthanide
- Methylumbelliferone phosphate, 82
- 3-MI
 alkyl transferase, 164–165
 anisotropy measurements, 167–170
 bulge hybridization probes, 164–165
 fluorescence properties, 174
 HIV–1 integrase, 162–163
 intracellular transport of oligonucleotides, 170–171
 nucleoside analogues, 153, 154, 156, 157
 fluorescence, 155, 156
 fluorescence properties, 158
- 3-MI (*cont.*)
 nucleoside analogues (*cont.*)
 pH effects on fluorescence, 154–155
 pH titration, 161
- 6-MI
 DNA conformation studies, 171
 fluorescence properties, 174
 nucleoside analogues, 153, 154, 156, 157
 fluorescence, 155, 156
 fluorescence properties, 158
 pH effects on fluorescence, 154–155
 pH titration, 161
- Microarrays: *see* Arrays
- Microelectrodes, array fabrication, 215
- Miniaturization, flow sizing of DNA restriction fragments, 268
- Mismatch (MM) probes, 217, 218
- Mobility shifts, dye-dependent, 43, 57, 120
- Molecular beacon hairpin prober, 93
- MR-200-1, 60
- mRNA, arrays, 217, 219–220
- μ digests, flow cytometry, 249–252, 253, 254, 255, 256, 257
- Multiharmonic Fourier transform phase-modulated fluorimeter (MHF), 130, 131–132
- Multiple image analysis, arrays, 229
- Multiple PCR target sequences, hybridization, 79–80
- Multiplex analysis: *see also* Four-color applications
 biotinylated cassettes, 122–123
 DNA sequencing, multichannel detectors for, 36
 energy transfer studies, 115, 122–123
 FISH, 307
 lanthanide, 183–189
 on-the-fly lifetime detection
 DNA sequencing, 138–139
 RFLP, 143–146
 spectral overlap, 129–130
- Multiplexed extrinsic mode fiberoptic microarray biosensors, 273–274
- Naphthalocyanine dyes, array probes, 222
- NBD, 21, 22
 chemical structures and emission spectra, 17
 on-the-fly lifetime detection, 136–137, 138, 139
- NBD aminohexanoic acid, 136–137, 138

- NBD-fluoride, 139
- Near-IR fluorescence, DNA sequencing, 32–34, 57, 58, 139
- Nick translation protocol, 293
- Ninety-six lane format, DNA sequencing, 36–37
- Nonlinear least squares analysis, on-the-fly lifetime data, 133, 140
- Nucleoside analogues, 151–175
 - 2-amino purine, 171–173
 - applications, 172–173
 - background, 171–172
 - arrays, 217
 - 1,N⁶-ethenoadenosine, 173–174
 - pteridine, 152–161
 - melting temperatures, 156–157, 159–161
 - oligonucleotide fluorescence, 155–156, 158
 - pH effects on fluorescence, 152–155
 - properties of, 153–154
 - pteridine, applications, 161–175
 - alkyl transferase coupled assay, 163–165
 - anisotropy, 167–170
 - bulge probes, 164–166
 - DNA conformation, 171
 - integrase assay, 161–163
 - oligonucleotides, intracellular transport of, 170–171
 - summary and outlook, 174–175
- Nucleotides, labeled
 - dideoxy (ddNTPs): *see* Dideoxynucleotides
 - DNA sequencing, 49–50, 61, 63
 - energy transfer studies, 107, 108
- 5-tert-Octylsalicyl phosphate, 78
- On-the-fly fluorescence lifetime detection,
 - capillary electrophoresis
 - data analysis, 133
 - detection, 133–137, 138
 - measurement, 131–133
 - RFLP analysis, 142–146, 147
 - sequencing, 138–146, 147
- Ordered shotgun sequencing, 6–7
- Organelles, lanthanide staining, 185
- Orientation markers, microarrays, 226, 227
- Oxazole yellow (YO)
 - hybridization, single label formats, 89
 - on-the-fly lifetime detection, RFLP, 143, 144–145, 146, 147
 - YOYO, 144, 222, 279
- Padlock probes, 72
- Painting probes, FISH, 294
- Palladium porphyrin-based probes, 192
- Paraaminosalicylate antenna, lanthanide, 180
- Parallel data acquisition, 217
- PCR: *see* Polymerase chain reaction
- Peak current at constant potential, biosensors, 272
- Peptide nucleic acid (PNA), 69
- Perfect match (PM) probes, 217, 218
- Phagemids, FISH, 299
- Pharmacogenetics, microarray applications, 230–232
- Phase shift, fluorescence lifetime calculation, 131
- pH, and nucleoside analogues, 152–155, 161
- Phosphoramidites
 - arrays, 217, 221–222
 - energy transfer dyes, 30, 31
 - fluorescein, LCTFs, 206
 - label preparation, 18–19
 - lanthanide, 178
 - nucleoside analogues, 151–152, 174
- Photobleaching, flow cytometry, 240
- Photolithography, arrays, 216–217
- Phred, 42
- Phycoerythrin, array probes, 222
- Pico-Green, 279
- Planar monomodal waveguides, biosensors, 272, 277
- Plants, microarray applications, 231
- Plasmid artificial chromosomes (PAC)
 - flow cytometry, 244, 252–255, 258, 259
 - FISH, 294, 299
- Platinum porphyrin-based probes, 192
- Pockels cell, 131, 132
- Point mutations, PCR modification, 81
- Polarization, fluorescence, 89–90, 95
- Polyacrylamide gel electrophoresis: *see* Electrophoresis
- Polyacrylamide gel pads, arrays, 216
- Polylysine DTPA-pAS polychelate system, 185
- Polymerase chain reaction (PCR)
 - energy transfer studies
 - STR analysis, 120–122
 - template directed dye terminator
 - incorporation, 124
 - FISH, 299, 301, 310
 - flow cytometry
 - fragment sizing, 255, 258–259, 260, 261

- Polymerase chain reaction (PCR) (*cont.*)
 flow cytometry (*cont.*)
 hybridization, 80–81
 hybridization, 78–82
 nucleic acid binding dyes, 96
 PCR product end point detection, 91
 single label formats, 95
 lanthanide, 187–189
 microarray applications, 233
 reverse transcriptase
 hybridization, 93, 96
 lanthanide, 187
 microarray applications, 233
 spectral karyotyping, 310
 POPO-3, 222, 250, 254, 255, 259
 PO-PRO-3, 222
 Porphyrin-based probes, 192
 Post-labeling, arrays, 220–221
 Primer extension, hybridization, 81, 93–94
 Primer walking strategy, 117
 Printing apparatus, arrays, 223
 Propargylamino/propargylethoxyamino linkers, 119
 Propidium iodide, 96
 Proteinases/proteolysis
 bacteria species and strain discrimination, 261
 FISH, 298
 Protein complex, europium, 77
 Protein-DNA interactions, lanthanide-labeled DNA, 197–201
 PTER1-PTER9 fluorescence properties, 158
 PTER8, 155, 158
 PTER9, 155, 158, 159
 Pteridines, 152–161
 applications, 161–175
 alkyl transferase coupled assay, 163–165
 anisotropy, 167–170
 bulge probes, 164–166
 DNA conformation, 171
 integrase assay, 161–163
 oligonucleotides, intracellular transport of, 170–171
 melting temperatures, 156–157, 159–161
 oligonucleotide fluorescence, 155–156, 158
 pH effects on fluorescence, 152–155
 properties of, 153–154
 Pulsed-field gel electrophoresis (PFGE), flow cytometry versus, 244, 246, 262, 263, 264, 265, 267
 Pulsed-field gel electrophoresis (PFGE), flow cytometry versus (*cont.*)
 bacteria species and strain discrimination, 261
 PAC clones, 254–255, 259
 Pyrenes, hybridization, 87–89
 Pyrroles, array fabrication, 215
 Quantitative PCR, hybridization, 96
 Rank-sum hypothesis test, 228
 Rapid lifetime determination (RLD) method, 56–57
 Ratio analysis, 225, 228–229
 Regeneration of biosensor, 279
 Repeat sequences
 STRs, 106, 115, 120–122
 suppression with Cot I, 302, 309
 Resonance energy transfer: *see* Energy transfer; Energy transfer labels
 Restriction enzymes and digests
 alkyl transferase, 164–165
 flow cytometry
 bacteria species and strain discrimination, 261, 266, 269
 λ DNA, μ digests, and λ concatemers, 249–252
 fragment sizing: *see* Flow cytometry hybridization, single label formats, 95
 lifetime detection, on-the-fly, 142–146, 147
 Reverse transcription
 arrays, 217, 219
 RT-PCR
 hybridization, 93, 96
 lanthanide, 187
 microarray applications, 233
 Rhodamine/rhodamine-based dyes: *see also* Alexa; FAM/JOE/TAMRA/ROX series; ROX; TAMRA; Texas Red
 array probes, 222
 DNA sequencing
 Big Dye terminators, 32; *see also* Big Dye reagents
 lifetime detection, on-the-fly, 139
 secondary structure, 29
 terminators, 27, 28, 29–30
 two-color, single-lane, 49–50
 DTPA-pAS polychelate, 185
 FISH, 293
 flow cytometry, 242, 243, 244, 245

- Rhodamine/rhodamine-based dyes (*cont.*)
 energy transfer studies, 108, 109, 110, 111, 112, 113, 119
 hybridization, 79–80, 88
 on-the-fly lifetime detection, 139, 140, 141, 142, 143, 144
 R-6G, 88, 109, 110, 111, 119, 139, 140, 141, 142, 143, 144, 242, 243, 245
 R-110, 109, 119, 139, 244
- Rhodamine green, 136–137, 138
- Ribonuclease, 82, 261, 298
- RNA: *see also* Reverse transcription
 arrays, 217, 219–220
 double stranded, 96
 hybridization, 81, 93
- Robots (arrayers), 223–225
- Rolling circle amplification, 72
- ROX, 24, 25; *see also* FAM/JOE/TAMRA/
 ROX series
 array probes, 222
 energy transfer studies
 biotinylated cassettes, 122, 123
 template directed dye terminator
 incorporation, 124
 terminators, 119
- Ruthenium, 86
- Samarium-based fluorescence, 80
- Sandwich assays, 74, 75
- Sanger dideoxy chain termination method, 10, 12–13
 energy transfer labels, 107, 108, 120
 fluorescent dyes for labeling and sequencing, 27
- SDA, hybridization, 95
- Secondary DNA structure, rhodamine dyes and, 29
- Selective transduction element, 284–286
- Self-sustained sequence replication (3SR, SSSR), 71, 81–82
- Sensitized emission, lanthanide resonance energy transfer, 196
- Sensors: *see* Biosensors
- Sequencing: *see* DNA sequencing
- Short-tandem repeats (STR), 106, 115, 120–122
- Shotgun sequencing flowchart, 6–7
- Silicon wafers, array fabrication, 214
- Single color/four lane sequencing, 43, 45, 46, 54–58
- Single color/single lane sequencing, 45, 47, 48
- Single molecule detection
 DNA sequencing, 63, 65
 flow cytometry, 239–244, 245
- Single molecule sequencing, 59–65
- Single-stranded DNA
 array probes, 222
 biosensors
 evanescent wave, 276
 future, 286
 reagentless, 285
 sensitivity, 283, 284
 FISH, 298
 nucleoside analogues, 155, 159
 protein-induced DNA bends, 201
 synthesis on chip, 217
- Size exclusion step, DNA sequencing, 50
- Sizing
 multiplexed STRs, 120
 flow cytometry: *see* Flow cytometry
- Slab gel electrophoresis, DNA sequencing, 14, 35–36
- Slides, array fabrication, 214, 215
- Solid-phase synthesis, array probes, 220
- Solid support, hybridization targets and probes, 72, 74
- Somatic hybrid analysis, FISH applications, 304–305
- Southern blots, 77
- Spatial resolution of FISH, 303
- Spectral karyotype analysis (SKY), 296, 299, 301, 307, 308, 311
- Spectral overlap, 129–130
- Spectrum Green, 293
- Spectrum Orange, 293
- Spermidine/spermine, 261
- Spotting method, array sample preparation, 214–216
- Sq5T4, 43, 44
- SSSR/3SR (self-sustained sequence replication), 71, 81–82
- Static quenching, nucleoside analogues, 160–161
- Steady-state fluorescence anisotropy measurements, nucleoside analogues, 167–170
- Stokes shift, lanthanides, 183, 184
- STR (short tandem repeat) analysis, 106, 115, 120–122
- Strand displacement amplification, 71
- Streptavidin: *see* Avidin-biotin-streptavidin

- Structure of DNA, 4, 5–6
 nucleoside analogues, 160, 171
 nucleotide bases, 4, 5
 primary structure, methods for determining,
 6–10, 12–13
 Maxam–Gilbert sequencing, 7–10
 Sanger chain termination method, 10, 12–
 13
 pteridine labels for, 171
 Watson–Crick base pairing, 4, 5–6
 Succinylfluorescein, 139
 Supercoiled DNA, flow cytometry, 247, 266
 Suppression hybridization, 303
 Surface plasmon resonance, biosensors, 272
 SYBR Green, 96
- T-526, 18
 TAMRA: *see also* FAM/JOE/TAMRA/ROX
 series
 array probes, 222
 DNA sequencing, 24, 25, 49
 energy transfer studies, terminators, 119, 124
 Tandem repeats, 106, 115, 120–122
 Tapered fiber biosensors, 272, 278
 Taq polymerase, fluorescein dyes and, 29
 Target intensity extraction, 225, 228
 Target segmentation, array, 225
 Technicolor genome analysis, 291–311
 applications of FISH, 303–305, 306
 chromosome evolution, 305, 307
 clinical and cancer cytogenetics, 305, 306
 gene mapping, 303–304
 somatic hybrid analysis, 304–305
 historical perspective, 291–294
 karyotype analysis, 307–311
 comparative genome hybridization, 308–
 310
 special karyotyping, 310–311
 principles behind FISH, 294–303
 cytology specimen preparation, 296–299
 detection and visualization, 302
 DNA probe preparation, 299–300
 high sensitivity detection procedures,
 302–303
 hybridization of probe to specimen, 302–
 302
 labeling of DNA probes, 300–301
 Temperature, dye instabilities, 25, 27
 Terbium
 advantages of LRET, 193, 195
 Terbium (*cont.*)
 emission spectra and lifetime, 180–182
 enzyme-based assays, 186–187
 hybridization, 78, 82
 LCTFs, 204–205
 luminescence, 178–179
 Terminators: *see specific applications*
 Terpyridines, lanthanide, 179, 183
 Tertiary structure: *see* Conformation
 Tethered dye transduction system, biosensor, 285
 Tetrachloro-6-carboxyfluorescein, 93
 Tetramethylrhodamine (TMR), 22, 23
 chemical structures and emission spectra, 17
 DNA sequencing
 on-the-fly lifetime detection, 139
 two-color, single-lane, 49–50
 hybridization, 85, 93
 label interactions, 85
 lanthanide resonance energy transfer, 193
 on-the-fly lifetime detection, 135, 136–137,
 138, 139, 140
 Tetramethylrhodamine isothiocyanate (TRITC)
 FISH, 293, 295
 flow cytometry, 240–242, 245
 Texas Red, 22, 23
 array probes, 222
 chemical structures and emission spectra, 17
 FISH, 293
 flow cytometry, 243
 hybridization, 94
 on-the-fly lifetime detection, DNA
 sequencing, 139
 Thermodynamic considerations, stability of
 biosensor probes, 283–284
 Thermo Sequenase DNA polymerase, 119
 Thiolsilane, 276
 Three-color applications, array probes, 222
 Three-dimensional structure: *see* Conformation
 Thresholds, microarray image analysis, 228
 Time-correlated single photon counting
 (TCSPC), 55
 Time-dependent intensity signal, frequency
 domain, 130
 Time-resolved fluorescence
 DNA sequencing, 57, 58, 60
 hybridization, 82, 88
 Time-resolved probes, lanthanide, 192
 TO, on-the-fly lifetime detection, 143
 Total internal reflection fluorescence (TIRF),
 274, 275

- TOTO-1
array probes, 222
flow cytometry, 249, 250, 251
bacteria species and strain discrimination, 261, 264
PAC clones, 253
PCR fragments, 259
on-the-fly lifetime detection, RFLP, 144
- Transcription based amplification (TAS)
system, 71
- Transduction system, reagentless biosensors, 284–286
- Translational diffusion rates, hybridization, 90
- Tricarbocyanine dye, 222
- Tri-exponential decay curve, 3-MI, 155
- Triplexes, DNA, 272, 281
- Trisbipyridine (TBP) cryptate, 79
- TRITC: *see* Tetramethylrhodamine isothiocyanate
- TTL-like pulse output, flow cytometry, 248
- Tuneable emission color, lanthanide-labeled DNA, 202–207
- Two-label applications
array probes, 222
DNA sequencing, 47–50, 51, 53, 65
- Two-label applications (*cont.*)
energy transfer studies
biotinylated cassettes, 122, 123
STR analysis, 120–122
flow cytometry, 243, 268
hybridization
amplified, interacting label, 91–94
nonamplified, homogeneous, 82–88
microarray image analysis, 228
- Two-point calibration, flow cytometry, 267
- Tyramide signal amplification (TSA), 186
- Tyramine amplification system (TAS), 78
- UV detectors, 63, 65, 131, 274
- Visible dyes, DNA sequencing, 24–30
- Watson–Crick base pairing, 4, 5–6, 27
- Waveguides, biosensors, 272, 277
- Yeast artificial chromosomes (YACs), 7, 294, 299, 304
- YO: *see* Oxazole yellow
- YO-PRO-1, 96
- YOYO, 144, 222, 279