

REFERENCES

Apostol, T.M., (1969). *Calculus*. John Wiley&Sons.

Åström, K.J. and Wittenmarl, B., (1990). *Computer-controlled systems: theory and design*. Prentice-Hall International Ltd.

Bellanger, M., (2000). *Digital processing of signals: theory and practice*. John Wiley&Sons.

Cook, P.A., (1986). *Nonlinear dynamical systems*. Prentice-Hall International Ltd.

Couch, L.II W., (1990). *Digital and analog communication systems*. Macmillan Publishing Company.

Marlow, W.H., (1993). *Mathematics for operations research*. Dover Publications Inc.

Oppenheim, A.V., Shafer, R.W., Buck, J.R., (1999). *Discrete-time signal processing*. Prentice-Hall Ltd.

Ott, E., (1993). *Chaos in Dynamical systems*. Cambridge University Press.

INDEX

- aliasing 39–40, 42, 48, 81, 110, 115–119, 124, 170, 176, 236, 250
- Analog-to-Digital Converter 83–84
- angular frequency 37, 40, 47–48, 51–54, 76, 148, 153–154, 168, 171–172, 174, 176, 184, 187–188, 228, 230–231, 238–239, 250
- anti-aliasing filter 115–117, 119, 124
- anti-aliasing filter - maximum phase delay
- anti-aliasing filter - minimum gain
- ASIC 108
- backward integration formula
- bandwidth 2, 42, 76, 83, 100, 106, 110–113, 115, 117, 119–120, 124, 234
- bandwidth estimation 110
- Bartlett (triangular) window 196
- BIBO stability 138, 140–141, 164
- bilinear transformation 249–251
- biquad 261
- Blackman-Harris window 69–70
- Butterworth filter 231, 233
- cascaded systems
- causality condition
- central integration formula
- Chebyshev filter 232–233
- circular buffer memory 109
- comb filter 182–183
- conjugate asymmetric sequence
- conjugate symmetric sequence 31–32
- continuous-time domain 3, 7
- continuous-time signal 5, 7, 9–10, 17, 30, 33, 36–43, 45, 47, 51, 53, 58, 124
- conversion time 84–85, 96–98, 100, 104–105, 110, 125
- convolution 14–17, 19–23, 31, 47–49, 51–53, 55, 77–79, 142, 149, 151–152, 163–165, 179, 192–194, 212
- cosine filter 183–185
- cosine windows 60, 63–65, 67, 70, 74, 80
- difference equation 127, 129–130, 166, 179, 183, 185, 213–214, 216, 222, 224–225, 227, 245
- differential non-linearity error 94–96
- direct I structure 259, 261
- direct II structure 260–262
- direct structure 210, 212
- discrete time systems 12, 22, 24–25
- discrete-time domain 3, 7, 58–59
- discrete-time signal 4–7, 9, 24, 37–39, 45, 51, 53, 125, 263
- dither 88–89, 91
- dithering 88, 91
- DPLL structure 81–82
- $\Delta\Sigma$ converters 105
- DSP 1, 3, 33–34, 76, 83, 96–97, 107–108
- DSP-based instrument 3, 83–84, 104, 106–108, 110, 115, 119
- dynamical discrete system 127, 129–130, 134, 163, 165
- effective number of bits 102
- elliptic filter 233–234, 250–251
- equivalent-time sampling 122–124
- Eulero relationship 45
- Euler's integration formula 241–242
- exponential sequence 8–9, 11, 25–26, 150, 165
- FIR filter 105, 179–183, 185–186, 188–192, 194–196, 198–200, 202–216, 218–220, 222, 224, 226, 255, 257–259
- flash converters 105
- flat-top window 70
- forward integration formula 241–242, 244
- Fourier transform 27–32, 34–42, 47–50, 52, 57–60, 62, 64–73, 147–148, 152–154, 172–177, 181, 184–187, 192, 201–202, 235, 237, 242, 246, 248
- FPGA 108
- frequency response 24–29, 31, 116–118, 167–168, 180–185, 187–192, 198, 200–207, 222, 225–229, 231–233, 235–236, 238–239, 241–242, 244, 246–248, 250, 253, 255–256
- frequency-domain interpolation method 76, 80
- full-scale voltage 84–86, 102
- gain error 92–93, 96, 104
- Gauss relationship 45
- Gibb's phenomenon 194–195, 203
- Hamming window 68–70, 196, 198–200
- Hanning window 60, 64, 66, 69, 72–73, 77, 196
- hardware synchronization 80
- *****heterodyne concersion 119–122, 124
- ideal characteristic 91–94
- *****ideal transition 86–88
- IIR filter 221–227, 229–230, 251, 253–255, 257–259, 261
- impulse invariance 235–239, 250–251
- impulse response 24, 135, 139–141, 163–165, 179–181, 184–187, 189, 192, 195, 198, 201–203, 212–214, 217, 219, 221, 224–229, 237
- integrating converters 104
- interpolation formula for periodic signals 52

- integral non-linearity error 95–96
- inverse z-transform 155–162, 212
- Kaiser window 196
- leakage errors 52, 55, 57, 60, 67, 70, 74, 76, 82
- linear phase FIR filter 191, 209, 211, 216–219
- linear systems 12–14, 16–17
- long range leakage errors 60, 67, 70
- LSB 85–97, 101, 104–105, 118
- main lobe 50–55, 59–60, 62, 64, 66–70, 72, 76–80, 193–198
- maximum asymptotic decay 63–64, 67, 69–71, 76, 80
- memory 2, 83, 97–98, 106, 108–113, 115, 125, 210–214, 216–218, 259
- Minimax 205
- moving average filter 179–180, 182
- MSB 84
- MSE-Minimum Square Error 205
- multi converter structure 124–125
- multi-channel structure 84, 110–111
- multiplexed structure 112–113
- multiplier 81, 120–122, 213
- non-linearity error 94–96, 105, 124–125
- non-multiplexed structure 111, 112
- normalization condition 63, 70
- number of bits 84, 86, 97, 102–103, 105–106, 118, 206, 208, 210, 255, 257
- observation interval 42, 46–51, 57–58, 60, 72, 74, 76, 78, 106, 124
- odd sequence 32
- offset error 91–93
- output transformation 129–132, 162, 166, 210
- parallel systems
- pass band 82, 116, 118–119, 186–187, 194, 231–233, 250, 255–257
- periodic sequence 9–10
- phase space 130
- pole 146, 149–151, 156–157, 159–161, 163–164, 166–169, 180, 182, 184–185, 209, 222, 224–230, 232, 236–238, 256–258
- pole-zero diagram 146, 152–154, 184–186
- product operation between sequences 11, 142
- purely recursive IIR filter 224–227, 229, 259
- quantization 3, 84, 86, 101–102, 105, 206–210, 212, 214–215, 217–218, 255–258, 261
- quantization band 86, 88–90, 94–97, 101
- quantization error 86–89, 91, 101, 207, 256
- raised cosine filter 185
- real sequence 32
- rectangle's integration formula 240, 242–246, 248
- rectangular window 59–60, 62–70, 72, 76, 192, 195–196, 198–200
- resolution 42, 45, 57, 85–87, 96–98, 100–106, 117, 119, 122, 218
- ROC-Region Of Convergence 143
- sample 2-3, 6–8, 11–16, 19–26, 29–31, 33–36, 42–43, 45, 48, 51, 53, 57–60, 72, 74–76, 78, 83–84, 91, 106–107, 109–113, 115, 117, 122–124, 150, 170–171, 174, 176–177, 179, 200–201, 203–205, 234, 237–238
- Sample & Hold 97–100
- sampling distribution 47–49, 52, 57
- sampling frequency 35, 39–40, 42, 53, 76, 79, 81, 115, 124, 174, 203, 205, 220
- sampling theorem 33, 35, 40–43, 46, 48, 51–52, 57, 72, 74, 76, 78, 83, 111, 115, 122
- sequence 2–3, 5–17, 19–20, 22–42, 45, 48, 51, 53, 58, 60, 75, 127–129, 131–132, 134–136, 138–139, 142–143, 145–150, 152–157, 163–165, 167, 170–171, 174–177, 179, 181, 186, 189, 192, 206, 221–223, 229, 237–239
- Shannon interpolation formula 41–42, 52, 201
- shift invariant linear systems 13–14, 16–17
- shift operation 11
- short range leakage errors 55, 70
- side lobes 55, 59–60, 63–64, 66, 68–70, 193–198
- Simpson's integration formula 247–248
- \sin^6 window 67
- single-channel structure 110
- sinusoidal sequence 10, 24, 96
- spectral replica
- stability condition
- state 83, 96, 107, 127–141, 162–164, 166–167, 179, 209–211, 213–214, 216, 218, 221, 223, 227, 259
- state equations 129–132, 162, 209
- state motion 130, 134–139
- state space 130–131
- step invariance 238–239
- stop band 116–117, 186, 195, 231–233, 255–257
- successive approximation converters 104–105
- sum operation between sequences
- synchronous sampling condition 45–46, 50, 52–55, 63, 72, 76, 78–80
- time-domain interpolation method 74, 76
- trajectory 130–132, 137–141
- transfer function 162–166, 168, 180–183, 185–186, 193, 204–209, 212–213, 215–216, 218, 221–222, 224–225, 228–229, 231, 235–240, 243, 250–251, 253–255, 257, 259

- transition 88, 116–117, 186, 194–195, 198, 203–205, 233–234, 255
- transition band 116–117, 186, 195, 198, 203–204, 234, 255
- transposed direct I structure 261
- transposed direct II structure 262
- transposed structure 210
- Tustin's transformation 249
- unit sample response
- unit sample sequence 7–8, 11–16, 22–26, 29–31, 58
- unit step sequence 7–8, 24
- zero 8, 12, 19, 23–24, 44–45, 50–51, 60, 63, 72, 77–78, 84, 87–88, 91, 95–96, 100–101, 105, 116, 119, 134–137, 140–141, 146, 149–151, 154, 157, 162–164, 166–169, 180–85, 89, 208–209, 212–219, 222, 224–225, 228, 231, 256–258
- ZIM-Zero Input Motion 134
- ZIR Zero Input Response 135
- ZSM-Zero State Motion 134
- ZSR-Zero State Response 135
- z-transform 127, 141–153, 155–164, 169–171, 174, 180, 192, 205–206, 212, 237, 239–240, 245–246, 248