

# Index

- Accelerometers, 46
- Acoustic immittance measures, 165
- Actigraphy, 88
  - applications of, 91–92
  - clinical use of, 90–91
  - fundamental principles of, 89–90
  - home use of, 91
  - technology, 100
- Age-related changes
  - assessments of inner ear, 154–156
  - atypical Gait patterns associated with, 47–48
  - auditory nerve and, 154
  - auditory system and, 152–154
  - eye diseases and, 123
- Age-related hearing loss (AHL) gene, 150
- Age-related macular degeneration (AMD), 123
- Air mattress, 112
- Air mattress bed sensor, 111–112
- Alzheimer disease (AD), 203
- Ambulatory Monitoring’s software (Action W-2), 101
- American Academy of Sleep Medicine (AASM), 85
- American sign language (ASL), communication, 146
- American Tinnitus Association, 148
- Ankle planar flexors, 43
- Apnea index (AI), 98
- Apnea Risk Evaluation System (ARES), 106–108
- ARES unicorder, 107
- Arterial oxygen saturation (SaO<sub>2</sub>), 99
- Assistive listening systems (ALS), 173
- Asymmetrical acuity, 126
- Auditory brainstem response (ABR), 165
- Auditory system, age-related changes
  - auditory nerve and, 154
  - inner ear, 153–154
  - middle ear, 152–153
  - outer ear, 151–152
- Augment observational gait analysis, 45
- Aural rehabilitation, 177–178
- Automatic gain control (AGC), 170
- Automatic volume control (AVC), 170
- Automatic wearable fall detectors, 192–193
- Aware Home project at Georgia Institute of Technology, 19
- Bailey-Lovie high–low contrast chart, 125, 127
- Ballistocardiography, 92–93
  - applications of, 96–97
  - clinical use of, 95–96
  - fundamental principles of, 94–95
- Baltimore Longitudinal Study, age-related hearing loss, 147
- Bed occupancy sensors (BOS), 110
- Bed restlessness data, 18
- Bed sensors, 113
- Behind-the ear (BTE), hearing aid, 169
- Benign paroxysmal positional vertigo (BPPV), dizziness, 149
- Berg balance scale, 15
- Bioptic telescopic spectacle (BTS), 134–135
- Body’s ground reaction force, 35
- Cadence of gait, 34
- Canadian Space Agency for tactile robotic sensing, 110
- Cataracts, 123
- Center for Epidemiologic Studies Depression Scale (CES-D), 9
- Centers for Disease Control (CDC), 187
- Central auditory nervous system, 156
  - assistive listening technology and, 157–158
  - auditory processing disorders, 157
- Certified low-vision therapist (CLVT), 133

- Charles Bonnet syndrome (CBS), 124–125
- Chest wearable fall detector, 194
- Clinical visual assessment
  - contrast sensitivity and glare, 127
  - low-vision refraction, 128
  - reading performance, 126–127
  - visual acuity, 125–126
  - visual field testing, 127–128
- Closed circuit televisions (CCTVs) for
  - electronic magnification for reading, 136
- Cochlea age-related changes, 153
- Cochlear implants, 171
- Cognitive function
  - hearing loss and dementia, 158
  - professional implications, 159
- Communication Self-assessment Scales for Older Adults (CSOA), 165
- Completely-in-the-canal (CIC), hearing aid, 169
- Computer and elderly people
  - data handling-security issues, 210
  - education, 209
  - optimal length of computerized battery, 207–208
  - skills and experience, 208
  - software and hardware, 209–210
  - sub-tests and task variations, 210
  - typing and, 208
- Computerized testing
  - approaches of, 212–214
  - needs and future development, 214
  - techniques and, 210–212
  - usability of, 207–210
  - usefulness of, 204–207
- Conductive hearing loss, 145
- Continuous positive airway pressure (CPAP), 78
- Contrast sensitivity function (CSF), 127
- CO-Operative Locomotion Aide (COOL-Aide), 58
  - architecture of, 60
  - philosophy of, 59
  - preliminary experimental evaluation of, 65–66
- Coronal plane motion, 44
- Data acquisition (DAQ) program, 194
- Dementia misdiagnosis and management, 159
- Dempster-Shafer theory, 63
- Diabetic retinopathy, 123
- Digital hearing aids, 169
- Disabilities Act (1992), 163
- Duke Center, aging study, 161
- Dynamic electromyography (EMG), 34–35
- Early Treatment of Diabetic Retinopathy Study (ETDRS), 125
- Eccentric viewing (EV), 128
- Electronystagmography (ENG) testing, 149
- Excessive daytime sleepiness (EDS), 81
- Eye Disease Prevalence Research Group, 123
- Fall detector types, 192–200
- Fall prevention
  - and detection technologies, 187–188
  - types of, 188–191
- Fall risk assessment (FRA), 190
- Fall watch alarm technologies, 189–190
- Familial torsion dystonia (DYS), 68
- Feinbloom number chart, 125
- Finite element model (FEM), 191
- Floor vibration-based fall detectors, 197–200
- FM systems, 174–175
- Functional Fitness Battery, 12
- Functional Reach Test (FRT), 6
- Gait cycle, 33
- Gait patterns
  - associated with impaired strength and/or power-generating capacity, 48
  - impaired balance control and, 48
- GAITRite<sup>®</sup> gait mat, 46
- Gallaudet's Assistive Device Center, 166
- Gallaudet University Peer Mentoring Training Program, 177
- Genetic hearing loss, 145–146
- Glare/dazzling, brightness within visual field, 127
- Glaucoma, 123
- GRF vector
  - during walking, 36
  - mid-stance and mid-swing, 41, 44
  - terminal stance and terminal swing, 43, 44
- Ground reaction force vector during quiet standing, 36
- Growth rate operator (GRO), 62
- Gyroscopes, 46
- Hand-held illuminated magnifier, 131
- Hand-held telescope, 132
- Hard-wire systems, 173
- Hearing aids, 169
- Hearing assistance technology (HAT), 167
- Hearing assistive technology and receptive communication, 166–167

- Hearing Assistive Technology Needs Assessment Profile (HATNAP), 166–168
- Hearing Handicap Inventory for Elderly (HHIE), 166
- Hearing loss
  - biological, psychological, and social effects of, 159–163
  - causes and prevention of, 149–151
  - characteristics of
    - degrees of, 145
    - nature of, 147
    - types of, 145–146
  - management, 143–185
  - prevalence and demographics of, 144–145
- Hearing Loss Association of America (HLAA), 177–178
- Heart rate variation index (HRVI), 98
- High-frequency (HF) BCG, 95
- Hip extensors (gluteus maximus and hamstrings), 41
- Histogrammic inmotion mapping (HIMM) technique, 62
- Home-based functional assessment systems, 20
- Honeywell's Independent Lifestyle Assistant (ILSA) program, 19
- Human Development's second longitudinal study, 161
- Hybrid-III, seated crash test dummy, 198
- Hybrid video magnifiers, 139
- Hypopnea index (HI), 98
- ICD-9 codes for visual impairment and legal blindness, 122
- Inactivity physiology, 10
- Induction loops (IL), 173
- Initial swing and GRF vector, 43
- Inner ear age-related change assessments, 154–156
- Insomnia, 79
- Instrumental activities of daily living (IADLs), 6
- Instrumented walking aids, 47
- Intelligent device for energy expenditure and activity (IDEEA) recorder, 46
- Intelligent mobility aids, 57–58
- Intent heuristics and uncertainty model, 62–63
- International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), 121
- In-the-canal (ITC) and in-the-ear (ITE), hearing aid, 169
- IR systems, 175
- Jordy II head-borne video magnifier system with virtual display, 139
- Just-noticeable difference (JND), 128
- Kinematics definition, 34
- Kinotex<sup>®</sup>, 110
- Kluge Children's Rehabilitation Center (KCRC), 65
- Knee flexion, 43
- Korean air mattress, 111
- Legal blindness, 123
- Low-vision, 121
  - refraction, 128
  - rehabilitation
    - adaptive technology, 136–139
    - magnification principles, 128–129
    - optical devices for distance visual objectives, 132–136
    - optical devices for near visual objectives, 129–131
- LVR evaluation for patient's visual goals and objectives, 124
- Magnetic induction and hearing aid, 173–174
- Mars chart, 127
- Medical Automation Research Center (MARC), 47, 113, 197
- (MESAM) IV device, 103–104
- Metabolic syndrome, 10
- Microscope with diffractive optics, 130
- Mid-stance and mid-swing, GRF vector, 41, 44
- Mild cognitive impairment (MCI), 203
- Mini Mental State Examination (MMSE), 212
- Minimitter Actiwatch, 100
- Mini-Mitter/Respironics software (Actiware-Sleep, 5.0), 101
- MNRead acuity chart, 126
- Mobility aids for elderly, 55
- Mobility assessment technology outside Gait laboratory, 44
  - Gait mats and stride analyzers, 45–46
  - video recordings, 45
- Motion analysis laboratory technology
  - EMG system, 38–39
  - foot pressure analysis, 40
  - force plates, 38
  - metabolic function, 39–40

- Motion analysis (*cont.*)  
 motion capture system, 37–38  
 treadmills, 40
- Movement index, 98
- Multiple sleep latency test (MSLT), 86
- Nasal CPAP treatment for OSAHS, 86
- National Health Interview Survey, tinnitus prevalence, 148
- National Sleep Foundation (NSF), 77
- NOAH, hardware interface, 170
- Nocturnal (overnight) pulse oximetry, 99
- Nocturnal polysomnography, 82
- NOC-watch device, 190
- Non-EEG sleep staging, 103
- Non-exercise physical activity (NEPA), 10
- Non-invasive Analysis of Physiological Signals (NAPS<sup>TM</sup>) sleep analysis system, 113–116
- Non-REM (NREM) sleep stages, 82
- Nursing Home Hearing Handicap Scale, 166
- Older adults, clinical audiological assessment, 163–165
- Optical devices for distance visual objectives, 132
- Optical devices for near visual objectives, 129–130
- Oregon Hearing Research Center, tinnitus, 148
- OSA-hypopnea syndrome (OSAHS), 85
- Otoacoustic emissions (OAE) testing, 165
- Otosopic evaluation, 164
- Oxygen desaturation index (ODI), 98
- Pelli-Robson chart, 127
- Pen-and-Paper tests, advantages and limitations, 205–206
- Performance-based tests, 6, 12
- Periodic limb movements during sleep (PLMS), 82
- Peripheral arterial tone (PAT), 105
- Perry's Eight Gait Phases, 34
- Philips Lifeline Slimline Personal Help Button, 193
- Physical function, 6  
 cognitive impairment, 8  
 common health conditions, 7–8  
 depression and, 9  
 and lack of physical activity, 9–10  
 and older adults, 7  
 performance-based tests, 6, 12
- Physical functioning questionnaire (PFQ), 6
- Physical performance test (PPT), 15
- Pocketalker, hard-wired personal amplifier, 173
- Pocket video magnifier systems, 138
- POLY-MESAM (PM) device, 98
- Polysomnography (PSG)  
 gold standard, 79  
 history of, 81
- Portable PSG devices  
 level II PSG, 97  
 level III studies, 98
- Portable sleep monitoring technology  
 static charge-sensitive bed, 102–103
- Portable video magnifier systems, 138
- Positive and negative joint power, 36–37
- Positive predictive value (PPV), 98
- Presbycusis, age-related hearing loss, 147, 150
- Pre-swing and GRF vector, 43
- PROSAFE smart home, 19
- Pure tone average (PTA), hearing threshold, 145
- Pure tone testing, 164
- Push-rim-activated power assist wheelchair (PAPAW), 55
- Rapid eye movement (REM) sleep and sleep apnea, 81
- Rehabilitation engineering research center on hearing enhancement (RERC), 166
- Rescue Randy, dummy, 198–199
- Respiratory disturbance index (RDI), 85
- Respiratory effort-related arousal (RERA), 83, 85
- Ride-able devices, 55
- Rollator-style walkers, 58
- Safe floors and fall, 191
- Sagittal plane kinematics and kinetics, 40, 42
- SCSB-based sleep staging, 103
- Selection and use of technologies for older adults  
 special considerations in, 175–176
- Self-Assessment Scales for Older Adults (CSOA), 165–166
- Self-report and proxy report assessments, 11–12
- Senswear<sup>®</sup> armband, 108–110
- Sensorineural hearing loss, 145
- Short physical performance battery test (SPPB), 12
- Six-axis force/moment sensors, 60
- Sleep-disordered breathing (SDB), 77
- Sleep efficiency, 83
- Sleep Health Heart Study (SHHS), 80–81

- Sleep-staging information and fast Fourier transform (FFT) algorithm, 113
- Smart home technologies, 19
- Smart inactivity monitor using array-based detectors (SIMBAD), 196
- SNAP Laboratories LLC sleep diagnostic system, 98
- Snellen projector, 125
- SNORESAT, 99–100
- Software apartheid, *The Inmates are Running the Asylum*, 207
- Speech testing, 164
- Speedy, fall detector prototype, 194–195
- Stand magnifier, 131
- Stanford University's SleepSmart™ Bed Sheet, 104–105
- Stride time, 34
- System dynamics model, 61–62
  
- Tactex Fiber Optic Sensor, 110–111
- Telecoil/microphone (TM) mode, magnetic induction, 174
- Telecoil mode (T), magnetic induction, 174
- Temporomandibular Joint (TMJ), 148
- Terminal stance and terminal swing, GRF vector, 43, 44
- TigerCare wellness center, 16–17
- Timed up and go (TUG) test, 15
- Tinetti assessment tool, 15
- Tinnitus, 148
- Tinnitus-retraining therapy (TRT), 148
- Total sleep time (TST), 81
  
- Two-dimensional dynamic model, 62
- Two-wheeled mobility aid, 58
  
- UbiSense project, fall detection, 195–196
- Ultra low frequency (ULF) BCG, 94
- Unconstrained bed sensor, 112–113
- User-activated alarms and pendants, 192
  
- Vicon® motion capture system, 46
- Video monitoring-based fall detectors, 195–196
- Vision Function Questionnaire-25 (NEI-VFQ-25), 124
  
- Walker evaluation experimental setups, 66
- Walker mobility aid, 56
- Walker's user intent detection and control system
  - experimental results, 68–73
  - experimental setup, 65–67
  - subjects characteristics of, 68
- Watch-PAT, 100, 105–106
- Weak ankle dorsi flexors atypical Gait patterns associated with, 48
- Wearable footswitch-based stride analyzers, 46
- Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), 12
- Whole Body Reaction Type-II, 6
- Wireless media
  - frequency modulated radio frequencies (FM) systems, 173–175
  - infrared (IR) systems, 173, 175
  - magnetic induction, 173–174