

# Index

802, 11b, 3–4, 26, 27  
802, 11e, 27, 45, 144

## A

Actuator, 8, 23, 54, 61, 64, 91, 102, 167, 203  
Adaptive middleware, 171  
Agent characteristics, 65–66  
  Agilla, 57  
  FIPA, 63–64  
  KaoS, 63  
  LEAP, 64  
  MASIF, 63  
  Maté, 54, 57  
  mobile agents, 54, 57, 62, 63,  
    66, 69–70  
  OMG, 63, 66  
  SPAM, 69  
  static agents, 67–69  
Agent Technologies, 51, 61–70  
ALOHA, 110  
Ambient intelligence, 162, 169, 170  
Application layer, 8, 93, 108, 125, 126, 130,  
  138, 146–147  
Attribute-based addressing, 120, 121  
Automotive monitoring, 186, 187  
AWARE, 167, 168

## B

Battlefield monitoring, 185  
Beyond 3G (B3G), 167, 169  
Binary Phase Shift Keying (BPSK), 8  
Biological EMC effects  
  nonthermal effects, 157, 168  
  thermal effects, 157, 158  
Bio-surveillance, 180, 182  
Bluetooth, 3–6, 12, 17, 18, 33–34  
Bridge, 23–25, 27, 33, 51, 186  
Business processes, 161, 166

## C

Carrier Sense Multiple Access with Collision  
  Avoidance (CSMA/CA), 8, 118–119  
Carrier Sense Multiple Access (CSMA), 28,  
  106–107, 110, 128, 140–141  
“CE” conformity marking, 154  
Clear To Send, 107, 112, 118  
CoBIs, 165–166  
Code Division Multiple Access  
  (CDMA), 114  
Cognitive methods, 170  
Collaborative objects, 169  
Condition-based monitoring, 188  
Congestion control, 126–128  
Context sensing, 170  
Cooperating objects, 173–174  
Cooperative computing, 55, 172  
Corrosion monitoring, 186  
Critical vital sign and environmental  
  monitoring application scenario, 200  
Cross-layer design, 126, 146–147  
CRUISE, 1, 170–171  
CTS, 107, 112, 118

## D

Data aggregation, 57, 60–61, 104, 115–116,  
  120, 121–122, 130, 132–134, 141, 142,  
  143, 145  
Data centrality, 121  
Data delivery models  
  event-driven, 140, 145  
  hybrid, 122–123  
  query-driven, 122–123, 145  
Data Link layer, 108, 109, 119  
Deployment, 1, 52, 63, 70, 74, 77, 79, 92–93,  
  101–148, 174, 191, 195, 200  
Design Strategies, 51, 70–80  
  Balani, 79–80  
  Blumenthal, 64, 70–71, 76, 91

- Design Strategies (*cont.*)  
 Contiki, 35, 45, 46, 75  
 Cormos, 75  
 Ecos, 75  
 EnviSense, 76–77  
 EYES Project, 72–73, 173  
 Janus, 79, 92  
 MagnetOS, 74  
 Mantis, 75, 113  
 Mote View, 77–78, 79  
 NesC, 43, 45, 47, 61, 71, 86–87  
 SeNeTs, 76  
 SOS, 74, 75, 76, 86  
 Stargate, 33, 78–79  
 TASK, 77  
 TinyOS, 71, 74, 76, 78  
 t-kernel, 75  
 TOSSIM, 76  
 Turon, 72
- Differentiated inter-frame spacing (DIFS), 144
- Directed diffusion, 132–133, 135, 142, 145, 172
- Direct Sequence Spread Spectrum (DSSS), 7–8, 11, 12, 117–118
- Disability assistance, 180, 181
- Distributed Processing Middleware, 169
- E**
- E2R, 170
- Elderly care, 169
- Electromagnetic field detection fixed system, 184
- Electromagnetic field detection portable system, 184
- EMC Standards  
 EN, 156–157, 220, 300  
 EN, 156, 300, 328  
 EN, 156, 300, 440  
 EN, 156, 301, 489
- Emergency care, 181–182
- Energy resource management, 180
- Enterprise systems, 166
- Environmental monitoring, 37, 61, 138, 177–178, 200
- Error recovery, 125, 128–129
- E-SENSE, 73, 169
- EU Directives applicable to WSN, 153–162  
 batteries (Dir 2006/66/EC), 160  
 Electromagnetic Compatibility (EMC) Directive (Dir 2004/108/EC), 154, 155  
 Low Voltage Directive (LVD) (Dir 2006/95/EC), 154, 157  
 R&TTE Directive (Dir 1999/5/EC), 153  
 RoHS directive (Dir 2002/95/EC), 159–160  
 WEEE directive (Dir 2002/96/EC), 159
- European Standards Organizations, 154  
 CEN, 154  
 CENELEC, 154  
 ETSI, 154
- Event-to-sink reliable transport (ESRT), 129
- EYES, 42–43, 72–73, 173
- EZCab, 172
- F**
- Flat routing, 131–133
- Frequency Division Multiple Access (FDMA), 8, 114
- Frequency hopping spread spectrum (FHSS), 5, 23
- Full Function Device (FFD), 8, 136
- G**
- Gateway, 5, 18–23, 25–26, 28–30, 32, 34–39, 41–43, 71, 77, 78, 79, 102, 104, 115, 125, 137, 191, 195, 200, 203
- Geological monitoring, 179
- Guarantee Time Slot (GTS), 9, 141
- H**
- Habitat monitoring, 123, 179
- Health care, 177, 180, 181, 182, 188
- Herd control, 169
- Hierarchical routing, 123, 133–134
- Homeland Defense, 185
- Hypovigilance, 168
- I**
- IEEE, 3–4, 11, 84, 90, 802
- IEEE, 4, 7–8, 15, 20–21, 23, 32, 136, 141, 802
- Individual's quality of life, 182
- Information service, 73, 173
- ISM Band, 17, 18, 30, 156
- ISM (Industrial, Scientific and Medical) bands, 11–12
- L**
- Location-based routing, 135–136
- Lookup service, 173
- Loss notification and detection, 129
- Loss recovery based on retransmission, 129–130
- Low-duty-cycle operation, 112

**M**

MAC accelerator, 21  
 Magnetic detection system, 184  
 Medium Access protocols for WSNs,  
   111–119, 140–141  
   B-MAC, 140, 141  
   clustering based protocols, 114–115  
   contention-based protocols, 111–112  
   i-GAME, 141  
   LEACH, 116, 134  
   MAC for linear WSN, 141  
   Schedule-based protocols, 113–114  
   Self-Organizing MAC for Sensor  
     Networks (SMACS), 113–114  
   Sensor MAC (S-MAC), 111–112  
   Traffic Adaptive Medium Access  
     Protocol (TRAMA), 114  
   Wavenis MAC, 116–117  
   X-MAC, 113  
   ZMAC (Zebra MAC), 140–141  
 Meteorological monitoring, 178–179  
 Microwave perimeter control, 184  
 Middleware architectures, 51–70  
   abstract regions, 60–61  
   Abstract Task Graph, 60  
   Agilla, 57–58, 69–70  
   application driven, 53, 56, 57  
   Autosec, 57  
   CORBA, 51  
   COUGAR, 55  
   Database, 55–56, 62  
   DCOM, 6, 51  
   DsWare, 56  
   Envirotrack, 61  
   Garnet, 58  
   generic role assignment, 61  
   Global behavior, 59–60  
   Hood, 61  
   Impala, 54  
   Kairos, 60  
   local behavior, 59, 60, 61  
   Macro programming models, 60  
   matè, 54, 57, 69–70  
   Message-oriented middleware,  
     53, 56–57  
   Milan, 56  
   Mires, 57  
   mobile agents, 54, 57, 62, 63,  
     66, 69–70  
   programming abstractions, 59–61  
   programming support, 53–54, 57–59  
   Regiment, 60  
   Semantic Streams, 60

SensorBus, 57  
 Sharifi, 59  
 SINA, 56  
 Smart Messages, 55  
 Squawk, 54  
 TinyDB, 55  
   virtual machine, 53–54, 58–59, 69  
 Yu, 58–59

Military Vehicle Operation, 185  
 MIMOSA, 170  
 Mobile ad hoc networks (MANETs),  
   34, 103  
 Mobile sensor applications, 173  
 Movement video detection, 184  
 Multi-hop routing, 57, 104–105, 114, 120,  
   139, 140  
 Multipath-based routing, 138, 144  
 Multi-tracking, 174

**N**

Network architecture for great scale  
   embedded systems (NES), 172  
 Network layer, 93, 109, 119–120, 125–127,  
   138, 139, 143, 144  
 Nomadic, 166–167

**O**

Object-oriented design approach, 189  
 OEM, 20, 30, 33, 38, 39, 41, 42  
 Offset Quadrature Phase Shift Keying  
   (QPSK), 8, 12–13, 20, 26, 28, 29  
 Over-the-air programming, 93, 147

**P**

Patient monitoring, 37, 63, 180  
 Physical layer, 7, 8, 108–109  
   spread spectrum, 109  
   ultra wideband, 109  
 Physiological measurement, 168

**Q**

QoS-based routing, 138  
 Quality of service, 19, 20, 93, 95, 101, 119,  
   131, 137, 139–140, 141, 143–145,  
   146, 158, 167, 199

**R**

Real-time event handling, 174  
 Recommendation 1999/519/EC, 157  
 Reduced Function Device (RFD), 8, 136  
 Request To Send, 107, 112, 118  
 RFID tags, 188  
 Road transport, 169

- Routing protocols for WSNs, 131–136, 144–160
  - APTEEN (Adaptive Periodic Threshold-sensitive Energy Efficient sensor Network protocol), 145
  - DIR, 153, 154, 155, 159–160
  - directed diffusion, 145
  - Geographic Adaptive Fidelity (GAF protocol), 136
  - The Geographic Distance Routing (GEDIR), 136
  - Geographic and Energy Aware Routing (GEAR), 135
  - Hierarchical PEGASIS, 134
  - Low Energy Adaptive Clustering Hierarchy (LEACH), 134
  - MMSPEED, 143–144, 145
  - Most Forward within Radius (MFR), 136
  - PEGASIS, 134
  - Sensor Protocols for Information via Negotiation (SPIN), 132
  - Sequential Assignment Routing (SAR), 143
  - Small Minimum Energy Communication Network (SMECN), 135
  - SPAN, 136
  - SPEED, 143
  - Threshold-sensitive Energy Efficient sensor Network protocol (TEEN), 134
- RS18, 21, 25, 26, 27, 32, 37, 39, 40, 44, 46, 232
- RTS, 107, 112, 118
- RUNES, 171
- S**
- Safety of aging structures, 186
- Scalability, 19, 21, 52, 54, 56, 66, 74, 76, 81, 85, 86, 88, 89, 90, 103, 105, 110, 111, 113, 114, 133, 140, 141, 142, 145, 147, 165, 167, 191, 195, 200
- Security, 18, 19, 20, 21, 25, 26, 28, 29, 30, 34, 35, 36, 37, 38, 39, 41, 42, 43, 44, 45, 155, 161–162, 165, 182–185, 195, 200
- Self-configuration, 95, 173
- Self-healing, 39, 42, 136–137
- Self-organization, 105–107, 171
- SENSATION, 167–168
- Sequential assignment routing (SAR), 143, 145, 157–158
- Sink, 56, 57, 80, 84, 85, 101–104, 114, 121–123, 125, 126, 127, 129, 130, 132, 133–135, 141–143, 145, 146
- Smart Messages, 55, 92, 171–172
- SPIN, 132, 142, 145, 172
- Stateless Non-Deterministic Geographic forwarding algorithm (SNFG), 143
- Surveillance, 37, 61, 92, 95, 101, 174, 177, 180, 182–184, 187, 189, 190, 193–195, 203, 206
- Surveillance application scenario, 195
- $\mu$ SWN, 1, 95, 174
- Synchronization, 60, 84, 106, 109, 118, 123–124, 130, 147, 191, 195, 200
- System-On-Chip, 6, 10, 11–12
- T**
- Target tracking application scenario, 191
- Time Division Multiple Access (TDMA), 114, 119
- TinyOS, 27, 28, 29, 30, 34, 37, 43, 45, 46, 47, 55, 57, 61, 69, 71, 74, 76, 78, 84, 86, 87, 90, 92, 93
- Topologies, 101–107
  - ad hoc without hierarchy, 102
  - flat networks, 102
  - hierarchical network by clustering, 103
  - hierarchical networks, 102, 106
  - mesh topology, 103–104
  - overlay networks, 103
- Tracking sensors, 182, 188
- Traffic and transport monitoring, 187
- TrafficView, 172
- Transport layer, 108, 119, 125–127, 129, 130
- Triangulation, 131, 135
- Trilateration, 135
- U**
- Ubiquitous computing, 173
- UbiSec&Sens, 165
- Unmanned Aerial Vehicles (UAV), 167
- USB interface, 27, 43
- User requirements, 2, 177, 189, 190–191, 194–195, 198, 200
- UWB technology, 4
- V**
- Vibration detection system, 184
- W**
- WASP, 169
- Water pollution detection, 180
- Wavenis technology, 4–6
- Wibree technology, 6–7
- Wi-Fi, 17

- Wi-Fi technology, 3–4
  - WINNER, 166–167
  - Wireless networks, 1, 7, 17, 20, 27, 33, 80, 82, 84, 109, 110, 116, 123, 127, 174, 183, 185, 187–188
  - Wireless World Initiative (WWI), 166–167
  - WiSeNts, 173–174
  - WSN application scenarios, 177–207
  - WSN Simulation Platforms, 51–95
    - ATEMU, 86–88, 90
    - Avrora, 88, 90
    - EmSim, 86
    - GloMoSim, 83, 85, 89, 93
    - Java-Sim, 85–86
    - J-Sim, 85, 90
    - ns-2, 83–85, 88, 90
    - OMNET++ , 83, 89
    - OPNET, 81, 82–83
    - Ptolemy, 83–84, 89
    - QualNet, 81–83
    - SENS, 85, 89
    - SensorSim, 84, 86
    - SNS, 88, 90
    - SWAN, 84
    - SWANS, 84–85, 89
    - TOSSIM, 69, 76, 86–88, 93
    - VisualSense, 84, 89
- Z**
- ZigBee, 7–14, 17, 18, 28, 30
  - Zigbee Coordinator (ZC), 8
  - ZigBee technology, 7–14