

References

- Abdeljailil NO-B, Renault D, Gerbore J, Vallance J, Rey P, Daami-Remadi M (2016) Evaluation of the effectiveness of tomato-associated rhizobacter applied singly or as three-strain consortium for biosuppression of *Sclerotinia* stem rot in tomato. *J Microb Biochem Technol* 8:4
- Abhilash PC, Dubey RK (2014) Integrating aboveground–belowground responses to climate change. *Curr Sci* 1637:12
- Abhilash PC, Dubey RK (2015) Root system engineering: prospects and promises. *Trends Plant Sci* 20:408–409
- Abhilash PC, Yunus M (2011) Can we use biomass produced from phytoremediation? *Biomass Bioenergy* 35:1371–1372
- Abhilash PC, Srivastava P, Jamil S, Singh N (2011) Revisited *Jatropha curcas* as an oil plant of multiple benefits: critical research needs and prospects for the future. *Environ Sci Pollut Res* 18:127–131
- Abhilash PC, Powell JR, Singh HB, Singh BK (2012) Plant–microbe interactions: novel applications for exploitation in multipurpose remediation technologies. *Trends Biotechnol* 30:416–420
- Abhilash PC, Dubey RK, Tripathi V, Srivastava P, Verma JP, Singh HB (2013a) Adaptive soil management. *Curr Sci* 104:1275–1276
- Abhilash PC, Dubey RK, Tripathi V, Srivastava P, Verma JP, Singh HB (2013b) Remediation and management of POPs-contaminated soils in a warming climate: challenges and perspectives. *Environ Sci Pollut Res* 20:5879–5885
- Abhilash PC, Tripathi V, Dubey RK, Edrisi SA (2015) Coping with changes: adaptation of trees in a changing environment. *Trends Plant Sci* 20:137–138
- Abhilash PC, Dubey RK, Tripathi V, Gupta VK, Singh HB (2016a) Plant growth-promoting microorganisms for environmental sustainability. *Trends Biotechnol* 34:847–850
- Abhilash PC, Tripathi V, Edrisi SA, Dubey RK, Bakshi M, Dube PK, Ebbs SD (2016b) Sustainability of crop production from polluted lands. *Energy Ecol Environ* 1:54–65
- Abubucker S, Segata N, Goll J, Schubert AM, Izard J, Cantarel BL et al (2012) Metabolic reconstruction for metagenomic data and its application to the human microbiome. *PLoS Comput Biol* 8:e1002358
- Abulencia CB, Wyborski DL, Garcia JA, Podar M, Chen W, Chang SH, Chang HW, Watson D, Brodie EL, Hazen TC, Keller M (2006) Environmental whole-genome amplification to access microbial populations in contaminated sediments. *Appl Environ Microbiol* 72:3291–3301
- Adams P, Lynch JM, De Leij FAAM (2007) Desorption of zinc by extracellularly produced metabolites of *Trichoderma harzianum*, *Trichoderma reesei* and *Coriolus versicolor*. *J Appl Microbiol* 103:2240–2247

- Adesemoye AO, Kloepper JW (2009) Plant–microbes interactions in enhanced fertilizer-use efficiency. *Appl Microbiol Biotechnol* 85:1–12
- Aguiar-Pulido V, Huang W, Suarez-Ulloa V, Cickovski T, Mathee K, Narasimhan G (2016) Metagenomics, metatranscriptomics, and metabolomics approaches for microbiome analysis: supplementary issue: bioinformatics methods and applications for big metagenomics data. *Evol Bioinform* 12:EBO-S36436
- Akinsemolu AA (2018) The role of microorganisms in achieving the sustainable development Goals. *J Clean Prod* 182:139–155
- Albantoglu OU, Way SF, Hinrichs SH, Sayood K (2011) RAIPhy: phylogenetic classification of metagenomics samples using iterative refinement of relative abundance index profiles. *BMC Bioinform* 12:41
- Amann R, Fuchs BM (2008) Single-cell identification in microbial communities by improved fluorescence in situ hybridization techniques. *Nat Rev Microbiol* 6:339–348
- Amico SD, Collins T, Marx J-C, Feller G, Gerday C (2006) Psychrophilic microorganisms: challenges for life. *EMBO Rep* 7:385–389
- Anderson LB, Maderia M, Ouellette AJA, Putman-Evans C, Higgins L, Krick T, MacCoss MJ, Lim H, Yates JR, Barry BA (2002) Post translational modifications in the CP43 subunit of photosystem II. *Proc Natl Acad Sci U S A* 23:14676–14681
- Andreolli M, Lampis S, Poli M, Gullner G, Biró B, Vallini G (2013) Endophytic Burkholderia fungorum DBT1 can improve phytoremediation efficiency of polycyclic aromatic hydrocarbons. *Chemosphere* 92:688–694
- Anupama NB, Jogaiah S, Ito S, Amruthesh KN, Tran LP (2015) Improvement of growth, fruit weight and early blight disease protection of tomato plants by rhizosphere bacteria is correlated with their beneficial traits and induced biosynthesis of antioxidant peroxidase and polyphenol oxidase. *Plant Sci* 231:62–73
- Arumugam M, Harrington ED, Foerstner KU, Raes J, Bork P (2010) Smash Community: a metagenomic annotation and analysis tool. *Bioinformatics* 26:2977–2978
- Aziz RK, Bartels D, Best AA, DeJongh M, Disz T, Edwards RA, Meyer F et al (2008) The RAST server: rapid annotations using subsystems technology. *BMC Genomics* 9(1):75. <https://doi.org/10.1186/1471-2164-9-75>
- Babu AG, Shim J, Shea PJ, Oh BT (2014a) *Penicillium aculeatum* PDR-4 and *Trichoderma* sp. PDR-16 promote phytoremediation of mine tailing soil and bioenergy production with sorghum-sudan grass. *Ecol Eng* 69:186–191
- Babu AG, Shim J, Bang KS, Shea PJ, Oh BT (2014b) *Trichoderma virens* PDR-28: a heavy metal-tolerant and plant growth-promoting fungus for remediation and bioenergy crop production on mine tailing soil. *J Environ Manag* 132:129–134
- Badri DV, Vivanco JM (2009) Regulation and function of root exudates. *Plant Cell Environ* 32:666–681
- Bahadur A, Ahmad R, Afzal A, Feng H, Suthar V, Batool A, Mahmood-ul-Hassan M (2017) The influences of Cr-tolerant rhizobacteria in phytoremediation and attenuation of Cr (VI) stress in agronomic sunflower (*Helianthus annuus* L.). *Chemosphere* 179:112–119
- Bai Y, Liang J, Liu R, Hu C, Qu J (2014) Metagenomic analysis reveals microbial diversity and function in the rhizosphere soil of a constructed wetland. *Environ Technol* 35:2521–2527
- Balseiro-Romero M, Gkorezis P, Kidd PS, Van Hamme J, Weyens N, Monterroso C, Vangronsveld J (2017) Use of plant growth promoting bacterial strains to improve *Cytisus striatus* and *Lupinus luteus* development for potential application in phytoremediation. *Sci Total Environ* 581:676–688
- Banerjee S, Schlaeppi K, Heijden MG (2018) Keystone taxa as drivers of microbiome structure and functioning. *Nat Rev Microbiol*. <https://doi.org/10.1038/s41579-018-0024-1>
- Baraniya D, Puglisi E, Ceccherini MT, Pietramellara G, Giagnoni L, Arenella M, Renella G (2016) Protease encoding microbial communities and protease activity of the rhizosphere and bulk soils of two maize lines with different N uptake efficiency. *Soil Biol Biochem* 96:176–179

- Bashan LE, Hernandez JP, Bashan Y (2012) The potential contribution of plant growth-promoting bacteria to reduce environmental degradation – a comprehensive evaluation. *Appl Soil Ecol* 61:171–189
- Bashiardes S, Shapiro H, Rozin S, Shibolet O, Elinav E (2016a) Non-alcoholic fatty liver and the gut microbiota. *Mol Metab* 5:782–794
- Bashiardes S, Zilberman-Schapira G, Elinav E (2016b) Use of metatranscriptomics in microbiome research. *Bioinform Biol Insights* 10:BBI-S34610. <https://doi.org/10.4137/BBI.S34610>. eCollection 2016
- Bashir Y, Singh SP, Konwar BK (2014) Metagenomics: an application based perspective. *Chin J Biol*. <https://doi.org/10.1155/2014/146030>
- Bastida F, Moreno JL, Nicolas C, Hernandez T, Garcia C (2009) Soil metaproteomics: a review of an emerging environmental science. significance, methodology and perspectives. *Eur J Soil Sci* 60:845–859
- Beauregard PB, Chai Y, Vlamakis H, Losick R, Kolter R (2013) *Bacillus subtilis* biofilm induction by plant polysaccharides. *Proc Natl Acad Sci U S A* 110:E1621–E1630
- Becker JM, Parkin T, Nakatsu CH, Wilbur JD, Konopka A (2006) Bacterial activity, community structure and centimeter-scale spatial heterogeneity in contaminated soils. *Microbiol Ecol* 51:220–231
- Begum MM, Sariah M, Puteh B, Zainal Abidin M, Rahman M, Siddiqui Y (2010) Field performance of bio-primed seeds to suppress *Colletotrichum truncatum* causing damping-off and seedling stand of soybean. *Biol Control* 53:18–23
- Ben-David EA, Holden PJ, Stone DJ, Harch BD, Foster LJ (2004) The use of phospholipid fatty acid analysis to measure impact of acid rock drainage on microbial communities in sediments. *Microb Ecol* 48:300–315
- Ben-David EA, Zaady E, Sher Y, Nejidat A (2011) Assessment of the spatial distribution of soil microbial communities in patchy arid and semi-arid landscapes of the Negev Desert using combined PLFA and DGGE analyses. *FEMS Microbiol Ecol* 76:492–450
- Benndorf D, Balcke GU, Harms H, von Bergen M (2007) Functional metaproteome analysis of protein extracts from contaminated soil and groundwater. *ISME J* 1:224–234
- Bentley S (2009) Sequencing the species pan-genome. <https://doi.org/10.1038/nrmicro2123>
- Berendsen R, Pieterse C, Bakker P (2012) The rhizosphere microbiome and plant health. *Trends Plant Sci* 17:478–486
- Berg G, Raaijmakers JM (2018) Saving seed microbiomes. *ISME J* 12:1167–1170
- Berger SA, Stamatakis A (2011) Aligning short reads to reference alignments and trees. *Bioinformatics* 27:2068–2075
- Berta G, Copetta A, Gamalero E, Bona E, Cesaro P, Scarafoni A, D'Agostino G (2014) Maize development and grain quality are differentially affected by mycorrhizal fungi and a growth-promoting pseudomonad in the field. *Mycorrhiza* 24:161–170
- Bertani I, Abbruscato P, Piffanelli P, Subramoni S, Venturi V (2016) Rice bacterial endophytes: isolation of a collection, identification of beneficial strains and microbiome analysis. <https://doi.org/10.1111/1758-2229.12403>
- Beverley SM et al (2002) Putting the *Leishmania* genome to work: functional genomics by transposon trapping and expression profiling. *Philos Trans R Soc Lond B* 357:47–53
- Blainey PC (2012) The future is now: single-cell genomics of bacteria and archaea. <https://doi.org/10.1111/1574-6976.12015>
- Bodrossy L, Sessitsch A (2004) Oligonucleotide microarrays in microbial diagnostics. *Curr Opin Microbiol* 7:245–254
- Bogan BW, Lamar RT (1996) Polycyclic aromatic hydrocarbon-degrading capabilities of *Phanerochaete laevis* HHB-1625 and its extracellular ligninolytic enzymes. *Appl Environ Microbiol* 62:1597–1603
- Bolger AM, Lohse M, Usadel B (2014) Trimmomatic: a flexible trimmer for Illumina sequence data. *Bioinformatics* 30:2114–2120
- Brady A, Salzberg SL (2009) Phymm and Phymm BL: metagenomic phylogenetic classification with interpolated Markov models. *Nat Methods* 6:673–676

- Brady A, Salzberg S (2011) PhymmBL expanded: confidence scores, custom databases, parallelization and more. *Nat Methods* 8(5):367. <https://doi.org/10.1038/nmeth0511-367>
- Braud A, Jézéquel K, Bazot S, Lebeau T (2009) Enhanced phytoextraction of an agricultural Cr- and Pb-contaminated soil by bioaugmentation with siderophore-producing bacteria. *Chemosphere* 74:280–286
- Brown MV, Fuhrman JA (2005) Marine bacterial microdiversity as revealed by internal transcribed spacer analysis. *Aquat Microb Ecol* 41:15–23
- Bulgarelli D et al (2013) Structure and functions of the bacterial micro biota of plants. *Annu Rev Plant Biol* 64:807–838
- Burd GI, Dixon DG, Glick BR (2000) Plant growth-promoting bacteria that decrease heavy metal toxicity in plants. *Can J Microbiol* 46:237–245
- Butterly CR, Phillips LA, Wiltshire JL, Franksc AE, Armstronga RD, Chene D, Melea PM, Tanga C (2016) Long-term effects of elevated CO₂ on carbon and nitrogen functional capacity of microbial communities in three contrasting soils. *Soil Biol Biochem* 97:157–167
- Calderon FJ, Nielsen ID, Acosta-Martinez V, Vigil MF, Lyon D (2016) Cover crop and irrigation effects on soil microbial communities and enzymes in semiarid agroecosystems of the central Great Plains of North America. *Pedosphere* 26:192–205
- Canfield DE, Glazer AN, Falkowski PG (2010) The evolution and future of Earth's nitrogen cycle. *Science* 330:192–196
- Caracciolo AB, Bottoni P, Grenni P (2010) Fluorescence in situ hybridization in soil and water ecosystems: a useful method for studying the effect of xenobiotics on bacterial community structure. *Toxicol Environ Chem* 92:567–579
- Carr R, Borenstein E (2014) Comparative analysis of functional metagenomic annotation and the mappability of short reads. *PLoS One* 9:e105776
- Carvalho LC, Dennis PG, Tyson GW, Schenk PM (2012) Application of metatranscriptomics to soil environments. *J Microbiol Methods* 91:246–251
- Chang P, Gerhardt KE, Huang XD, Yu XM, Glick BR, Gerwing PD, Greenberg BM (2014) Plant growth-promoting bacteria facilitate the growth of barley and oats in salt-impacted soil: implications for phytoremediation of saline soils. *Int J Phytoremediation* 16:1133–1147
- Charuvaka A, Rangwala H (2011) Evaluation of short read metagenomic assembly. *BMC Genomics* 12:S8
- Chaudhari NM, Gupta VK, Dutta C (2016) BPGA-an ultra-fast pan-genome analysis pipeline. *Sci Rep*. <https://doi.org/10.1038/srep24373>
- Chauhan A, Smartt A, Wang J, Utturkar S, Frank A, Bi M, Arreaza A (2014) Integrated metagenomics and metatranscriptomics analyses of root-associated soil from transgenic switchgrass. *Genome Announc* 2(4):e00777–e00714. <https://doi.org/10.1128/genomeA.00777-14>
- Chen Y, Murrell JC (2010) When metagenomics meets stable-isotope probing: progress and perspectives. *Trends Microbiol* 18:157–163
- Chen Y, Dumont MG, McNamara NP, Chamberlain PM, Bodrossy L, Pavese NS, Murrell JC (2008) Diversity of the active methanotrophic community in acidic peatlands as assessed by mRNA and SIP-PLFA analyses. *Environ Microbiol* 110:446–459
- Chen LX, Hu M, Huang LN, Hua ZS, Kuang JL, Li SJ, Shu WS (2015) Comparative metagenomic and metatranscriptomic analyses of microbial communities in acid mine drainage. *ISME J* 9(7):1579–1592
- Chen IMA, Markowitz VM, Chu K, Palaniappan K, Szeto E, Pillay M, Ratner A, Huang J, Andersen E, Huntemann M, Varghese N, Hadjithomas M, Tennessen K, Nielsen T, Ivanova NN, Kyrpides NC (2017) IMG/M: integrated genome and metagenome comparative data analysis system. *Nucleic Acids Res* 45:D507–D516
- Choksawangkan W, Edwards N, Wang Y, Gutierrez P, Fenselau C (2012) Comparative study of workflows optimized for in-gel, in-solution, and on-filter proteolysis in the analysis of plasma membrane proteins. *J Proteome Res* 11:3030–3034
- Chourey K, Jansson J, VerBerkmoes N, Shah M, Chavarria KL, Tom LM, Brodie EL, Hettich RL (2010) Direct cellular lysis/protein extraction protocol for soil metaproteomics. *J Proteome Res* 9:6615–6622

- Cole JR, Wang Q, Cardenas E, Fish J, Chai B, Farris RJ, Kulam-Syed-Mohideen AS, McGarrell DM, Marsh T, Garrity GM, Tiedje JM (2009) The Ribosomal Database Project: improved alignments and new tools for rRNA analysis. *Nucleic Acids Res* 37:D141–D145
- Collins G, Kavanagh S, Mchugh S, Connaughton S, Kearney A, Rice O, Carrigg C, Scully C, Bhreathnach N, Mahony T, Madden P, Enright AM, Flaherty V (2006) Accessing the black box of microbial diversity and ecophysiology: recent advances through polyphasic experiments. *J Environ Sci Health A* 41:897–922
- Conesa A, Götz S, García-Gómez JM, Terol J, Talón M, Robles M (2005) Blast2GO: a universal tool for annotation, visualization and analysis in functional genomics research. *Bioinformatics* 21:3674–3676
- Cong J, Yang Y, Liu X, Lu H, Liu X, Zhou J, Li D, Yin H, Ding J, Zhang Y (2015) Analyses of soil microbial community compositions and functional genes reveal potential consequences of natural forest succession. *Sci Rep-UK* 5:10007
- Costa R, Götz M, Mrotzek N, Lottmann J, Berg G, Smalla K (2006) Effects of site and plant species on rhizosphere community structure as revealed by molecular analysis of different microbial guilds. *FEMS Microbiol Ecol* 56:236–249
- Coullerot O, Ramírez-Trujillo A, Walker V, von Felten A, Jansa J, Maurhofer M, Moëgne-Loccoz Y (2013) Comparison of prominent *Azospirillum* strains in *Azospirillum-Pseudomonas-Glomus* consortia for promotion of maize growth. *Appl Microbiol Biotechnol* 97:4639–4649
- Creer S, Deiner K, Frey S, Porazinska D, Taberlet P, Thomas WK, Potter C, Bik HM (2016) The ecologist's field guide to sequence-based identification of biodiversity. *Methods Ecol Evol* 7:1008–1018
- Damon C, Lehembre F, Oger-Desfeux C, Luis P, Ranger J, Fraissinet-Tachet L, Marmeisse R (2012) Metatranscriptomics reveals the diversity of genes expressed by eukaryotes in forest soils. *PLoS One* 7(1):e28967. <https://doi.org/10.1371/journal.pone.0028967>
- Dang QL, Shin TS, Park MS, Choi YH, Choi GJ, Jang KS, Kim IS, Kim J-C (2014) Antimicrobial activities of novel mannosyl lipids isolated from the biocontrol fungus *Simplicillium lamellicola* BCP against Phytopathogenic Bacteria. *J Agric Food Chem* 62:3363–3370
- Darling AE, Jospin G, Lowe E, Matsen FA, Bik HM, Eisen JA (2014) Phylogenetic analysis of genomes and metagenomes. *PeerJ* 2:e243
- De Bourcy CF, De Vlaminck I, Kanbar JN, Wang J, Gawad C, Quake SR (2014) A quantitative comparison of singlecell whole genome amplification methods. *PLoS One* 9(8):e105585. <https://doi.org/10.1371/journal.pone.0105585>
- de la Luz Mora M, Demaneta R, Acunaa JJ, Viscardia S, Jorqueraa M, Rengelb Z, Duran P (2017) Aluminium-tolerant bacteria improve the plant growth and phosphorus content in ryegrass grown in a volcanic soil amended with cattle dung manure. *Appl Soil Ecol* 115:19–26
- de-Bashan LE, Hernandez JP, Bashan Y (2012) The potential contribution of plant growth-promoting bacteria to reduce environmental degradation – a comprehensive evaluation. *Appl Soil Ecol* 61:171–189
- Degefu Y, Somervuo P, Aittamaa M, Virtanen E, Valkonen JPT (2016) Evaluation of a diagnostic microarray for the detection of major bacterial pathogens of potato from tuber samples. *Bull OEPP* 46:103–111
- Delahunty CM, Yates JR (2007) MudPIT: multidimensional protein identification technology. *BioTechniques* 43:563–567
- Deleye L, Tilleman L, Vander Plaetsen AS, Cornelis S, Deforce D, Van Nieuwerburgh F (2017) Performance of four modern whole genome amplification methods for copy number variant detection in single cells. *Sci Rep* 7(1):3422
- DeLong EF, Wickham GS, Pace NR (1989) Phylogenetic stains: ribosomal RNA-based probes for the identification of single cells. *Science* 243:1360–1363
- Deng Z, Zhang R, Shi Y, Tan H, Cao L (2014) Characterization of Cd-, Pb-, Zn-resistant endophytic *Lasiodiplodia* sp. MXSF31 from metal accumulating *Portulaca oleracea* and its potential in promoting the growth of rape in metal-contaminated soils. *Environ Sci Pollut Res* 21:2346–2357

- DeSantis TZ, Hugenholtz P, Larsen N, Rojas M, Brodie EL, Keller K, Huber T, Dalevi D, Hu P, Andersen GL (2006) Greengenes, a chimera-checked 16S rRNA gene database and workbench compatible with ARB. *Appl Environ Microbiol* 72:5069–5072
- Dhillon V, Li X (2015) Single-cell genome sequencing for viral-host interactions. *J Comput Sci Syst Biol* 8:160–165
- Dhiman SS, Selvaraj C, Li J, Singh R, Zhao X, Kim D, Lee JK (2016) Phytoremediation of metal-contaminated soils by the hyperaccumulator canola (*Brassica napus* L.) and the use of its biomass for ethanol production. *Fuel* 183:107–114
- di Gregorio S, Barbafieri M, Lampis S, Sanangelantoni AM, Tassi E, Vallini G (2006) Combined application of Triton X-100 and *Sinorhizobium* sp. Pb002 inoculum for the improvement of lead phytoextraction by *Brassica juncea* in EDTA amended soil. *Chemosphere* 63:293–299
- Diaz NN, Krause L, Goesmann A, Niehaus K, Nattkemper TW (2009) TACO: taxonomic classification of environmental genomic fragments using a kernelized nearest neighbor approach. *BMC Bioinform* 10:56
- Drenovsky RE, Steenwerth KL, Jackson LE, Scow KM (2010) Land use and climatic factors structure regional patterns in soil microbial communities. *Glob Ecol Biogeogr* 19:27–39
- Drigo B, Van Veen JA, Kowalchuk GA (2009) Specific rhizosphere bacterial and fungal groups respond differently to elevated atmospheric CO₂. *ISME J* 3:1204–1217
- Dröge J, McHardy AC (2012) Taxonomic binning of metagenome samples generated by next-generation sequencing technologies. *Brief Bioinform* 13:646–655
- Dubey RK, Tripathi V, Singh N, Abhilash PC (2014) Phytoextraction and dissipation of lindane by *Spinacia oleracea* L. *Ecotoxicol Environ Saf* 109:22–26
- Dubey RK, Tripathi V, Abhilash PC (2015) Book Review: Principles of plant-microbe interactions: microbes for sustainable agriculture. *Front Plant Sci*. <https://doi.org/10.3389/fpls.2015.00986>
- Dubey PK, Singh GS, Abhilash PC (2016a) Agriculture in a changing climate. *J Clean Prod* 113:1046–1047
- Dubey RK, Tripathi V, Dubey PK, Singh HB, Abhilash PC (2016b) Exploring rhizospheric interactions for agricultural sustainability: the need of integrative research on multi-trophic interactions. *J Clean Prod* 115:362–365
- Dubey RK, Tripathi V, Edrisi SA, Bakshi M, Dubey PK, Singh A, Verma JP, Singh A, Sarma BK, Raskhit A, Singh DP, Singh HB, Abhilash PC (2017) Role of plant growth promoting microorganisms in sustainable agriculture and environmental remediation. In: Singh HB, Sharma B, Kesawani C (eds) *Advances in PGPR research*. CABI Press. <https://doi.org/10.1079/9781786390325.0000>
- Dumont MG, Murrell JC (2005) Stable isotope probing-linking microbial identity to function. *Nat Rev Microbiol* 3:499–504
- Edrisi SA, Abhilash PC (2016) Exploring marginal and degraded lands for biomass and bioenergy production: an Indian scenario. *Renew Sust Energ Rev* 54:1537–1551
- Edrisi SA, Dubey RK, Tripathi V, Bakshi M, Srivastava P, Jamil S, Abhilash PC (2015) *Jatropha curcas* L.: a crucified plant waiting for resurgence. *Renew Sust Energ Rev* 41:855–862
- Ekblom R, Wolf JBW (2014) A field guide to whole-genome sequencing, assembly and annotation. *Evol Appl* 7:1026–1042
- El-Howeity MA, Asfour MM (2012) Response of some varieties of canola plant (*Brassica napus* L.) cultivated in a newly reclaimed desert to plant growth promoting rhizobacteria and mineral nitrogen fertilizer. *Ann Agric Sci* 57:129–136
- Emmert-Buck MR et al (1996) Laser capture microdissection. *Science* 274:998–1001
- Faust K, Sathirapongsasuti JF, Izard J, Segata N, Gevers D, Raes J et al (2012) Microbial co-occurrence relationships in the human microbiome. *PLoS Comput Biol* 8:e1002606
- Fernandes JP, Marisa C, Almeida R, Andreotti F, Barros L, Almeida T, Mucha P (2017) Response of microbial communities colonizing salt marsh plants rhizosphere to copper oxide nanoparticles contamination and its implications for phytoremediation processes. *Sci Total Environ* 581:801–810

- Ferrer M, Ruiz A, Lanza F, Haange SB, Oberbach A, Till H, Bargiela R, Campoy C, Segura MT, Richter M, von Bergen M, Seifert J, Suarez A (2013) Microbiota from the distal guts of lean and obese adolescents exhibit partial functional redundancy besides clear differences in community structure. *Environ Microbiol* 15:211–226
- Ferrigo D, Raiola A, Rasera R, Causin R (2014) *Trichoderma harzianum* seed treatment controls *Fusarium verticillioides* colonization and fumonisin contamination in maize under field conditions. *Crop Prot* 65:51–56
- Fic E, Kedracka-Krok S, Jankowska U, Pirog A, Dziedzicka-Wasylewska M (2010) Comparison of protein precipitation methods for various rat brain structures prior to proteomic analysis. *Electrophoresis* 31:3573–3579
- Fierer N, Jackson JA, Vilgalys R, Jackson RB (2005) Assessment of soil microbial community structure by use of taxon-specific quantitative PCR assays. *Appl Environ Microbiol* 71:4117–4120
- Figueroa-Lopez AM, Cordero-Ramirez JD, Martinez-Alvarez JC, Lopez-Meyer M, Lizarraga-Sanchez GJ, Felix-Gastelum R, Castro-Martinez C, Maldonado-Mendoza IE (2016) Rhizospheric bacteria of maize with potential for biocontrol of *Fusarium verticillioides*. *Springerplus* 5:330
- Filippo CD, Ramazzotti M, Fontana P, Cavalieri D (2012) Bioinformatic approaches for functional annotation and pathway inference in metagenomics data. *Brief Bioinform* 13:696–710
- Finn RD, Bateman A, Clements J, Coggill P, Eberhardt RY, Eddy SR, Heger A, Hetherington K, Holm L, Mistry J, Sonnhammer EL, Tate J, Punta M (2014) the protein families database. *Nucleic Acids Res* 42:D222–D230
- Fischer SG, Lerman LS (1979) Length-independent separation of DNA restriction fragments in two dimensional gel electrophoresis. *Cell* 16:191–200
- Food and Agriculture Organization of the United Nations (2013) Climate smart agriculture source-book. FAO Rome, Italy
- Franzmann PD, Patterson BM, Power TR, Nichols PD, Davis GB (1996) Microbial biomass in a shallow, urban aquifer contaminated with aromatic hydrocarbons: analysis of phospholipid fatty acid content and composition. *J Appl Bacteriol* 80:617–625
- Franzosa EA, Morgan XC, Segata N, Waldron L, Reyes J, Earl AM, Izard J (2014) Relating the metatranscriptome and metagenome of the human gut. *Proc Natl Acad Sci* 111:E2329–E2338. <https://doi.org/10.1073/pnas.1319284111>
- Friedman J, Alm EJ (2012) Inferring Correlation Networks from Genomic Survey Data. *PLoS Comput Biol* 8:e1002687
- Gao X, Gong Y, Huo Y, Han Q, Kang Z, Huang L (2015) Endophytic *Bacillus subtilis* strain EIR-J is a promising biocontrol agent for wheat powdery mildew. *Biomed Res Int*. <https://doi.org/10.1155/2015/462645>
- Gawad C, Koh W, Quake SR (2016) Single-cell genome sequencing: current state of the science. *Nat Rev Genet* 3:175–188
- Gebreil AS, Abraham W-R (2016) Diversity and activity of bacterial biofilm communities growing on hexachlorocyclohexane. *Water Air Soil Pollut* 227:295
- Gelfand I, Sahajpal R, Zhang X, Izaurralde RC, Gross KL, Robertson GP (2013) Sustainable bioenergy production from marginal lands in the US Midwest. *Nature* 493:514–517
- Gerlach W, Stoye J (2011) Taxonomic classification of metagenomic shotgun sequences with CARMA3. *Nucleic Acids Res* 39:e91
- Ghosh S, Chan CKK (2016) Analysis of RNA-Seq data using TopHat and Cufflinks. In: *Plant bioinformatics*. Humana Press, New York, pp 339–361
- Ghosh TS, Monzoorul Haque M, Mande SS (2010) DiScRIBinATE: a rapid method for accurate taxonomic classification of metagenomic sequences. *BMC Bioinform* 7:S14
- Ghosh UD, Saha C, Maiti M, Lahiri S, Ghosh S, Seal A et al (2014) Root associated iron oxidizing bacteria increase phosphate nutrition and influence root to shoot partitioning of iron in tolerant plant *Typha angustifolia*. *Plant Soil*. <https://doi.org/10.1007/s11104-014-2085-x>

- Giagnoni L, Magherini F, Landi L, Taghavi S, van der Lelie D, Puglia M, Bianchi L, Bini L, Nannipieri P, Renella G, Modesti A (2012) Soil solid phases effects on the proteomic analysis of *Cupriavidus metallidurans* CH34. *Biol Fertil Soils* 48:425–433
- Gilbert JA, Meyer F, Bailey MJ (2011) The future of microbial metagenomics (or is ignorance bliss?). *ISME J* 5:777–779
- Gilbert JA, Jansson JK, Knight R (2014) The earth microbiome project: successes and aspirations. *BMC Biol* 12(1):69. <https://doi.org/10.1186/s12915-014-0069-1>
- Glass EM, Wilkening J, Wilke A, Antonopoulos D, Meyer F (2010) Using the metagenomics RAST server (MG-RAST) for analyzing shotgun metagenomes. *Cold Spring Harb Protoc.* <https://doi.org/10.1101/pdb.prot5368>
- Glick BR (2012) Plant growth-promoting bacteria: mechanisms and applications. *Scientifica* 2012:963401, 15 pp. <https://doi.org/10.6064/2012/963401>
- Glick BR (2014) Bacteria with ACC deaminase can promote plant growth and help to feed the world. *Microbiol Res* 169:30–39
- Gole J et al (2013) Massively parallel polymerase cloning and genome sequencing of single cells using nanoliter microwells. *Nat Biotechnol* 31:1126–1132
- Goll J, Rusch DB, Tanenbaum DM, Thiagarajan M, Li K, Methé BA, Yooseph S (2010) METAREP: JCVI metagenomics reports—an open source tool for high-performance comparative metagenomics. *Bioinformatics* 26:2631–2632
- Gori F, Folino G, Jetten MS, Marchiori E (2011) MTR: taxonomic annotation of short metagenomic reads using clustering at multiple taxonomic ranks. *Bioinformatics* 27:196–203
- Gosalbes MJ, Durbán A, Pignatelli M, Abellan JJ, Jiménez-Hernández N, Pérez-Cobas AE, Moya A (2011) Metatranscriptomic approach to analyze the functional human gut microbiota. *PLoS One* 6:e17447. <https://doi.org/10.1371/journal.pone.0017447>
- Grabherr MG, Haas BJ, Yassour M, Levin JZ, Thompson DA, Amit I, Chen Z (2011) Full-length transcriptome assembly from RNA-Seq data without a reference genome. *Nat Biotechnol* 29:644–652
- Graham-Rowe D (2011) Beyond food versus fuel. *Nature* 474:S6–S8
- Gruber-Dorninger C, Pester M, Kitzinger K, Savio DF, Loy A, Rattei T, Daims H (2015) Functionally relevant diversity of closely related *Nitrospira* in activated sludge. *ISME J* 9:643–655
- Guangyin Z, Xueqin Lu, Takuro K, Gopalakrishnan K, Kaiqin X (2016) Promoted electromethanogenesis in a two-chamber microbial electrolysis cells (MECs) containing a hybrid biocathode covered with graphite felt (GF). *Chem Eng J* 284:1146–1155
- Guo J, Cole JR, Zhang Q, Brown CT, Tiedje JM (2016) Microbial community analysis with ribosomal gene fragments from shotgun metagenomes. *Appl Environ Microbiol* 82:157–166
- Gygi SP, Corthals GL, Zhang Y, Rochon Y, Aebersol R (2000) Evaluation of two-dimensional gel electrophoresis-based proteome analysis technology. *Proc Natl Acad Sci U S A* 97:9390–9395
- Haft DH, Selengut JD, White O (2003) The TIGRFAMs database of protein families. *Nucleic Acids Res* 1:371–373
- Ham RG (1965) Clonal growth of mammalian cells in a chemically defined, synthetic medium. *Proc Natl Acad Sci U S A* 53:288–293
- Handelsman J (2004) The ecologist's field guide to sequence-based identification of biodiversity. *Microbiol Mol Biol Rev* 68:669–685
- Hanning I, Diaz-Sanchez S (2015) The functionality of the gastrointestinal microbiome in non-human animals. *Microbiome* 3:51
- Harfouche A, Meilan R, Altman A (2011) Tree genetic engineering and applications to sustainable forestry and biomass production. *Trends Biotechnol* 29:9–17
- Harrington ED, Arumugam M, Raes J, Bork P, Relman DA (2010) SmashCell: a software framework for the analysis of single-cell amplified genome sequences. *Bioinformatics* 26:2979–2980
- Hayashi K (1991) PCR-SSCP: a simple and sensitive method for detection of mutations in the genomic DNA. *PCR Methods Appl* 1:34–38

- He Z, Piceno Y, Deng Y, Xu M, Lu Z, DeSantis T, Andersen G, Sarah E, Hobbie SE, Reich PB, Zhou J (2012) The phylogenetic composition and structure of soil microbial communities shifts in response to elevated carbon dioxide. *ISME J* 6:259–272
- Henson J, Tischler G, Ning Z (2012) Next-generation sequencing and large genome assemblies. *Pharmacogenomics* 13:901–915
- Hernández-León R, Rojas-Solís D, Contreras-Pérez M, Orozco-Mosqueda MC, Macías-Rodríguez LI, Reyes-de la Cruz H, Valencia-Cantero E, Santoyo G (2015) Characterization of the antifungal and plant growth-promoting effects of diffusible and volatile organic compounds produced by *Pseudomonas fluorescens* strains. *Biol Control* 81:83–92
- Hettich RL, Chourey K, Jansson J, VerBerkmoes N, Shah M, Chavarria KL, Tom LM, Brodie EL (2010) Direct cellular Lysis/protein extraction protocol for soil metaproteomics. *J Proteome Res* 9:6615–6622
- Hettich RL, Pan C, Chourey K, Giannone RJ (2013) Metaproteomics: harnessing the power of high performance mass spectrometry to identify the suite of proteins that control metabolic activities in microbial communities. *Anal Chem* 85:4203–4214
- Hewson I, Fuhrman JA (2004) Richness and diversity of bacterioplankton species along an estuarine gradient in Moreton Bay, Australia. *Appl Environ Microbiol* 70:3425–3433
- Higashi S, Barreto AMS, Cantão ME, Vasconcelos ATR (2012) Analysis of composition-based metagenomic classification. *BMC Genomics* 13:S1
- Higuchi R, Dollinger G, Walsh PS, Griffith R (1992) Simultaneous amplification and detection of specific DNA sequences. *Nat Biotechnol* 10:413–417
- Hoff KJ, Lingner T, Meinicke P, Tech M (2009) Orphelia: predicting genes in metagenomic sequencing reads. *Nucleic Acids Res* 37:W101–W105
- Hooper SD, Dalevi D, Pati A, Mavromatis K, Ivanova NN, Kyrpides NC (2010) Estimating DNA coverage and abundance in metagenomes using a gamma approximation. *Bioinformatics* 26:295–301
- Horton M, Bodenhausen N, Bergelson J (2010) MARTA: a suite of Java-based tools for assigning taxonomic status to DNA sequences. *Bioinformatics* 26:568–569
- Hou Y, Song L, Zhu P, Zhang B, Tao Y, Xu X, Wu H (2012) Single-cell exome sequencing and monoclonal evolution of a JAK2-negative myeloproliferative neoplasm. *Cell* 148(5):873–885
- Hou J, Liu W, Wang B, Wang Q, Luo Y, Franks AE (2015) PGPR enhanced phytoremediation of petroleum contaminated soil and rhizosphere microbial community response. *Chemosphere* 138:592–598
- Huang XD, El-Alawi Y, Penrose DM, Glick BR, Greenberg BM (2004) Responses of three grass species to creosote during phytoremediation. *Environ Pollut* 130:453–463
- Huang CJ, Tsay JF, Chang SY, Yang HP, Wu WS, Chen CY (2012) Dimethyl disulfide is an induced systemic resistance elicitor produced by *Bacillus cereus* C1L. *Pest Manag Sci* 68:1306–1310
- Huang XF, Chaparro JM, Reardon KF, Zhang R, Shen Q, Vivanco JM (2014) Rhizosphere interactions: root exudates, microbes, and microbial communities. *Botany* 92:267–275
- Hunter S, Corbett M, Denise H, Fraser M, Gonzalez-Beltran A, Hunter C, Jones P, Leinonen R, McAnulla C, Maguire E, Maslen J, Mitchell A, Nuka G, Oisel A, Pesseat S, Radhakrishnan R, Rocca-Serra P, Scheremetjew M, Sterk P, Vaughan D, Cochrane G, Field D, Sansone SA (2014a) metagenomics-a new resource for the analysis and archiving of metagenomic data. *Nucleic Acids Res* 42:D600–D606
- Hunter S, Corbett M, Denise H, Fraser M, Gonzalez-Beltran A, Hunter C, Jones P, Leinonen R, McAnulla C, Maguire E, Maslen J, Mitchell A, Nuka G, Oisel A, Pesseat S, Radhakrishnan R, Rocca-Serra P, Scheremetjew M, Sterk P, Vaughan D, Cochrane G, Field D, Sansone SA (2014b) EBI metagenomics-a new resource for the analysis and archiving of metagenomic data. *Nucleic Acids Res* 42:D600–D606
- Huse SM, Mark Welch DB, Voorhis A, Shipunova A, Morrison HG, Eren AM, Sogin ML (2014) VAMPS: a website for visualization and analysis of microbial population structures. *BMC Bioinform* 15:41
- Huson DH, Auch AF, Qi J, Schuster SC (2007) MEGAN analysis of metagenomic data. *Genome Res* 17:377–386

- Hussa EA, Goodrich-Blair H (2013) It takes a village: ecological and fitness impacts of multipartite mutualism. *Annu Rev Microbiol* 67:161–178
- Huyghe A, Francois P, Schrenzel J (2009) Characterization of microbial pathogens by DNA microarrays. *Infect Genet Evol* 9:987–995
- Hyland C, Pinney JW, McConkey GA, Westhead DR (2006) metaSHARK: a WWW platform for interactive exploration of metabolic networks. *Nucleic Acids Res* 34:W725–W728
- Ishii K, Mußmann M, MacGregor BJ, Amann R (2004) An improved fluorescence in situ hybridization protocol for the identification of bacteria and archaea in marine sediments. *FEMS Microbiol Ecol* 50:203–212
- Iwasaki Y, Abe T, Wada K, Wada Y, Ikemura T (2013) A novel bioinformatics strategy to analyze microbial big sequence data for efficient knowledge discovery: batch-learning self-organizing map (BLSOM). *Microorganisms* 1:137–157
- Janczyk P, Pieper R, Smidt H, Wolfgang B (2010) Souffrant effect of alginate and inulin on intestinal microbial ecology of weanling pigs reared under different husbandry conditions. *FEMS Microbiol Ecol* 72:132–142
- Jansson J (2011) Soil microbes: metagenomic approaches. <https://eesa.lbl.gov/soil-microbes-metagenomic-approaches/2011>
- Jansson JK (2013) The life beneath our feet. *Nature* 494:40
- Ji SH, Gururani MA, Chun SC (2014) Isolation and characterization of plant growth promoting endophytic diazotrophic bacteria from Korean rice cultivars. *Microbiol Res* 169:83–98
- Jiang L, He L, Fountoulakis M (2004) Comparison of protein precipitation methods for sample preparation prior to proteomic analysis. *J Chromatogr A* 1023:317–320
- Jousset A, Lara E, Nikolausz M, Harms H, Chatzinotas A (2010) Application of the denaturing gradient gel electrophoresis (DGGE) technique as an efficient diagnostic tool for ciliate communities in soil. *Sci Total Environ* 408:1221–1225
- Kakar KU, Duan Y-P, Nawaz Z, Sun G, Almoneafy AA, Hassan MA, Elshakh A, Li B, Xie G-L (2014) A novel rhizobacterium Bk7 for biological control of brown sheath rot of rice caused by *Pseudomonas fuscovaginae* and its mode of action. *Eur J Plant Pathol* 138:819–834
- Kalisky T, Blainey P, Quake SR (2011) Genomic analysis at the single-cell level. *Annu Rev Genet* 45:431–445
- Kamke J, Bayer K, Woyke T, Hentschel U (2012) Exploring symbioses by single-cell genomics. *Biol Bull* 223:30–43
- Kan J, Hanson TE, Ginter JM, Wang K, Chen F (2005) Metaproteomic analysis of Chesapeake Bay microbial communities. *Saline Syst* 1:7–10
- Kanehisa M, Goto S (2000) KEGG: kyoto encyclopedia of genes and genomes. *Nucleic Acids Res* 28:27–30
- Kaur A, Chaudhary A, Kaur A, Choudhary R, Kaushik R (2005) Phospholipid fatty acid – a bio-indicator of environment monitoring assessment in soil ecosystem. *Curr Sci* 89:1103–1112
- Keegan KP, Glass EM, Meyer F (2016) MG-RAST, a metagenomics service for analysis of microbial community structure and function. *Methods Mol Biol* 1399:207–233
- Keiblinger KM, Wilhartitz IC, Schneider T, Roschitzki B, Schmid E, Eberl L, Riedel K, Zechmeister-Boltenstern S (2012) Soil metaproteomic comparative evaluation of protein extraction protocols. *Soil Biol Biochem* 54:14–24
- Kembel SW, Eisen JA, Pollard KS, Green JL (2011) The phylogenetic diversity of metagenomes. *PLoS One* 6:e23214
- Khaksar G, Treesubuntorn C, Thiravetyan P (2016) Effect of endophytic *Bacillus cereus* ERBP inoculation into non-native host: potentials and challenges for airborne formaldehyde removal. *Plant Physiol Biochem* 107:326–336
- Khan Z, Roman D, Kintz T, delas Alas M, Yap R, Doty S (2014) Degradation, phytoprotection and phytoremediation of phenanthrene by endophyte *Pseudomonas putida*, PD1. *Environ Sci Technol* 48:12221–12228
- Khindaria A, Grover TA, Aust SD (1995) Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environ Sci Technol* 29:719–725

- Kim HJ, Choi HS, Yang SY, Kim IS, Yamaguchi T, Sohng JK, Park SK, Kim JC, Lee CH, Gardener BM et al (2014) Both extracellular chitinase and a new cyclic lipopeptide, chromobactomycin, contribute to the biocontrol activity of *Chromobacterium* sp. C61. *Mol Plant Pathol* 15:122–132
- Kind J, Pagie L, Ortobozkoyun H, Boyle S, de Vries SS et al (2013) Single-cell dynamics of genome-nuclear lamina interactions. *Cell* 153:178–192
- Klose J (1975) Protein mapping by combined isoelectric focusing and electrophoresis of mouse tissues. A novel approach to testing for induced point mutations in mammals. *Humangenetik* 26:231–243
- Knight R, Vrbanc A, Taylor BC, Aksenov A, Callewaert C, Debelius J, Melnik AV (2018) Best practices for analysing microbiomes. *Nat Rev Microbiol* 16:410–422
- Knights D, Kuczynski J, Charlson ES, Zaneveld J, Mozer MC, Collman RG, Bushman FD, Knight R, Kelley ST (2011) Bayesian community-wide culture-independent microbial source tracking. *Nat Methods* 8:761–763
- Ko CH, Yu FC, Chang FC, Yang BY, Chen WH, Hwang WS, Tu TC (2017) Bioethanol production from recovered napier grass with heavy metals. *J Environ Manag* 203:1005–1010
- Köcher T, Pichler P, Swart R, Mechtler K (2012) Analysis of protein mixtures from whole-cell extracts by single-run nanoLC-MS/MS using ultralong gradients. *Nat Protoc* 7:882–890
- Kohler J, Caravaca F, Azcon R, Diaz G, Roldan A (2016) Suitability of the microbial community composition and function in a semiarid mine soil for assessing phytomanagement practices based on mycorrhizal inoculation and amendment addition. *J Environ Manag* 169:236–246
- Kolmeder CA, de Been M, Nikkilä J, Ritamo I, Mättö J, Valmu L, Salojärvi J, Palva A, Salonen A, de Vos WM (2012) Comparative metaproteomics and diversity analysis of human intestinal microbiota testifies for its temporal stability and expression of core functions. *PLoS One* 7:e29913–e29910
- Korf BR, Rehm HL (2013) New approaches to molecular diagnosis. *JAMA* 309:1511–1521
- Kovacs A, Yacoby K, Gophna U (2010a) A systematic assessment of automated ribosomal intergenic spacer analysis (ARISA) as a tool for estimating bacterial richness. *Res. Microbiology* 161:192–197
- Kovacs A et al (2010b) Genotype is a stronger determinant than sex of the mouse gut microbiota. *Microbial Ecol* 1:6
- Krey T, Vassilev N, Baum C, Eichler-Löbermann B (2013) Effects of long-term phosphorus application and plant-growth promoting rhizobacteria on maize phosphorus nutrition under field conditions. *Eur J Soil Biol* 55:124–130
- Kristiansson E, Hugenholtz P, Dalevi D (2009) ShotgunFunctionalizeR: an R-package for functional comparison of metagenomes. *Bioinformatics* 25:2737–2738
- Kultima JR, Sunagawa S, Li J, Chen W, Chen H, Mendé DR, Arumugam M, Pan Q, Liu B, Qin J, Wang J, Bork P (2012) MOCAT: a metagenomics assembly and gene prediction toolkit. *PLoS One* 7:e47656
- Kumar KV, Singh N, Behl HM, Srivastava S (2008) Influence of plant growth promoting bacteria and its mutant on heavy metal toxicity in *Brassica juncea* grown in fly ash amended soil. *Chemosphere* 72:678–683
- Kunin V, Copeland A, Lapidus A, Mavromatis K, Hugenholtz P (2008) A bioinformatician's guide to metagenomics. *Microbiol Mol Biol Rev* 72:557–578
- Lacerda CMR, Choe LH, Reardon KF (2007) Metaproteomic analysis of a bacterial community response to cadmium exposure. *J Proteome Res* 6:1145–1152
- Landry ZC, Giovanonni SJ, Quake SR, Blainey PC (2013) Optofluidic cell selection from complex microbial communities for single-genome analysis. *Methods Enzymol* 531:61–90
- Langmead B, Salzberg SL (2012) Fast gapped-read alignment with Bowtie2. *Nat Methods* 9:357–359
- Lapidot D, Dror R, Vered E, Mishli O, Levy D, Helman Y (2014) Disease protection and growth promotion of potatoes (*Solanum tuberosum* L.) by *Paenibacillus dendritiformis*. *Plant Pathol.* <https://doi.org/10.1111/ppa.1228>

- Larsen PE, Collart FR, Field D, Meyer F, Keegan KP, Henry CS, McGrath J, Quinn J, Gilbert JA (2011) Predicted Relative Metabolomic Turnover (PRMT): determining metabolic turnover from a coastal marine metagenomic dataset. *Microb Inf Exp* 1:4
- Laserson J, Jojic V, Koller D (2011) Genovo: de novo assembly for metagenomes. *J Comput Biol* 18:429–443
- Lasken RS (2012) Genomic sequencing of uncultured microorganisms from single cells. *Nat Rev Microbiol* 10:631–640. <https://doi.org/10.1038/nrmicro2857>
- Leary DH, Hervey WJ, Li RW, Deschamps JR, Kusterbeck AW, Vora GJ (2012) Method development for metaproteomic analyses of marine biofilms. *Anal Chem* 84:4006–4013
- Lecault V, White AK, Singhal A, Hansen CL (2012) Microfluidic single cell analysis: from promise to practice. *Curr Opin Chem Biol* 16:381–390
- Lee KH (2001) Proteomics: a technology-driven and technology-limited discovery science. *Trends Biotechnol* 19:217–222
- Lee DH, Zo YG, Kim SJ (1996) Nonradioactive method to study genetic profiles of natural bacterial communities by PCR–single-strand conformation polymorphism. *Appl Environ Microbiol* 62:3112–3120
- Lee CK, Barbier BK, Bottos EM, McDonald IR, Cary SC (2012) The Inter-Valley Soil Comparative Survey: the ecology of Dry Valley edaphic microbial communities. *ISME J* 6:1046–1057
- Lehman RM, Cambardella CA, Stott DE, Acosta-Martinez V, Manter DK, Buyer JS, Maul JE, Smith JL, Collins HP, Halvorson JP (2015) Understanding and enhancing soil biological health: the solution for reversing soil degradation. *Sustainability* 7:988–1027
- Lehninger AL (1965) *Bioenergetics: The molecular basis of biological energy transformations*. W. A. Benjamin, New York. pp xv, 258
- Lester ED, Satomi M, Ponce A (2007) Microflora of extreme arid Atacama Desert soils. *Soil Biol Biochem* 39:704–708
- Leung K et al (2012) A programmable droplet-based microfluidic device applied to multiparameter analysis of single microbes and microbial communities. *Proc Natl Acad Sci U S A* 109:7665–7670
- Leung ML, Wang Y, Waters J, Navin NES (2015) single nucleus exome sequencing. *Genome Biol* 16:55
- Li W (2009) Analysis and comparison of very large metagenomes with fast clustering and functional annotation. *BMC Bioinform* 10:359. <https://doi.org/10.1186/1471-2105-10-359>
- Li R, Zhu H, Ruan J, Qian W, Fang X, Shi Z, Li Y, Li S, Shan G, Kristiansen K, Li S, Yang H, Wang J, Wang J (2010) De novo assembly of human genomes with massively parallel short read sequencing. *Genome Res* 20:265–272
- Li H-Y et al (2012) Endophytes and their role in phytoremediation. *Fungal Divers* 54:11–18
- Li X, Sun J, Wang H, Li X, Wang J, Zhang H (2017) Changes in the soil microbial phospholipid fatty acid profile with depth in three soil types of paddy fields in China. *Geoderma* 290:69–74
- Lichter P, Ledbetter SA, Ledbetter DH, Ward DC (1990) Fluorescence in situ hybridization with Alu and L1 polymerase chain reaction probes for rapid characterization of human chromosomes in hybrid cell lines. *Proc Natl Acad Sci U S A* 87:6634–6638
- Likar M, Stres B, Rusjan D, Potisek M, Regvar M (2017) Ecological and conventional viticulture gives rise to distinct fungal and bacterial microbial communities in vineyard soils. *Appl Soil Ecol* 113:86–95
- Lin HH, Liao YC (2016) Accurate binning of metagenomic contigs via automated clustering sequences using information of genomic signatures and marker genes. *Sci Rep* 6:24175
- Liu B, Gibbons T, Ghodsi M, Treangen T, Pop M (2011) Accurate and fast estimation of taxonomic profiles from metagenomic shotgun sequences. *BMC Genomics* 2:S4
- Liu W, Sun J, Ding L, Luo Y, Chen M, Tang C (2013) Rhizobacteria (*Pseudomonas sp. SB*) assist phytoremediation of oily-sludge-contaminated soil by tall fescue (*Festuca arundinacea* L.). *Plant Soil* 371:533–542

- Liu Y, Wang P, Crowley D, Liu X, Chen J, Li L, Zheng J, Zhang X, Zheng J, Pan G (2016a) Methanogenic abundance and changes in community structure along a rice soil chronosequence from east China. *Eur J Soil Sci.* <https://doi.org/10.1111/ejss.12348>
- Liu Y, Yang D, Zhang N, Chen L, Cui Z, Shen Q, Zhang R (2016b) Characterization of uncultured genome fragment from soil metagenomic library exposed rare mismatch of internal tetranucleotide frequency. *Front Microbiol* 7:2081
- Lovett M (2013) The applications of single-cell genomics. *Hum Mol Genet* 22:R22–R26
- Lucas JA, García-Cristobal J, Bonilla A, Ramos B, Gutierrez-Mañero J (2014) Beneficial rhizobacteria from rice rhizosphere confers high protection against biotic and abiotic stress inducing systemic resistance in rice seedlings. *Plant Physiol Biochem* 82:44–53
- Lukow T, Dunceld PF, Liesack W (2000) Use of the T-RFLP technique to assess spatial and temporal changes in the bacterial community structure within an agricultural soil planted with transgenic and non-transgenic potato plants. *FEMS Microbiol Ecol* 32:241–247
- Luo C, Zhou H, Wang X, Zhang R, Xiang Y (2014) Bacillomycin L and surfactin contribute synergistically to the phenotypic features of *Bacillus subtilis* 916 and the biocontrol of rice sheath blight induced by *Rhizoctonia solani*. *Appl Microbiol Biotechnol.* <https://doi.org/10.1007/s00253-014-6195-4>
- Lupwayi NZ, Lamey FJ, Blackshaw RE, Kanashiro DA, Pearson DC (2017) Phospholipid fatty acid biomarkers show positive soil microbial community responses to conservation soil management of irrigated crop rotations. *Soil Tillage Res* 168:1–10
- Ma Y, Rajkumar M, Freitas H (2009) Isolation and characterization of Ni mobilizing PGPB from serpentine soils and their potential in promoting plant growth and Ni accumulation by *Brassica* spp. *Chemosphere* 75:719–725
- Ma Y, Rajkumar M, Zhang C, Freitas H (2016) Inoculation of *Brassica oxyrrhina* with plant growth promoting bacteria for the improvement of heavy metal phytoremediation under drought conditions. *J Hazard Mater* 320:36–44
- Macaulay IC, Voet T (2014) Single cell genomics: advances and future perspectives. *PLoS Genet* 10:e1004126
- Macosko EZ et al (2015) Highly parallel genome-wide expression profiling of individual cells using nanoliter droplets. *Cell* 161:1202–1214
- Maldonado-Mendoza IE, Galindo-flores H, Lopez-meyer M (2009) An introduction to metagenomics. In: Chauhan AK, Varma A (eds) *A textbook of molecular biotechnology*. I. K. International Publishing House Pvt Ltd, New Delhi
- Malghani S, Reim A, Von Fischer J, Conrad R, Kuebler K, Trumbore SE (2016) Soil methanotroph abundance and community composition are not influenced by substrate availability in laboratory incubations. *Soil Biol Biochem* 101:184–194
- Manefield M, Whiteley AS, Griffiths RI, Bailey MJ (2002) RNA stable isotope probing, a novel means of linking microbial community function to phylogeny. *Appl Environ Microbiol* 68:5367–5373
- Mann M, Pandey A (2001) Use of mass spectrometry-derived data to annotate nucleotide and protein sequence databases. *Trends Biochem Sei* 26:54–61. [https://doi.org/10.1016/S0968-0004\(00\)01726-6](https://doi.org/10.1016/S0968-0004(00)01726-6)
- Marco-Sola S, Sammeth M, Guigó R, Ribeca P (2012) The GEM mapper: fast, accurate and versatile alignment by filtration. *Nat Methods* 9:1185–1188
- Marcy Y, Ishoey T, Lasken RS, Stockwell TB, Walenz BP, Halpern AL, Beeson KY, Goldberg SMD, Quake SR (2007) Nanoliter reactors improve multiple displacement amplification of genomes from single cells. *PLoS Genet* 3:1702–1708
- Markowicz A, Cycoń M, Piotrowska-Seget Z (2016) Microbial community structure and diversity in long-term hydrocarbon and heavy metal contaminated soils. *Int J Environ Res* 10:321–332
- Markowitz VM, Chen IM, Chu K, Szeto E, Palaniappan K, Grechkin Y, Ratner A, Jacob B, Pati A, Huntemann M, Liolios K, Pagani I, Anderson I, Mavromatis K, Ivanova NN, Kyrpides

- NC (2012) IMG/M: the integrated metagenome data management and comparative analysis system. *Nucleic Acids Res* 40:D123–D129
- Maron PA, Ranjard L, Mougél C, Lemanceau P (2007) Metaproteomics: a new approach for studying functional microbial ecology. *Microb Ecol* 53:486–493
- Martin HG, Ivanova N, Kunin V, Warnecke F, Barry KW, McHardy AC, Yeates C, He SM, Salamov AA, Szeto E, Dalin E, Putnam NH, Shapiro HJ, Pangilinan JL, Rigoutsos I, Kyrpides NC, Blackall LL, McMahan KD, Hugenholtz P (2006) Metagenomic analysis of two enhanced biological phosphorus removal (EBPR) sludge communities. *Nat Biotechnol* 24:1263–1269
- Martínez-García M, Santos F, Moreno-Paz M, Parro V, Antón J (2014) Unveiling viral-host interactions within the ‘microbial dark matter’. *Nat Commun* 5:4542
- Martin-Laurent F, Philippot L, Hallet S, Chaussod R, Germon JC, Soulas G, Catroux G (2001) DNA extraction from soils: old bias for new microbial diversity analysis methods. *Appl Environ Microbiol* 67:2354–2359
- Mathé C, Sagot MF, Schiex T, Rouzé P (2002) Survey and summary: current methods of gene prediction, their strengths and weaknesses. *Nucleic Acids Res* 30:4103–4117
- McElroy KE, Luciani F, Thomas T (2012) GemSIM: general, error-model based simulator of next-generation sequencing data. *BMC Genomics* 13:74
- McGenity TJ, Crombie AT, Murrell JC (2018) Microbial cycling of isoprene, the most abundantly produced biological volatile organic compound on Earth. *ISME J* 12:931–941
- McGrath KC, Mondav R, Sintrajaya R, Slattery B, Schmidt S, Schenk PM (2010) Development of an environmental functional gene microarray for soil microbial communities. *Appl Environ Microbiol* 76:7161–7170
- McHardy AC, Martin HG, Tsirigos A, Hugenholtz P, Rigoutsos I (2007) Accurate phylogenetic classification of variable-length DNA fragments. *Nat Methods* 4(63–72):10
- McKenney DW, Yemshanov D, Fraleigh S, Allen D, Preto F (2011) An economic assessment of the use of short-rotation coppice woody biomass to heat greenhouses in southern Canada. *Biomass Bioenergy* 35:374–384
- Meers E, Van Slyckena S, Adriaenssen K, Ruttens A, Vangronsveld J, Du Laing G, Witters N, Thewys T, Tack FM (2010) The use of bio-energy crops (*Zea mays*) for ‘phytoattenuation’ of heavy metals on moderately contaminated soils: a field experiment. *Chemosphere* 78:35–41
- Melcher U, Verma R, Schneider WL (2014) Metagenomic search strategies for interactions among plants and multiple microbes. *Front Plant Sci* 5:268
- Mendoza MLZ, Sicheritz-Pontén T, Gilbert MTP (2015) Environmental genes and genomes: understanding the differences and challenges in the approaches and software for their analyses. *Brief Bioinform* 16:745–758
- Meyer F, Paarmann D, D’Souza M, Olson R, Glass EM, Kubal M, Paczian T, Rodriguez A, Stevens R, Wilke A, Wilkening J, Edwards RA (2008) The metagenomics RAST server – a public resource for the automatic phylogenetic and functional analysis of metagenomes. *BMC Bioinform* 9:386
- Mijangos I, Becerril JM, Albizu I, Epelde L, Garbisu C (2009) Effects of glyphosate on rhizosphere soil microbial communities under two different plant compositions by cultivation-dependent and independent methodologies. *Soil Biol Biochem* 41:505–513
- Miller JR, Koren S, Sutton G (2010) Assembly algorithms for next-generation sequencing data. *Genomics* 95:315–327
- Mocali S, Benedetti A (2010) Exploring research frontiers in microbiology: the challenge of metagenomics in soil microbiology. *Res Microbiol* 161:497–505
- Mohammed MH, Ghosh TS, Reddy RM, Reddy CV, Singh NK, Mande SS (2011) INDUS – a composition-based approach for rapid and accurate taxonomic classification of metagenomic sequences. *BMC Genomics* 3:S4

- Molina LG, Cordenonsi da Fonseca G, Morais GLD, de Oliveira LFV, Carvalho JBD, Kulcheski FR, Margis R (2012) Metatranscriptomic analysis of small RNAs present in soybean deep sequencing libraries. *Genet Mol Biol* 35:292–303
- Monzoorul Haque M, Ghosh TS, Komanduri D, Mande SS (2009) SOrt-ITEMS: Sequence orthology based approach for improved taxonomic estimation of metagenomic sequences. *Bioinformatics* 25:1722–1730
- Morales SE, Cosart T, Holben WE (2010) Bacterial gene abundances as indicators of greenhouse gas emission in soils. *ISME J* 4:799–808
- Moran MA (2009) Metatranscriptomics: eavesdropping on complex microbial communities. *Microbe* 4:329–335
- Morgan XC, Huttenhower C (2014) Meta-omic analytic techniques for studying the intestinal microbiome. *Gastroenterology* 146:1437–1448
- Mossa AW, Dickinson MJ, West HM, Young SD, Crout NM (2017) The response of soil microbial diversity and abundance to long-term application of biosolids. *Environ Pollut* 224:16–25
- Mukherjee S, Stamatis D, Bertsch J, Ovchinnikova G, Verezemská O, Isbandi M, Thomas AD, Ali R, Sharma K, Kyrpides NC, Reddy TB (2017) Data updates and feature enhancements. *Nucleic Acids Res* 45:D446–D456
- Muller J, Szklarczyk D, Julien P, Letunic I, Roth A, Kuhn M, Powell S, von Mering C, Doerks T, Jensen LJ, Bork P (2010) extending the evolutionary genealogy of genes with enhanced non-supervised orthologous groups, species and functional annotations. *Nucleic Acids Res* 38:D190–D195
- Muyzer G (1999) DGGE/TGGE a method for identifying genes from natural ecosystems. *Curr Opin Microbiol* 2:317–322
- Nadeem SM, Ahmad M, Zahir ZA, Javaid A, Ashra M (2014) The role of mycorrhizae and plant growth promoting rhizobacteria (PGPR) in improving crop productivity under stressful environments. *Biotechnol Adv* 32:429–448
- Nalbantoglu OU, Way SF, Hinrichs SH, Sayood K (2011) RAiPhy: phylogenetic classification of metagenomics samples using iterative refinement of relative abundance index profiles. *BMC Bioinform* 12:41. <https://doi.org/10.1186/1471-2105-12-41>
- Namiki T, Hachiya T, Tanaka H, Sakakibara Y (2012) MetaVelvet: an extension of Velvet assembler to de novo metagenome assembly from short sequence reads. *Nucleic Acids Res* 40:e155
- Nannipieri P, Smalla K (2006) Role of stabilised enzymes in microbial ecology and enzyme extraction from soil with potential applications in soil proteomics nucleic acids and proteins in soil. Springer, Berlin/Heidelberg, pp 75–94
- Nautiyal CS, Srivastava S, Chauhan PS, Seem K, Mishra A, Sopory SK (2013) Plant growth-promoting bacteria *Bacillus amyloliquefaciens* NBRISN13 modulates gene expression profile of leaf and rhizosphere community in rice during salt stress. *Plant Physiol Biochem* 66:1–9
- Navin N et al (2011) Tumour evolution inferred by single-cell sequencing. *Nature* 472:90–94
- Neiverth A, Delai S, Garcia DM, Saatkamp K, Souza EM, Pedrosa FO, Guimarães VF, Santos MF, Vendruscolo ECG, Costa ACT (2014) Performance of different wheat genotypes inoculated with the plant growth promoting bacterium *Herbaspirillum seropedicae*. *Eur J Soil Biol* 64:1–5. <https://doi.org/10.1016/j.ejsobi.2014.07.001>
- Neufeld JD, Dumont MG, Vohra J, Murrell JC (2007) Methodological considerations for the use of stable isotope probing in microbial ecology. *Microb Ecol* 53:435–442
- Noguchi H, Taniguchi T, Itoh T (2008) MetaGeneAnnotator: detecting species-specific patterns of ribosomal binding site for precise gene prediction in anonymous prokaryotic and phage genomes. *DNA Res* 15:387–396
- Novotný Č, Vyas BRM, Erbanova P, Kubatova A, Šašek V (1997) Removal of PCBs by various white rot fungi in liquid cultures. *Folia Microbiol* 42:136–140
- NRSC I (2011) Wastelands Atlas of India 2011: change analysis based on temporal satellite data of 2005–06 and 2008–09. National Remote Sensing Centre (NRSC), Hyderabad

- Nunan N, Daniell TJ, Singh BK, Papert A, McNicol JW, Prosser JI (2005) Links between plant and rhizoplane bacterial communities in grassland soils, characterized using molecular techniques. *Appl Environ Microbiol* 71:6784–6792
- O'Farrell PH (1975) High resolution two-dimensional electrophoresis of proteins. *J Biol Chem* 250:4007–4021
- Ochsenreiter T, Selezi D, Quaiser A, Bonch-Osmolovskaya L, Schleper C (2003) Diversity and abundance of Crenarchaeota in terrestrial habitats studied by 16S RNA surveys and real time PCR. *Environ Microbiol* 5:787–797
- Ogier JC, Son O, Gruss A, Tailliez P, Delacroix-Buchet A (2002) Identification of the bacterial microflora in dairy products by temporal temperature gradient gel electrophoresis. *Appl Environ Microbiol* 68:3691–3701
- Ogunseitan OA (1993) Direct extraction of proteins from environmental samples. *J Microbiol Methods* 17:273–281
- Ogunseitan OA (1996) Protein profile in cultivated and native freshwater microorganisms exposed to chemical environmental pollutants. *Microb Ecol* 31:291–304
- Ogunseitan OA (1997) Direct extraction of catalytic proteins from natural microbial communities. *J Microbiol Methods* 28:55–63
- Ogunseitan O (2005) *Microbial diversity: form and function in prokaryotes*. Blackwell Science Ltd, Malden, p 142
- Overbeek MV, Kusuma WA, Buono A (2013) Clustering metagenome fragments using growing self organizing map. In: 2013 International conference on advanced computer science and information systems (ICACSIS). IEEE, pp 285–289
- Pandey A, Lewitter F (1999) Nucleotide sequence databases: a gold mine for biologists. *Trends Biochem Sci* 24:276–280
- Pandey A, Mann M (2000) Proteomics to study genes and genomes. *Nature* 405:837–846
- Parks DH, Tyson GW, Hugenholtz P, Beiko RG (2014) STAMP: statistical analysis of taxonomic and functional profiles. *Bioinformatics* 30:3123–3124
- Pati A, Heath LS, Kyrpides NC, Ivanova N (2011) ClAMS: a classifier for metagenomic sequences. *Stand Genomic Sci* 5:248–253
- Patil KR, Rouné L, McHardy AC (2012) The PhyloPythiaS web server for taxonomic assignment of metagenome sequences. *PLoS One* 7(6):e38581. <https://doi.org/10.1371/journal.pone.0038581>
- Paulson JN, Pop M, Bravo HC (2011) Metastats: an improved statistical method for analysis of metagenomic data. *Genome Biol* 12:P17
- Peano C, Pietrelli A, Consolandi C, Rossi E, Petiti L, Tagliabue L, Landini P (2013) An efficient rRNA removal method for RNA sequencing in GC-rich bacteria. *Microb Inform Exp* 3:1. <https://doi.org/10.1186/2042-5783-3-1>
- Pedersen S, Bloch PL, Reeh S, Neidhardt FC (1978) Patterns of protein synthesis in *E. coli*: a catalog of the amount of 140 individual proteins at different growth rates. *Cell* 14:179–190
- Pell J, Hintze A, Canino-Koning R, Howe A, Tiedje JM, Brown CT (2012) Scaling metagenome sequence assembly with probabilistic de Bruijn graphs. *Proc Natl Acad Sci U S A* 109:13272–13277
- Peng J, Elias JE, Thoreen CC, Licklider LJ, Gygi SP (2003) Evaluation of multidimensional chromatography coupled with tandem mass spectrometry (LC/LC–MS/MS) for large-scale protein analysis: the yeast proteome. *J Proteome Res* 2:43–45
- Peng Y, Henry CM, Leung S, Yiu M, Francis Y, Chin L (2011) Meta-IDBA: a de Novo assembler for metagenomic data. *Bioinformatics* 27:i94–i101
- Peng Y, Leung HC, Yiu SM, Chin FY (2012) IDBA-UD: a de novo assembler for single-cell and metagenomic sequencing data with highly uneven depth. *Bioinformatics* 28:1420–1428
- Perez-Cobas AE, Gosalbes MJ, Friedrichs A, Knecht H, Artacho A, Eismann K, Otto W, Rojo D, Bargiela R, von Bergen M, Neuling SC, Däumer C, Heinsen FA, Latorre A, Barbas C, Seifert J, dos Santos VM, Ott SJ, Ferrer M, Moya A (2013) Gut microbiota disturbance during antibiotic therapy: a multi-omic approach. *Gut* 62:1591–1601

- Pérez-Montañó F, Alías-Villegas C, Bellogín RA, del Cerro P, Espuny MR, Jiménez-Guerrero I, López-Baena FJ, Ollero FJ, Cubo T (2014) Plant growth promotion in cereal and leguminous agricultural important plants: from microorganism capacities to crop production. *Microbiol Res* 169:325–336
- Perkel JM (2012) Single-cell genomics: defining microbiology's dark matter. *BioTechniques* 52:301–303
- Pernthaler A, Pernthaler J, Amann R (2002) Fluorescence in situ hybridization and catalyzed reporter deposition for the identification of marine bacteria. *Appl Environ Microbiol* 68:3094–3101
- Philippot L, Raaijmakers JM, Lemanceau P, van der Putten WH (2013) Going back to the roots: the microbial ecology of the rhizosphere. *Nat Rev Microbiol* 11:789–799
- Pointing SB, Belnap J (2012) Microbial colonization and controls in dryland systems. *Nat Rev Microbiol* 10:551–562
- Pointing SB, Chana Y, Lacapa DC, Laua MCY, Jurgens JA, Farrell RL (2010) Highly specialized microbial diversity in hyper-arid polar desert. *Proc Natl Acad Sci U S A* 107:1254–1254
- Ponomarova O, Patil KR (2015) Metabolic interactions in microbial communities: untangling the Gordian knot. *Curr Opin Microbiol* 27:37–44
- Poretsky RS, Bano N, Buchan A, LeClerc G, Kleikemper J, Pickering M, Hollibaugh JT (2005) Analysis of microbial gene transcripts in environmental samples. *Appl Environ Microbiol* 71:4121–4126
- Potshangbam M, Devi SI, Sahoo D, Strobel GA (2017) Functional characterization of endophytic fungal community associated with *Oryza sativa* L. and *Zea mays* L. *Front Microbiol*. <https://doi.org/10.3389/fmicb.2017.00325>
- Power AG (2010) Ecosystem services and agriculture: tradeoffs and synergies. *Philos Trans R Soc* 365:2959–2971
- Prakash O, Sharma R, Rahi P, Karthikeyan N (2014) Role of microorganisms in plant nutrition and health. In: Nutrient use efficiency: from basics to advances, pp 125–161. Springer-Nature, Switzerland
- Pride DT, Schoenfeld T (2008) Genome signature analysis of thermal virus metagenomes reveals Archaea and thermophilic signatures. *BMC Genomics* 9:420
- Priya H, Prasanna R, Ramakrishnan B, Bidiyaran N, Babu S, Thapa S, Renuka N (2015) Influence of cyanobacterial inoculation on the culturable microbiome and growth of rice. *Microbiol Res*. <https://doi.org/10.1016/j.micres.2014.12.011>
- Props R, Kerckhof FM, Rubbens P, De Vrieze J, Sanabria EH, Waegeman W, Monsieurs P, Hammes F, Boon N (2017) Absolute quantification of microbial taxon abundances. *ISME J* 11:584–587
- Pruesse E, Quast C, Knittel K, Fuchs BM, Ludwig W, Peplies J, Glöckner FO (2007) SILVA: a comprehensive online resource for quality checked and aligned ribosomal RNA sequence data compatible with ARB. *Nucleic Acids Res* 35:7188–7196
- Quemeneur M, Garrido F, Billard P, Breeze D, Leyyal C, Jauzeind M, Joulianb C (2016) Community structure and functional arrA gene diversity associated with arsenic reduction and release in an industrially contaminated soil. *Geomicrobiol J* 33:839–849
- Ragauskas AJ, Williams CK, Davison BH, Britovsek G, Cairney J, Eckert CA et al (2006) The path forward for biofuels and biomaterials. *Science* 311:484e9
- Rajendhran J, Gunasekaran P (2011) Microbial phylogeny and diversity: small subunit ribosomal RNA sequence analysis and beyond. *Microbiol Res* 166:99–110
- Rajkumar M, Nagendran R, Lee KJ, Lee WH, Kim SZ (2006) Influence of plant growth promoting bacteria and Cr⁶⁺ on the growth of Indian mustard. *Chemosphere* 62:741–748
- Ram RJ, VerBerkmoes NC, Thelen MP, Tyson GW, Baker BJ, Blake RC II, Shah M, Hettich RL, Banfield JF (2005) Community proteomics of a natural microbial biofilm. *Science* 308:1915–1920
- Ramachandran N, Hainsworth E, Bhullar B, Eisenstein S, Rosen B, Lau AY, Walter JC, LaBaer J (2004) Self-assembling protein microarrays. *Science* 305:86–90

- Ramesh A, Sharma SK, Sharma MP, Yadav N, Joshi OP (2014) Inoculation of zinc solubilizing *Bacillus aryabhata* strains for improved growth, mobilization and biofortification of zinc in soybean and wheat cultivated in Vertisols of Central India. *Appl Soil Ecol* 73:87–96
- Rana A, Joshi M, Prasanna R, Singh Y, Nain L (2012) Biofortification of wheat through inoculation of plant growth promoting rhizobacteria and cyanobacteria. *Eur J Soil Biol* 50:118–126
- Randle-Boggis RJ, Helgason T, Sapp M, Ashton PD (2016) Evaluating techniques for metagenome annotation using simulated sequence data. *FEMS Microbiol Ecol* 92:95
- Rastogi G, Sani RK (2011) Molecular techniques to assess microbial community structure, function, and dynamics in the environment, pp 29–57. Springer-Nature, Switzerland
- Ratzke C, Denk J, Gore J (2018) Ecological suicide in microbes. *Nat Ecol Evol* 2:867–872
- Raynaud X, Nunan N (2014) Spatial ecology of bacteria at the microscale in soil. *PLoS One* 9:e87217
- Rho M, Tang H, Ye Y (2010) FragGeneScan: predicting genes in short and error-prone reads. *Nucleic Acids Res* 38:e191
- Richter DC, Ott F, Auch AF, Schmid R, Huson DH (2008) MetaSim: a sequencing simulator for genomics and metagenomics. *PLoS One* 3:e3373
- Rillig MC, Lehmann A, Lehmann J, Camenzind T, Rauh C (2018) Soil biodiversity effects from field to fork. *Trends Plant Sci* 23:17–24
- Rinke C, Schwientek P, Sczyrba A, Ivanova NN, Anderson IJ et al (2013) Insights into the phylogeny and coding potential of microbial dark matter. *Nature* 499:431–437
- Rinke C et al (2014) Obtaining genomes from uncultivated environmental microorganisms using FACS-based single-cell genomics. *Nat Protoc* 9:1038–1048
- Roesch LF, Fulthorpe RR, Riva A, Casella G, Hadwin AK, Kent AD, Daroub SH, Camargo FA, Farmerie WG, Triplett EW (2007) Pyrosequencing enumerates and contrasts soil microbial diversity. *ISME J* 1:283–290
- Romeh AA, Hendawi MY (2017) Biochemical interactions between *Glycine max* L. silicon dioxide (SiO₂) and plant growth-promoting bacteria (PGPR) for improving phytoremediation of soil contaminated with fenamiphos and its degradation products. *Pestic Biochem Physiol* 142:32–43
- Rodriguez-R LM, Konstantinidis KT (2014) Bypassing cultivation to identify bacterial species. *Microbe* 9(3):111–118
- Rosen GL, Reichenberger ER, Rosenfeld AM (2011) NBC: the Naïve Bayes Classification tool webserver for taxonomic classification of metagenomic reads. *Bioinformatics* 27:127–129
- Rothschild LJ, Mancinelli RL (2001) Review article life in extreme environments. *Nature* 409:1092–1101
- Rusch DB, Halpern AL, Sutton G et al (2007) The sorcerer II global ocean sampling expedition: northwest Atlantic through eastern tropical pacific. *PLoS Biol* 5:e77
- Salam JA, Hatha MA, Das N (2017) Microbial-enhanced lindane removal by sugarcane (*Saccharum officinarum*) in doped soil-applications in phytoremediation and bioaugmentation. *J Environ Manag* 193:394–399
- Salzberg SL, Pertea M, Delcher AL, Gardner MJ, Tettelin H (1999) Interpolated Markov models for eukaryotic gene finding. *Genomics* 59:24–31
- Santoyo G, Moreno-Hagelsieb G, Orozco-Mosqueda MC, Glick BR (2016) Plant growth-promoting bacterial endophytes. *Microbiol Res* 183:92–99
- Sanzani SM, Nicosia MGLD, Faedda R, Cacciola SO, Schena L (2014) Use of quantitative PCR detection methods to study biocontrol agents and phytopathogenic fungi and oomycetes in environmental samples. *J Phytopathol* 162:1–13
- Sarathambal C, Ilamurugu K, Balachandar D, Chinnadurai C, Gharde Y (2015) Characterization and crop production efficiency of diazotrophic isolates from the rhizosphere of semi-arid tropical grasses of India. *Appl Soil Ecol* 87:1–10
- Sasse J, Martinoia E, Northen T (2018) Feed your friends: do plant exudates shape the root microbiome? *Trends Plant Sci* 23:25–41

- Saxena A, Raghuwanshi R, Singh HB (2015) *Trichoderma* species mediated differential tolerance against biotic stress of phytopathogens in *Cicer arietinum* L. *J Basic Microbiol* 55:195–206
- Schadt CW, Zhou J (2005) Advances in microarrays for soil microbial community analyses. In: Nannipieri P, Smalla K (eds) *Soil biology: nucleic acids and proteins in soil*. Springer-Verlag, New York
- Scheinert P, Kruse R, Ullmann U, Söller R, Krupp G (1996) Molecular differentiation of bacteria by PCR amplification of the 16S-23S rRNA spacer. *J Microbiol Methods* 26:103–117
- Schimak MP, Kleiner M, Wetzel S, Liebeke M, Dubilier N, Fuchsa BM (2016) MiL-FISH: multilabeled oligonucleotides for fluorescence in situ hybridisation improve visualisation of bacterial cells. *Appl Environ Microbiol* 82:62–70
- Schneider T, Keiblinger KM, Schmid E, Sterflinger-Gleixner K, Ellersdorfer G, Roschitzki B, Richter A, Eberl L, Zechmeister-Boltenstern S, Riedel K (2012) Who is who in litter decomposition? Metaproteomics reveals major microbial players and their biogeochemical functions. *ISME J* 6:1749–1762
- Schreiber F, Gumrich P, Daniel R, Meinicke P (2010) Treephyler: fast taxonomic profiling of metagenomes. *Bioinformatics* 26:960–961
- Schulze WX, Gleixner G, Kaiser K, Guggenberger G, Mann M, Schulze ED (2004) A proteomic fingerprint of dissolved organic carbon and of soil particles. *Oecologia* 142:335–343
- Schwieger F, Tebbe CC (1998) A new approach to utilize PCR-single-strand-conformation polymorphism for 16S rRNA gene-based microbial community analysis. *Appl Environ Microbiol* 64:4870–4876
- Sebastian R, Kim JY, Kim TH, Lee KT (2013) Metagenomics: a promising approach to assess enzymes biocatalyst for biofuel production. *Asian J Biotechnol* 5:33–50
- Sedlar K, Kupkova K, Provaznik I (2017) Bioinformatics strategies for taxonomy independent binning and visualization of sequences in shotgun metagenomics. *Comput Struct Biotechnol J* 15:48–55
- Segata N, Izard J, Waldron L, Gevers D, Miropolsky L, Garrett WS, Huttenhower C (2011) Metagenomic biomarker discovery and explanation. *Genome Biol* 12:R60
- Segata N, Waldron L, Ballarini A, Narasimhan V, Jousson O, Huttenhower C (2012) Metagenomic microbial community profiling using unique clade-specific marker genes. *Nat Methods* 9:811–814
- Segata N, Boernigen D, Tickle TL, Morgan XC, Garrett WS, Huttenhower C (2013) Computational meta'omics for microbial community studies. *Mol Syst Biol* 9:666. <https://doi.org/10.1038/msb.2013.22>
- Sekar R, Pernthaler A, Pernthaler J, Warnecke F, Posch T, Amann R (2003) An improved protocol for quantification of freshwater Actinobacteria by fluorescence in situ hybridization. *Appl Environ Microbiol* 69:2928–2935
- Selvakumar N, Ding BC, Wilson SM (1997) Separation of DNA strands facilitates detection of point mutations by PCR-SSCP. *BioTechniques* 22:604–606
- Seshadri R, Kravitz SA, Smarr L, Gilna P, Frazier M (2007) CAMERA: a community resource for metagenomics. *PLoS Biol* 5:e75
- Shah N, Tang H, Doak TG, Ye Y (2011) Comparing bacterial communities inferred from 16S rRNA gene sequencing and shotgun metagenomics. *Symp Biocomput Pac*:165–176. <https://doi.org/10.1142/97898143350580018>
- Shapiro BJ (2017) The population genetics of pangenomes. *Nat Microbiol* 2(12):1574–1574. <https://doi.org/10.1038/s41564-017-0066-6>
- Sharkey FH, Banat IM, Marchant R (2004) Detection and quantification of gene expression in environmental bacteriology. *Appl Environ Microbiol* 70:3795–3806
- Sharma, CM, Hoffmann S, Darfeuille F, Reignier J, Findeiß S, Sittka A, Stadler PF (2010) The primary transcriptome of the major human pathogen *Helicobacter pylori*. *Nature* 464:250–255. <https://doi.org/10.1038/nature08756>.
- Sharon I (2010) Computational methods for metagenomic analysis. Ph.D Thesis, The Technion – Israel Institute of Technology

- Sharpton TJ (2014) An introduction to the analysis of shotgun metagenomic data. *Front Plant Sci* 5:209
- Sheng X, Sun L, Huang Z, He L, Zhang W, Chen Z (2012) Promotion of growth and Cu accumulation of bio-energy crop (*Zea mays*) by bacteria: implications for energy plant biomass production and phytoremediation. *J Environ Manag* 103:58–64
- Shokrall SI, Spall JL, Gibson JF, Hajibabaei M (2012) *Mol Ecol* 21:1794–1805
- Sims D, Sudbery I, Ilott NE, Heger A, Ponting CP (2014) Sequencing depth and coverage: key considerations in genomic analyses. *Nat Rev Genet* 2:121–132
- Singh BK, Trivedi P (2017) Microbiome and the future for food and nutrient security. *Microb Biotechnol* 10:50–53
- Singh BK, Campbell CD, Sorenson SJ, Zhou J (2009) Soil genomics. *Nat Rev Microbiol* 7:756. <https://doi.org/10.1038/nrmicro2119-c1>
- Singh DP, Prabha R, Yandigeri MS, Arora DK (2011) Cyanobacteria-mediated phenylpropanoids and phytohormones in rice (*Oryza sativa*) enhance plant growth and stress tolerance. *Antonie Van Leeuwenhoek* 100:557–568
- Singh A, Dubey PK, Chaurasiya R, Mathur N, Kumar G, Bharati S, Abhilash PC (2018) Indian spinach: an underutilized perennial leafy vegetable for nutritional security in developing world. *Energy Ecol Environ*. <https://doi.org/10.1007/s40974-018-0091-1>
- Singleton I, Meringto G, Colvan S, Delahunty JS (2003) The potential of soil protein-based methods to indicate metal contamination. *Appl Soil Ecol* 654:1–8
- Sinha S, Mukherjee SK (2008) Cadmium-induced siderophore production by a high Cd-resistant bacterial strain relieved Cd toxicity in plants through root colonization. *Curr Microbiol* 56:55–60
- Smets W, Leff JW, Bradford MA, McCulley RL, Lebeer S, Fierer N (2016) A method for simultaneous measurement of soil bacterial abundances and community composition via 16S rRNA gene sequencing. *Soil Biol Biochem* 96:145–151
- Smith CJ, Osborn AM (2009) Advantages and limitations of quantitative PCR (Q-PCR)-based approaches in microbial ecology. *FEMS Microbiol Ecol* 67:6–20
- Sriprang R, Hayashi M, Ono H, Takagi M, Hirata K, Murooka Y (2003) Enhanced accumulation of Cd²⁺ by a *Mesorhizobium* sp. transformed with a gene from *Arabidopsis thaliana* coding for phytochelatin synthase. *Appl Environ Microbiol* 69:1791–1796
- Stanley CE, van der Heijden MG (2017) Microbiome-on-a-Chip: new frontiers in plant-microbiota research. *Trends Microbiol* 25:610–613
- Stepanauskas R (2012) Single cell genomics: an individual look at microbes. *Curr Opin Microbiol* 15:613–620
- Sultan M, Amstislavskiy V, Risch T, Schuette M, Dökel S, Ralser M, Balzereit D, Lehrach H, Yaspo ML (2014) Influence of RNA extraction methods and library selection schemes on RNA-seq data. *BMC Genomics* 15(1):675. <http://doi.org/10.1186/1471-2164-15-675>
- Suominen L, Jussila MM, Mäkeläinen K, Romantschuk M, Lindström K (2000) Evaluation of the Galega–*Rhizobium galegae* system for the bioremediation of oil-contaminated soil. *Environ Pollut* 107:239–244
- Szilagyí-Zecchin VJ, Ikeda AC, Hungria M, Adamoski D, Kava-Cordeiro V, Glienke C, Galliterasawa LV (2014) Identification and characterization of endophytic bacteria from corn (*Zea mays* L.) roots with biotechnological potential in agriculture. *AMB Express* 4:26. <https://doi.org/10.1186/s13568-014-0026-y>
- Tanca A, Palomba A, Pisanu S, Deligios M, Fraumene C, Manghina V, Pagnozzi D, Addis MF, Uzzau S (2014) A straightforward and efficient analytical pipeline for metaproteome characterization. *Microbiome* 10:49
- Tang Y, Underwood A, Gielbert A, Woodward MJ, Petrovska L (2014) Metaproteomics analysis reveals the adaptation process for the chicken gut microbiota. *Appl Environ Microbiol* 80:478–485
- Tao A, Pang F, Huang S, Yu G, Li B, Wang T (2014) Characterisation of endophytic *Bacillus thuringiensis* strains isolated from wheat plants as biocontrol agents against wheat flag smut. *Biocontrol Sci Tech* 24:901–924

- Tara N, Afzal M, Ansari TM, Tahseen R, Iqbal S, Khan QM (2014) Combined use of alkane-degrading and plant growth-promoting bacteria enhanced phytoremediation of diesel contaminated soil. *Int J Phytoremediation* 16:1268–1277
- Tatusov RL, Fedorova ND, Jackson JD, Jacobs AR, Kiryutin B, Koonin EV, Krylov DM, Mazumder R, Mekhedov SL, Nikolskaya AN, Rao BS, Smirnov S, Sverdlov AV, Vasudevan S, Wolf YI, Yin JJ, Natale DA (2003) The COG database: an updated version includes eukaryotes. *BMC Bioinform* 11:41
- Taylor JD, McKew BA, Kuhl A, McGenity TJ, Underwood GJC (2013) Microphytobenthic extracellular polymeric substances (EPS) in intertidal sediments fuel both generalist and specialist EPS-degrading bacteria. *Limnol Oceanogr* 58:1463–1480
- Teeling H, Glöckner FO (2012) Current opportunities and challenges in microbial metagenome analysis – a bioinformatic perspective. *Brief Bioinform* 3:728–742
- Teeling H, Waldmann J, Lombardot T, Bauer M, Glöckner FO (2004) TETRA: a web-service and a stand-alone program for the analysis and comparison of tetranucleotide usage patterns in DNA sequences. *BMC Bioinform* 5:163
- Teira E, Reinthaler T, Pernthaler A, Pernthaler J, Herndl GJ (2004) Combining catalyzed reporter deposition-fluorescence in situ hybridization and microautoradiography to detect substrate utilization by bacteria and archaea in the deep ocean. *Appl Environ Microbiol* 70:441–4414
- Teixeira C, Almeida CMR, da Silva MN, Bordalo AA, Mucha AP (2014) Development of autochthonous microbial consortia for enhanced phytoremediation of salt-marsh sediments contaminated with cadmium. *Sci Total Environ* 493:757–765
- Telenius H et al (1992) Degenerate oligonucleotide-primed PCR: general amplification of target DNA by a single degenerate primer. *Genomics* 13:718–725
- Tewari S, Arora NK (2013) In: Arora NK (ed) *Plant microbe symbiosis: fundamentals and advances*, vol 2013. Springer, New Delhi, pp 105–126
- Thomas T, Gilbert J, Meyer F (2012) *Metagenomics – a guide from sampling to data analysis*. *Microb Inform Exp* 2:3
- Torsvik V, Ovreas L (2002) Microbial diversity and function in soil: from genes to ecosystems. *Curr Opin Microbiol* 5:240–245
- Tour JM, Kittrell C, Colvin V (2010) Green carbon as a bridge to renewable energy. *Nat Mater* 9:871–874
- Trapnell C (2015) Defining cell types and states with single-cell genomics. *Genome Res* 10:1491–1498
- Treangen GJ, Koren S, Sommer DD, Liu B, Astrovskaia I, Ondov B, Darling AE, Phillippy AM, Pop M (2013) MetAMOS: a modular and open source metagenomic assembly and analysis pipeline. *Genome Biol* 14:R2
- Tripathi V, Dubey RK, Edrisi SA, Narain K, Singh HB, Singh N, Abhilash PC (2014a) Towards the ecological profiling of a pesticide contaminated soil site for remediation and management. *Ecol Eng* 71:318–325
- Tripathi V, Dubey RK, Singh HB, Singh N, Abhilash PC (2014b) Is *Vigna radiata* (L.) R Wilczek a suitable crop for Lindane contaminated soil? *Ecol Eng* 73:219–223
- Tripathi V, Abhilash PC, Singh HB, Singh N, Patra DD (2015a) Effect of temperature variation on lindane dissipation and microbial activity in soil. *Ecol Eng* 79:54–59
- Tripathi V, Fraceto LF, Abhilash PC (2015b) Sustainable clean-up technologies for soils contaminated with multiple pollutants: plant-microbe-pollutant and climate nexus. *Ecol Eng* 82:330–335
- Tripathi V, Edrisi SA, Abhilash PC (2016a) Towards the coupling of phytoremediation with bioenergy production. *Renew Sust Energy Rev* 57:1386–1389
- Tripathi V, Edrisi SA, O'Donovan A, Gupta VK, Abhilash PC (2016b) Bioremediation for fueling the biobased economy. *Trends Biotechnol* 34:775–777
- Tripathi V, Edrisi SA, Chen B, Gupta VK, Abhilash PC, Vilu R, Gathergood N (2017) Biotechnological advances for restoring degraded land for sustainable development. *Trends Biotechnol*. <https://doi.org/10.1016/j.tibtech.2017.05.001>

- Trivedi P, Anderson IC, Singh BK (2013) Microbial modulators of soil carbon storage: integrating genomic and metabolic knowledge for global prediction. *Trends Microbiol* 21:641–651
- Troutt AB, McHeyzer-Williams MG, Pulendran B, Nossal GJ (1992) Ligation-anchored PCR: a simple amplification technique with single-sided specificity. *Proc Natl Acad Sci U S A* 89:9823–9825
- Tseng CH, Tang SL (2014) Marine microbial metagenomics: from individual to the environment. *Int J Mol Sci* 15:8878–8892
- Turnbaugh PJ, Ley RE, Hamady M, Fraser-Liggett CM, Knight R, Gordon JI (2007) The human microbiome project. *Nature* 449(7164):804–810. <https://doi.org/10.1038/nature06244>
- Tveit AT, Urich T, Svenning MM (2014) Metatranscriptomic analysis of arctic peat soil microbiota. *Appl Environ Microbiol* 80:5761–5772
- Tyson GW, Chapman J, Hugenholtz P, Allen EE, Ram RJ, Richardson PM, Solovyev VV, Rubin EM, Rokhsar DS, Banfield JF (2004) Community structure and metabolism through reconstruction of microbial genomes from the environment. *Nature* 428:37–43
- Unlu M, Morgan ME, Minden JS (1997) Difference gel electrophoresis: a single gel method for detecting changes in protein extracts. *Electrophoresis* 18:2071–2077
- van der Heijden MGA, Bardgett RD, van Straalen NM (2008) The unseen majority: soil microbes as drivers of plant diversity and productivity in terrestrial ecosystems. *Ecol Lett* 11:296–310
- Venter JC, Remington K, Heidelberg JF, Halpern AL, Rusch D, Eisen JA, Wu DY, Paulsen I, Nelson KE, Nelson W, Fouts DE, Levy S, Knap AH, Lomas MW, Nealson K, White O, Peterson J, Hoffman J, Parsons R, Baden-Tillson H, Pfannkoch C, Rogers YH, Smith HO (2004) Environmental genome shotgun sequencing of the Sargasso Sea. *Science* 304:66–74
- Verberkmoes NC, Russell AL, Shah M, Godzik A, Rosenquist M, Halfvarson J, Lefsrud MG, Apajalahti J, Tysk C, Hettich RL, Jansson JK (2009) Shotgun metaproteomics of the human distal gut microbiota. *ISME J* 3:179–189
- von Wintzingerode F, Gobel UB, Stackebrandt E (1997) Determination of microbial diversity in environmental samples: pitfalls of PCR-based rRNA analysis. *FEMS Microbiol Rev* 21:213–229
- Walker A, Parkhill J (2008) Single-cell genomics. *Nat Rev Microbiol* 6:176–177
- Wang Z, Chen Y, Li Y (2004) A brief review of computational gene prediction methods. *Genomics Proteomics Bioinformatics* 2:216–221
- Wang W, Vignani R, Scali M, Cresti M (2006) A universal and rapid protocol for protein extraction from recalcitrant plant tissues for proteomic analysis. *Electrophoresis* 27:2782–2786
- Wang L, Feng Z, Wang X, Wang X, Zhang X (2009) DEGseq: an R package for identifying differentially expressed genes from RNA-seq data. *Bioinformatics* 26:136–138
- Wang Y, Leung HC, Yiu SM, Chin FY (2012) MetaCluster 4.0: a novel binning algorithm for NGS reads and huge number of species. *J Comput Biol* 19:241–249
- Wang C, Dong D, Wang H, Müller K, Qin Y, Wang H, Wu W (2016) Metagenomic analysis of microbial consortia enriched from compost: new insights into the role of Actinobacteria in lignocellulose decomposition. *Biotechnol Biofuels* 9:22
- Wang B, Wang Q, Liu W, Liu X, Hou J, Teng Y, Christie P (2017) Biosurfactant-producing microorganism *Pseudomonas* sp. SB assists the phytoremediation of DDT-contaminated soil by two grass species. *Chemosphere* 182:137–142
- Wang M, Liu P, Xiong W, Zhou Q, Wangxiao J, Zeng Z, Sun Y (2018) Fate of potential indicator antimicrobial resistance genes (ARGs) and bacterial community diversity in simulated manure-soil microcosms. *Ecotoxicol Environ Saf* 147:817–823
- White JR, Navlakha S, Nagarajan N, Ghodsi MR, Kingsford C, Pop M (2010) Alignment and clustering of phylogenetic markers – implications for microbial diversity studies. *BMC Bioinform* 11:152
- White AK et al (2011) High-throughput microfluidic singlecell RT-qPCR. *Proc Natl Acad Sci U S A* 108:13999–14004
- Widjoatmodjo MN, Fluit AC, Verhoef J (1995) Molecular identification of bacteria by fluorescence-based PCR–single-strand conformation polymorphism analysis of the 16S rRNA gene. *J Clin Microbiol* 33:2601–2606

- Wilke A, Bischof J, Gerlach W, Glass E, Harrison T, Keegan KP, Paczian T, Trimble WL, Bagchi S, Grama A, Chaterji S, Meyer F (2016) The MG-RAST metagenomics database and portal in 2015. *Nucleic Acids Res* 4:44
- Wilkins MR, Sanchez JC, Gooley AA, Appel RD, Humphery-Smith I, Hochstrasser DF, Williams KL (1995) Progress with proteome projects: why all proteins expressed by a genome should be identified and how to do it. *Biotechnol Genet Eng Rev* 13:19–50
- Wilkinson SC, Anderson JM, Scardelis SP, Tisiafouli M, Taylor A, Wolters V (2002) PLFA profiles of microbial communities in decomposing conifer litters subject to moisture stress. *Soil Biol Biochem* 34:189–200
- Williams MA, Taylor EB (2010) Microbial protein in soil: influence of extraction method and C amendment on extraction and recovery. *Microb Ecol* 59:390–399
- Wilmes P, Bond PL (2004) The application of two-dimensional polyacrylamide gel electrophoresis and downstream analyses to a mixed community of prokaryotic microorganisms. *Environ Microbiol* 6:911–920
- Wiśniewski JR, Zougman A, Nagaraj N, Mann M (2009) Universal sample preparation method for proteome analysis. *Nat Methods* 6:359–362
- Witters N, Mendelsohn RO, Van Slyckenc S, Weyens N, Schreurs E, Meers E, Tack F, Carleer R, Vangronsveld J (2012) Phytoremediation, a sustainable remediation technology? Conclusions from a case study. I: energy production and carbon dioxide abatement. *Biomass Bioenergy* 39:454–469
- Wooley JC, Ye Y (2009) Metagenomics: facts and artifacts, and computational challenges. *J Comput Sci Technol* 25:71–81
- Woyke T, Jarett J (2015) Function-driven single-cell genomics. *Microb Biotechnol* 8:38–39
- Wu M, Eisen JA (2008) A simple, fast, and accurate method of phylogenomic inference. *Genome Biol*. <https://doi.org/10.1186/gb-2008-9-10-r151>
- Wu M, Scott AJ (2012) Phylogenomic analysis of bacterial and archaeal sequences with AMPHORA2. *Bioinformatics* 28:1033–1034
- Wu G, Feng B, Xu J, Zhu XT, Li YC, Zeng NK, Yang ZL (2014) Molecular phylogenetic analyses redefine seven major clades and reveal 22 new generic clades in the fungal family Boletaceae. *Fungal Divers* 69(1):93–115
- Wu C, Wang W, Wang K, Li X, Qiu W, Li W (2016) Phospholipids fatty acids analysis of microbial communities in sewage sludge composting with inorganic bulking agent. *Desalin Water Treat* 57:27181–27190
- Xie X, Liao M, Yang J, Chai J, Fang S, Wang R (2012) Influence of root-exudates concentration on pyrene degradation and soil microbial characteristics in pyrene contaminated soil. *Chemosphere* 88:1190–1195
- Xue K, Wu L, Deng Y, He Z, Nostrand JV, Robertson PG, Schmidt TM, Zhou J (2013) Functional gene differences in soil microbial communities from conventional, low-input, and organic farmlands. *Appl Environ Microbiol* 79:1284–1292
- Xun F, Xie B, Liu S, Guo C (2015) Effect of plant growth-promoting bacteria (PGPR) and arbuscular mycorrhizal fungi (AMF) inoculation on oats in saline-alkali soil contaminated by petroleum to enhance phytoremediation. *Environ Sci Pollut Res* 22:598–608
- Yang M-M, Wen S-S, Mavrodi DV, Mavrodi OV, von Wettstein D, Thomashow LS, Guo J-H, Weller DM (2014) Biological control of wheat root diseases by the CLP-producing strain *Pseudomonas fluorescens* HC1-07. *Phytopathology* 104:248–256
- Yates JR (2004) Mass spectral analysis in proteomics. *Annu Rev Biophys Biomol Struct* 33:297–316
- Yates JR, Speicher S, Griffin PR, Hunkapiller T (1993) Peptide mass maps: a highly informative approach to protein identification. *Anal Biochem* 214:397–408
- Ye Y, Tang H (2009) An ORFome assembly approach to metagenomics sequences analysis. *J Bioinforma Comput Biol* 7:455–471
- Yooseph S, Sutton G, Rusch DB et al (2007) The sorcerer II global ocean sampling expedition: expanding the universe of protein families. *PLoS Biol* 5:e16

- Yu K, Zhang T (2012) Metagenomic and metatranscriptomic analysis of microbial community structure and gene expression of activated sludge. *PLoS One* 7(5):e38183. <https://doi.org/10.1371/journal.pone.0038183>
- Yu Y, Suh MJ, Sikorski P, Kwon K, Nelson KE, Pieper R (2014) Urine sample preparation in 96-well filter plates for quantitative clinical proteomics. *Anal Chem* 86:5470–5477
- Zaman M, Toth I (2013) Immunostimulation by synthetic lipopeptides based vaccine candidates: structure-activity relationships. *Front Immunol* 4:1–12
- Zarraonaindia I, Smith DP, Gilbert JA (2013) Beyond the genome: community-level analysis of the microbial world. *Biol Philos* 28:261–282
- Zelles L (1999) Fatty acid patterns of phospholipids and lipopolysaccharides in the characterization of microbial communities in soil: a review. *Biol Fertil Soils* 29:111–129
- Zerriouh H, de Vicente A, Pérez-García A, Romero D (2014) Surfactin triggers biofilm formation of *Bacillus subtilis* in melon phylloplane and contributes to the biocontrol activity. *Environ Microbiol* 16:2196–2211
- Zhalnina K, Louie KB, Hao Z, Mansoori N, da Rocha UN, Shi S, Firestone MK (2018) Dynamic root exudate chemistry and microbial substrate preferences drive patterns in rhizosphere microbial community assembly. *Nat Microbiol* 3:470–480
- Zhang MQ (2002) Computational prediction of eukaryotic protein-coding genes. *Nat Rev Genet* 3:698–709
- Zhang L et al (1992) Whole genome amplification from a single cell: implications for genetic analysis. *Proc Natl Acad Sci U S A* 89:5847–5851
- Zhang DY, Brandwein M, Hsuih T, Li HB (2001) Ramification amplification: a novel isothermal DNA amplification method. *Mol Diagn* 6:141–150
- Zhang Q, Zhang J, Yang L, Zhang L, Jiang D, Chen W, Li G (2014) Diversity and biocontrol potential of endophytic fungi in *Brassica napus*. *Biol Control* 72:98–108
- Zhao P, Quan C, Wang Y, Wang J, Fan S (2013) *Bacillus amyloliquefaciens* Q-426 as a potential biocontrol agent against *Fusarium oxysporum* f. sp. *spinaciae*. *J Basic Microbiol*. <https://doi.org/10.1002/jobm.201200414>
- Zhou J, Bruns MA, Tiedje JM (1996) DNA recovery from soils of diverse composition. *Appl Environ Microbiol* 62(2):316–322
- Zhou JZ, Thompson DK (2002) Challenges in applying microarrays to environmental studies. *Curr Opin Biotechnol* 13:204–207
- Zhou J, He Z, Yang Y, Deng Y, Tringe SG, Alvarez-Cohen L (2015) High-throughput metagenomic technologies for complex microbial community analysis: open and closed formats. *MBio* 27:6
- Zhou X, Li Z, Zheng T, Yan Y, Li P, Odey EA, Mang HP, Uddin SM (2018) Review of global sanitation development. *Environ Int* 120:246–261
- Zong C, Lu S, Chapman AR, Xie XS (2012) Genomewide detection of single-nucleotide and copy-number variations of a single human cell. *Science* 338:1622–1626
- Zoppini A, Ademollo N, Amalfitano S, Capri S, Casella P, Fazi S, Marxen J, Patrolecco L (2016) Microbial responses to polycyclic aromatic hydrocarbon contamination in temporary river sediments: experimental insights. *Sci Total Environ* 541:1364–1371
- Zornoza R, Acosta JA, Faz A, Baath E (2016) Microbial growth and community structure in acid mine soils after addition of different amendments for soil reclamation. *Geoderma* 272:64–72

Index

A

- Agricultural crops, 13–14
- AMPHORA2, 66
- Arbuscular mycorrhizal fungi (AMF), 11
- Automated version of RISA (Ribosomal intergenic spacer analysis (ARISA))
 - BLAST, 28
 - PCR, 28

B

- Bayes classification system, 67
- Bioinformatics tools
 - FragGeneScan, 65
 - Genovo, 61
 - green genes, 66
 - khmer, 65
 - Meta-IDBA toolkit, 65
 - MetAMOS, 65
 - MetaORFA, 65
 - MetaVelvet, 65
 - MOCAT, 65
 - SOAPdenovo, 65
- Bioremediation, 57

C

- CAMERA, 70
- Carbon sequestration, 17–19, 72
- CARMA3, 66
- CCREPE, 68
- Chemical fertilizers, 2
- Classifier for Metagenomic Sequences, 66
- Community-level analysis, 44

D

- Differential gradient gel electrophoresis (DGGE), 74
 - chemical-based denaturation, 27
 - cloning and sequencing, 26
 - fingerprinting techniques, 26
 - herbicide application, 27
 - hybridization, 26
 - microbial communities, 26
 - PCR, 27
- DiScRIBinATE, 66
- DNA microarrays, 31

E

- EBI metagenomics, 70
- Ecological suicide, 74
- Endophytes, 7
- Environmental cleanup technologies, 5
- Environmental factors, 25
- Environmental microbiology, 26
- Extremophiles, 3

F

- Fatty acid methyl esters (FAME), 24
- Filter-aided sample preparation (FASP), 58
- Fluorescence-activated cell sorter (FACS) system, 36
- Fluorescence in situ hybridization (FISH)
 - oligonucleotide, 26
 - PAHs, 26
 - rRNA-targeted probes, 26
- Food security, 3, 17

Functional annotation, 41
 Functional profiling, 68

G

Gene calling, 43
 General-Error-Model based Simulators, 69
 Genomes-OnLine-Database (GOLD), 44
 Genomic and proteomic analysis, 4
 GeoChip 3.0 microarray technology, 32
 Global Ocean Sample (GOS), 43
 Glomalin, 15
 Greenhouse gas emissions, 4

H

Hexachlorocyclohexane (HCH), 29
 Hidden Markov-Model (HMM), 43
 High-throughput sequencing technologies, 46–47
 Horseradish peroxidase (HRP) enzyme, 25
 HUMAnN, 68

I

IDBA-UD, 69
 Induced systemic resistance (ISR), 73
 INDUS, 66
 Interpolated-Markov-Model (IMM), 43

K

KeggMapper tool, 46, 48
 Kyoto-Encyclopedia, 44

L

LefSe, 68
 Lowest common ancestor (LCA), 67

M

Marginal lands, 15
 MARTA, 66
 Metabolic pathways, 68
 MetaCluster, 66
 MetaGeneAnnotator (MGA), 65
 Metagenomic approaches
 applications, 48
 data mining approaches, 47
 EBI, 44
 ecosystems, 39
 gene finding and comparative, 41

 interlinking soil, 49
 microbial communities, 39
 phylogenetic analysis, 42
 rRNA gene, 39
 Metagenomic data, 39, 45
 Metagenomic dataset, 47
 Metagenomics, 40
 and metatranscriptomics, 55
 Metagenomics data analysis
 AMPHORA, 45
 assembly, 41
 community-level analysis, 44
 comparing pathways, 46
 computational biology, 46
 DNA, 46
 EBI, 44
 gene calling, 43
 high-throughput techniques, 41
 MEGAN, 45
 MG-RAST, 44
 NGS data, 42
 phylogenetic analysis, 42
 sequence binning, 42
 taxonomic binning, 42
 Meta-IDBA toolkit, 65
 MetaPhlAn, 66
 MetaPhyler, 67
 METAREP, 70
 metaSHARK, 68
 MetaSim, 69
 Metastats, 68
 Metatranscriptomics
 applications, 60
 biochemical approaches, 57
 biological interpretation, 54
 characterization, 56
 deep sequencing, 54
 differential gene expression, 53
 DNA extraction, 56
 environmental conditions, 57
 functional data, 52
 microbial biomass, 59
 mRNA, 51, 53
 probe application, 53
 proteomics, 55
 RNA-seq reads, 53
 soil environment, 59
 2-D gel electrophoresis, 56
 Metatranscriptomics data analysis, 61
 MG-RAST, 70
 Microbial communities, 4
 Microbial community structure, 24–26, 28
 Microbial diversity, 2

Microbial ecology, 32, 55
 Microbial fingerprinting technique, 26
 Microbially assisted bioremediation, 20–21
 Microbial world, 3
 Microorganisms, 73
 Molecular-based methodologies, 31
 Multiple displacement amplification, 35
 Multiple sequence alignment (MSA), 42

N

Next-generation sequencing (NGS), 35, 42
 technologies, 73
 N-fixation, 10
 Nuclear isolation, 36

O

Operational taxonomic unit (OTU), 28, 75
 Orphelia, 65

P

PaPaRa, 67
 Phospholipid fatty acid analysis (PLFA), 24
 attribute, 24
 difference, 25
 lipids, 24
 SOM, 25
 Phylogenetic analysis, 42
 Phymm, 67
 Phyto-bioremediation, 72
 Plant growth-promoting microorganisms
 (PGPMs), 6
 Plant–microbe interactions, 17
 Predicted-Relative-Metabolic-Turnover, 68
 Prokaryotes, 53
 Protein microarray, 58
 Proteofingerprint, 57
 Pyrosequencing, 52

Q

Quality-control analysis, 66
 Quantitative real-time PCR (qPCR), 30

R

RAIphy, 67
 RAMMCAP, 68
 Rapid annotation by subsystem technology, 46
 Restriction enzyme (RE), 27
 Rhizospheric microorganisms, 15

Ribosomal RNA (rRNA) genes
 sequencing, 65
 Ribosomal-Database-Project, 42, 66
 Rice production, 11

S

Sanger sequencing data, 41
 Sequence binning, 42
 Sequencing single bacterial cells, 35
 ShotgunFunctionalizeR, 69
 SILVA, 65
 Simulators tools, 69
 Single-cell genomics (SCG), 36
 advantages, 34
 algorithms and software, 38
 characteristics, 38
 development, 34
 isolation, 36
 metagenomics, 34
 WGA, 37
 Single-cell sequencing analysis, 69
 Single-strand conformation polymorphism
 (SSCP)
 DGGE/TGGE, 29
 PCR, 29
 16S–23S rRNA, 29
 SmashCell, 69
 Smash-Community, 70
 Soil function, 2
 Soil metatranscriptomics, 52
 Soil microbial communities, 24, 54, 60, 71
 Soil microbial community analysis, 62–64
 Soil microorganisms, 3, 6
 Soil organic matter (SOM), 25
 Sort-ITEMS, 67
 SourceTracker, 69
 Spar-CC, 68
 SPHINX, 67
 Stable isotope probing (SIP), 30
 STAMP, 70
 Stress tolerance, 7
 Suppressive soils, 39
 Sustainable development goals (SDGs), 2, 72

T

TACOA, 67
 Taxonomic binning, 42, 46
 Taxonomic profiling
 AMPHORA2, 66
 CARMA3, 66
 ClaMS, 66

Taxonomic profiling (*cont.*)

INDUS, 66

MARTA, 66

MetaPhlan, 66

MetaPhyler, 67

NBC, 67

Phymm, 67

TACO, 67

Treephyler, 67

Terminal restriction fragment length

polymorphism (T-RFLP)

18S rRNA genes, 27

microbial populations, 27

PCR, 27

rRNA sequences, 27

TRF, 28

Treephyler, 67

2-D gel electrophoresis, 56

V

VAMPS, 70

Volatile organic compounds (VOCs), 12

W

Whole-genome amplification (WGA), 37

process, 35