

Bibliography

- [1] **Aarts, E.H.L., van Laarhoven, P.J.M., Lenstra, J.K., Ulder, N.L.J. (1994)**: A computational study of local search algorithms for job shop scheduling, *ORSA Journal on Computing* 6, 118–125.
- [2] **Aarts, E.H.L., Lenstra, J.K. (1997)**: *Local Search in Combinatorial Optimization*, John Wiley.
- [3] **Ahuja, R.K., Magnanti, T.L., Orlin, J.B. (1993)**: *Network Flows*, Prentice Hall, Englewood Cliffs.
- [4] **Alvarez-Valdes, R., Tamarit, J.M. (1989)**: Heuristic algorithms for resource-constrained project scheduling: a review and an empirical analysis, in: R. Słowiński, J. Węglarz, (eds.): *Advances in Project Scheduling*, Elsevier Science, Amsterdam, 114–134.
- [5] **Baar, T., Brucker, P., Knust, S. (1998)**: Tabu-search algorithms and lower bounds for the resource-constrained project scheduling problem, in: S. Voss, S. Martello, I. Osman, C. Roucairol (eds.): *Meta-heuristics: Advances and Trends in Local Search Paradigms for Optimization*, Kluwer, 1–18.
- [6] **Baptiste, P., Le Pape, C. (1996)**: Edge-finding constraint propagation algorithms for disjunctive and cumulative scheduling, in: *Proceedings of the 15th Workshop of the UK Planning Special Interest Group*, Liverpool.
- [7] **Baptiste, P., Le Pape, C., Nuijten, W. (2001)**: *Constraint-Based Scheduling – Applying Constraint Programming to Scheduling Problems*, International Series in Operations Research and Management Science 39, Kluwer, Dordrecht.
- [8] **Baptiste, P., Demasse, S. (2004)**: Tight LP bounds for resource constrained project scheduling, *OR Spectrum* 26, 251–262.
- [9] **Bartusch, M., Möhring, R.H., Radermacher, F.J. (1988)**: Scheduling project networks with resource constraints and time windows, *Annals of Operations Research* 16, 201–240.
- [10] **Bellman, R.E. (1958)**: *Dynamic Programming*, Princeton University Press.

- [11] **Bland, R.G. (1977)**: New finite pivoting rules for the simplex method, *Mathematics of Operations Research* 2, 103–107.
- [12] **Błażewicz, J., Domschke, W., Pesch, E. (1996)**: The job shop scheduling problem: conventional and new solution techniques, *European Journal of Operational Research* 93, 1–33.
- [13] **Błażewicz, J., Ecker, K., Pesch, E., Schmidt, G., Weglarz, J. (2001)**: *Scheduling Computer and Manufacturing Processes*, 2nd ed., Springer, Berlin.
- [14] **Błażewicz, J., Lenstra, J.K., Rinnooy Kan, A.H.G. (1983)**: Scheduling subject to resource constraints: Classification and complexity, *Discrete Applied Mathematics* 5, 11–24.
- [15] **Böttcher, J., Drexl, A., Kolisch, R., Salewski, F. (1999)**: Project scheduling under partially renewable resource constraints, *Management Science* 45, 543–559.
- [16] **Brucker, P. (2004)**: *Scheduling Algorithms*, 4th ed., Springer, Berlin.
- [17] **Brucker, P., Drexl, A., Möhring, R.H., Neumann, K., Pesch, E. (1999)**: Resource-constrained project scheduling: notation, classification, models and methods, *European Journal of Operational Research* 112, 3–14.
- [18] **Brucker, P., Heitmann, S., Hurink, J. (2003)**: Flow-shop problems with intermediate buffers, *OR Spectrum* 25, 549–574.
- [19] **Brucker, P., Heitmann, S., Hurink, J., Nieberg, T. (2004)**: Job-Shop scheduling with limited capacity buffers, *Osnabrücker Schriften zur Mathematik, Reihe P, No. 253*, to appear in *OR Spectrum*.
- [20] **Brucker, P., Jurisch, B., Krämer, A. (1996)**: The job-shop problem and immediate selection, *Annals of Operations Research* 50, 73–114.
- [21] **Brucker, P., Jurisch, B., Sievers, B. (1994)**: A fast branch and bound algorithm for the job shop scheduling problem, *Discrete Applied Mathematics* 49, 107–127.
- [22] **Brucker, P., Knust, S., Schoo, A., Thiele, O. (1998)**: A branch & bound algorithm for the resource-constrained project scheduling problem, *European Journal of Operational Research* 107, 272–288.
- [23] **Brucker, P., Knust, S. (2000)**: A linear programming and constraint propagation-based lower bound for the RCPSP, *European Journal of Operational Research* 127, 355–362.

- [24] **Brucker, P., Knust, S. (2001)**: Resource-constrained project scheduling and timetabling, in: E. Burke, W. Erben (ed.): *The Practice and Theory of Automated Timetabling III*, Springer Lecture Notes in Computer Science 2079, 277–293.
- [25] **Brucker, P., Knust, S. (2002)**: Lower bounds for scheduling a single robot in a job-shop environment, *Annals of Operations Research* 115, 147–172.
- [26] **Brucker, P., Knust, S. (2003)**: Lower bounds for resource-constrained project scheduling problems, *European Journal of Operational Research* 149, 302–313.
- [27] **Brucker, P., Knust, S. (2005)**: An $O(n^2)$ -algorithm for the input-or-output test, *Osnabrücker Schriften zur Mathematik*, No. 259.
- [28] **Brucker, P., Knust, S.**: Complexity classification of scheduling problems,
<http://www.mathematik.uni-osnabrueck.de/research/OR/class/>.
- [29] **Brucker, P., Schumacher, D. (1999)**: A new tabu search procedure for an audit-scheduling problem, *Journal of Scheduling* 2, 157–173.
- [30] **Carlier, J., Pinson, E. (1989)**: An algorithm for solving the job-shop problem, *Management Science* 35, 164–176.
- [31] **Carlier, J., Pinson, E. (1990)**: A practical use of Jackson’s preemptive schedule for solving the job-shop problem, *Annals of Operations Research* 26, 269–287.
- [32] **Carlier, J., Pinson, E. (1994)**: Adjustments of heads and tails for the job-shop problem, *European Journal of Operational Research* 78, 146–161.
- [33] **Christofides, N., Alvarez-Valdés, R., Tamarit, J.M. (1987)**: Project scheduling with resource constraints: a branch and bound approach, *European Journal of Operational Research* 29, 262–273.
- [34] **Chvátal, V. (1983)**: *Linear Programming*, W.H. Freeman and Company, New York – San Francisco.
- [35] **Cook, S.A. (1971)**: The complexity of theorem-proving procedures, *Proceedings of the 3rd Annual ACM Symposium on Theory of Computing*, 151–158.
- [36] **Crama, Y., Kats, V., Klundert, J. van de, Levner, E. (2000)**: Cyclic scheduling in robotic flowshops, *Annals of Operations Research* 96, 97–124.
- [37] **Davies, E.M. (1973)**: An experimental investigation of resource allocation in multiactivity projects, *Operational Research Quarterly* 24, 587–591.

- [38] **Dell' Amico, M., Trubian, M. (1993)**: Applying tabu search to the job-shop scheduling problem, *Annals of Operations Research* 41, 231–252.
- [39] **Demeulemeester, E. (1992)**: Optimal algorithms for various classes of multiple resource-constrained project scheduling problem, Ph.D. thesis, Katholieke Universiteit Leuven, Belgium.
- [40] **Demeulemeester, E., Herroelen, W. (1992)**: A branch-and-bound procedure for the multiple resource-constrained project scheduling problem, *Management Science* 38, 1803–1818.
- [41] **Demeulemeester, E., Herroelen, W. (1997)**: New benchmark results for the resource-constrained project scheduling problem, *Management Science* 43, 1485–1492.
- [42] **Demeulemeester, E., Herroelen, W. (2002)**: *Project Scheduling, A Research Handbook*, Kluwer, Dordrecht.
- [43] **De Reyck, B., Herroelen, W. (1998)**: A branch-and-bound procedure for the resource-constrained project scheduling problem with generalized precedence relations, *European Journal of Operational Research* 111, 152–174.
- [44] **De Reyck, B., Herroelen, W. (1999)**: The multi-mode resource-constrained project scheduling problem with generalized precedence relations, *European Journal of Operational Research* 119, 538–556.
- [45] **Dijkstra, E. (1959)**: A note on two problems in connexion with graphs, *Numerische Mathematik* 1, 269–271.
- [46] **Dodin, B., Elimam, A.A., Rolland, E. (1998)**: Tabu search in audit scheduling, *European Journal of Operational Research* 106, 373–392.
- [47] **Dorndorf, U. (2002)**: *Project Scheduling with Time Windows – From Theory to Applications*, Contributions to Management Science, Physica-Verlag, Heidelberg.
- [48] **Dorndorf, U., Pesch, E., Phan-Huy, T. (1998)**: A survey of interval consistency tests for time- and resource-constrained scheduling, in: [141], 213–238.
- [49] **Dorndorf, U., Pesch, E., Phan-Huy, T. (2000)**: Constraint propagation techniques for the disjunctive scheduling problem, *Artificial Intelligence* 122, 189–240.
- [50] **Dorndorf, U., Pesch, E., Phan-Huy, T. (2000)**: A time-oriented branch-and-bound algorithm for project scheduling with generalised precedence constraints, *Management Science* 46, 1365–1384.

- [51] **Drexl, A., Knust, S. (2004)**: Sports league scheduling: graph- and resource-based models, *Osnabrücker Schriften zur Mathematik*, No. 255, to appear in *OMEGA – The International Journal of Management Science*.
- [52] **Dumas, Y., Desrosiers, J., Gelin, E. (1995)**: An optimal algorithm for the traveling salesman problem with time windows, *Operations Research* 43, 367–371.
- [53] **Fest, A., Möhring, R.H., Stork, F., Uetz, M. (1998)**: Resource-constrained project scheduling with time windows: A branching scheme based on dynamic release dates, Technical Report 596, Technische Universität Berlin, 1998.
- [54] **Fisher, M.L. (1973)**: Optimal solution of scheduling problems using Lagrange multipliers: Part I, *Operations Research* 21, 1114–1127.
- [55] **Floyd, R.W. (1962)**: Algorithm 97: Shortest path, *Communications of the Association for Computing Machinery* 5, 345.
- [56] **Ford, L.R., Fulkerson, D.R. (1956)**: Maximal flow through a network, *Canadian Journal of Mathematics* 8, 399–404.
- [57] **Garey, M., Johnson, D.S. (1979)**: *Computers and Intractability: A Guide to the Theory of NP-Completeness*, W.H. Freeman and Company, New York.
- [58] **Gilmore, P.C., Gomory, R.E. (1961)**: A linear programming approach to the cutting-stock problem, *Operations Research* 9, 849–859.
- [59] **Glover, F. (1989)**: Tabu Search, Part I, *ORSA Journal of Computing* 1, 190–206.
- [60] **Glover, F. (1990)**: Tabu Search, Part II, *ORSA Journal of Computing* 2, 4–32.
- [61] **Glover, F., Laguna, M. (1997)**: *Tabu Search*, Kluwer, Dordrecht.
- [62] **Golumbic, M.C. (1980)**: *Algorithmic graph theory and perfect graphs*, Academic Press, New York.
- [63] **Grabowski, J., Nowicki, E., Zdrzalka, S. (1986)**: A block approach for single machine scheduling with release dates and due dates, *European Journal of Operational Research* 26, 278–285.
- [64] **Hartmann, S. (1998)**: A competitive genetic algorithm for resource-constrained project scheduling, *Naval Research Logistics* 45, 733–750.
- [65] **Hartmann, S. (2000)**: Packing problems and project scheduling models: an integrating perspective, *Journal of the Operational Research Society* 51, 1083–1092.

- [66] **Hartmann, S. (2001)**: Project scheduling with multiple modes: a genetic algorithm, *Annals of Operations Research* 102, 111–135.
- [67] **Hartmann, S. (2002)**: A self-adapting genetic algorithm for project scheduling under resource constraints, *Naval Research Logistics* 49, 433–488.
- [68] **Hartmann, S., Drexl, A. (1998)**: Project scheduling with multiple modes: a comparison of exact algorithms, *Networks* 32, 283–297.
- [69] **Hartmann, S., Kolisch, R. (2000)**: Experimental evaluation of state-of-the-art heuristics for the resource-constrained project scheduling problem, *European Journal of Operational Research* 127, 394–407.
- [70] **Heilmann, R. (1999)**: Das ressourcenbeschränkte Projektdauerminimierungsproblem im Mehr-Modus-Fall, Ph.D. thesis, University of Karlsruhe, Germany.
- [71] **Hentenryck, P. van (1992)**: *Constraint Satisfaction in Logic Programming*, MIT Press, Cambridge.
- [72] **Herroelen, W., Demeulemeester, E., De Reyck, B. (1998)**: Resource-constrained project scheduling – A survey of recent developments, *Computers & Operations Research* 25, 279–302.
- [73] **Holland, S. (1975)**: *Adaptation in Natural and Artificial Systems*, University of Michigan Press, Ann Arbor, MI.
- [74] **Hurink, J., Jurisch, B., Thole, M. (1994)**: Tabu search for the job shop scheduling problem with multi-purpose machines, *OR Spektrum* 15, 205–215.
- [75] **Hurink, J., Knust, S. (2002)**: A tabu search algorithm for scheduling a single robot in a job-shop environment, *Discrete Applied Mathematics* 112, 181–203.
- [76] **Hurink, J., Knust, S. (2005)**: Tabu search algorithms for job-shop problems with a single transport robot, *European Journal of Operational Research* 162, 99–111.
- [77] **Jain, A.S., Meeran, S. (1999)**: Deterministic job-shop scheduling: past, present and future, *European Journal of Operational Research* 113, 390–434.
- [78] **Kelley, J.E. (1963)**: The critical path method: Resource planning and scheduling, in: J.F. Muth, G.L. Thompson (eds.): *Industrial Scheduling*, Prentice Hall, New Jersey, 347–365.
- [79] **Khachian, L.G. (1979)**: A polynomial algorithm in linear programming, *Soviet Math. Dokl.* 20, 191–194.

- [80] **Kirkpatrick, S., Gelatt, C.D., Vecchi, M.P. (1983)**: Optimization by simulated annealing, *Science* 220, 671–680.
- [81] **Klee, V., Minty, G.J. (1972)**: How good is the simplex algorithm? Inequalities III, *Proc. 3rd Symp.*, Los Angeles 1969, 159–175.
- [82] **Klein, M. (1967)**: A primal method for minimal cost flows with application to the assignment and transportation problems, *Management Science* 14, 205–220.
- [83] **Klein, R., Scholl, A. (1999)**: Computing lower bounds by destructive improvement: an application to resource-constrained project scheduling, *European Journal of Operational Research* 112, 322–346.
- [84] **Knust, S. (1999)**: Shop-scheduling problems with transportation, Ph.D. thesis, University of Osnabrück, Germany.
- [85] **Kolisch, R. (1996)**: Serial and parallel resource-constrained project scheduling methods revisited: theory and computation, *European Journal of Operational Research* 90, 320–333.
- [86] **Kolisch, R., Hartmann, S. (1998)**: Heuristic algorithms for solving the resource-constrained project scheduling problem: classification and computational analysis, in: [141], 147–178.
- [87] **Kolisch, R., Hartmann, S. (2004)**: Experimental investigation of heuristics for resource-constrained project scheduling: an update, submitted to *European Journal of Operational Research*.
- [88] **Kolisch, R., Padman, R. (2001)**: An integrated survey of deterministic project scheduling, *OMEGA – International Journal of Management Science* 29, 249–272.
- [89] **Kolisch, R., Schwindt, C., Sprecher, A. (1998)**: Benchmark instances for project scheduling problems, in: [141], 197–212.
- [90] **Kolisch, R., Sprecher, A., Drexl, A. (1995)**: Characterization and generation of a general class of resource-constrained project scheduling problems, *Management Science* 41, 1693–1703.
- [91] **Kolisch, R., Sprecher, A. (1997)**: PSPLIB – A project scheduling library, *European Journal of Operational Research* 96, 205–216.
- [92] **Korte, B., Möhring, R.H. (1985)**: Transitive orientation of graphs with side constraints, in: H. Noltemeier (ed.): *Proceedings 11th International Workshop on Graph Theoretic Concepts in Computer Science*, Trauner Verlag, Linz, 143–160.
- [93] **Korte, B., Vygen, J. (2002)**: *Combinatorial optimization – Theory and algorithms*, 2nd ed., Springer, Berlin.

- [94] **Krämer, B. (1997)**: Branch-and-bound methods for scheduling problems with multiprocessor tasks on dedicated processors, *OR Spektrum* 19, 219–227.
- [95] **Kumar, V. (1992)**: Algorithms for constraint satisfaction problems, *Artificial Intelligence Magazine* 13, 32–44.
- [96] **Lawler, E.L. (1976)**: *Combinatorial Optimization: Networks and Matroids*, Holt, Rinehart and Winston, New York.
- [97] **Leisten, R. (1990)**: Flowshop sequencing problems with limited buffer storage, *International Journal of Production Research* 28, 2085–2100.
- [98] **Leung, J.T. (2004)**: *Handbook of Scheduling*, CRC Press.
- [99] **Malcolm, D.G., Roseboom, J.H., Clark, C.E., Fazar, W. (1959)**: Application of a technique for research and development program evaluation, *Operations Research* 7, 646–669.
- [100] **Martin, P.B. (1996)**: A time-oriented approach to computing optimal schedules for the job shop scheduling problem, Ph.D. thesis, Graduate School of Cornell University, USA.
- [101] **Martin, P., Shmoys, D. (1996)**: A new approach to computing optimal schedules for the job-shop scheduling problem, in: *Proceedings of the 5th International IPCO Conference*.
- [102] **Mascis, A., Pacciarelli, D. (2000)**: Machine scheduling via alternative graphs, Report DIA-46-2000, University of Rome, Italy.
- [103] **Mascis, A., Pacciarelli, D. (2002)**: Job-shop scheduling with blocking and no-wait constraints, *European Journal of Operational Research* 143, 498–517.
- [104] **Mastrolilli, M., Gambardella, L.M. (2000)**: Effective neighbourhood functions for the flexible job shop problem, *Journal of Scheduling* 3, 3–20.
- [105] **Mingozzi, A., Maniezzo, V., Ricciardelli, S., Bianco, L. (1998)**: An exact algorithm for project scheduling with resource constraints based on a new mathematical formulation, *Management Science* 44, 714–729.
- [106] **Möhring, R.H. (1985)**: Algorithmic aspects of comparability graphs and interval graphs, in: I. Rival (ed.): *Graphs and order: the role of graphs in the theory of ordered sets and its applications*, NATO Advanced Science Institute Series C, Mathematical and Physical Sciences, 41–101.
- [107] **Möhring, R.H., Schulz, A.S., Stork, F., Uetz, M. (2001)**: On project scheduling with irregular starting time costs, *Operations Research Letters* 28, 149–154.

- [108] **Möhring, R.H., Schulz, A.S., Stork, F., Uetz, M. (2003)**: Solving project scheduling problems by minimum cut computations, *Management Science* 49, 330–350.
- [109] **Muth, J.F., Thompson, G.L. (1963)**: *Industrial Scheduling*, Englewood Cliffs, N.J., Prentice Hall.
- [110] **Neumann, K., Schwindt, C., Zimmermann, J. (2003)**: *Project Scheduling with Time Windows and Scarce Resources – Temporal and Resource-Constrained Project Scheduling with Regular and Nonregular Objective Functions*, Springer, Berlin.
- [111] **Nowicki, E. (1999)**: The permutation flow shop with buffers: A tabu search approach, *European Journal of Operational Research* 116, 205–219.
- [112] **Nowicki, E., Smutnicki, C. (1996)**: A fast taboo search algorithm for the job shop problem, *Management Science* 42, 797–813.
- [113] **Nowicki, E., Smutnicki, C. (1996)**: A fast tabu search algorithm for the permutation flow-shop problem, *European Journal of Operational Research* 91, 160–175.
- [114] **Nowicki, E., Smutnicki, C. (2005)**: An advanced tabu search algorithm for the job-shop problem, *Journal of Scheduling* 8, 145–159.
- [115] **Nuijten, W. (1994)**: *Time and resource constrained scheduling: a constraint satisfaction approach*, Ph.D. thesis, Technical University Eindhoven, The Netherlands.
- [116] **Özdamar, L., Ulusoy, G. (1995)**: A survey on the resource-constrained project scheduling problem, *IIE Transactions* 27, 574–586.
- [117] **Papadimitriou, C.H., Kanellakis, P.C. (1980)**: Flow-shop scheduling with limited temporary storage, *Journal of the Association for Computing Machinery* 27, 533–549.
- [118] **Papadimitriou, C.H., Steiglitz, K. (1982)**: *Combinatorial Optimization*, Prentice Hall, Englewood Cliffs, N.J.
- [119] **Patterson, J.H., Slowinski, R., Talbot, F.B., Węglarz, J. (1989)**: An algorithm for a general class of precedence and resource constrained scheduling problems, in: R. Słowiński, J. Węglarz, (eds.): *Advances in Project Scheduling*, Elsevier Science, Amsterdam, 3–28.
- [120] **Patterson, J.H., Slowinski, R., Talbot, F.B., Węglarz, J. (1990)**: Computational experience with a backtracking algorithm for solving a general class of resource constrained scheduling problems, *European Journal of Operational Research* 90, 68–79.

- [121] **Phan Huy, T. (1999)**: Constraint propagation in flexible manufacturing, Ph.D. thesis, University of Bonn, Germany.
- [122] **Pinedo, M. (2001)**: Scheduling: Theory, Algorithms, and Systems, 2nd ed., Prentice Hall.
- [123] **Pinedo, M. (2005)**: Planning and Scheduling in Manufacturing and Services, Springer, Berlin.
- [124] **Pinson, E. (1995)**: The job-shop scheduling problem: a concise survey and some recent developments, in: P. Chretienne, E.G. Coffman, J.K. Lenstra, Z. Liu (eds.): Scheduling Theory and its Applications, John Wiley, 277–293.
- [125] **Pritsker, A., Watters, L., Wolfe, P. (1969)**: Multiproject scheduling with limited resources: A zero-one programming approach, Management Science 16, 93–107.
- [126] PSPLIB – Project Scheduling Problem Library Kiel
<http://www.bwl.uni-kiel.de/Prod/psplib/>
- [127] **Roy, B., Sussmann, B. (1964)**: Les problemes d’ordonnancement avec contraintes disjonctives, Note DS no. 9 bis, SEMA, Paris.
- [128] **Schaerf, A. (1995)**: A survey of automated timetabling, CWI-Report CS-R 9567, Amsterdam.
- [129] **Schirmer, A., Drexl, A. (2001)**: Allocation of partially renewable resources: Concept, capabilities, and applications, Networks 37, 21–34.
- [130] **Schrijver, A. (2003)**: Combinatorial Optimization: Polyhedra and Efficiency, Springer, Berlin.
- [131] **Smutnicki, C. (1998)**: A two-machine permutation flow-shop problem with buffers, OR Spektrum 20, 229–235.
- [132] **Sprecher, A. (1994)**: Resource-constrained project scheduling – exact methods for the multi-mode case, Lecture Notes in Economics and Mathematical Systems 409, Springer, Berlin.
- [133] **Sprecher, A., Drexl, A. (1998)**: Multi-mode resource-constrained project scheduling by a simple, general and powerful sequencing algorithm, European Journal of Operational Research 107, 431–450.
- [134] **Sprecher, A., Drexl, A. (1999)**: Note: On semi-active timetabling in resource-constrained project scheduling, Management Science 45, 452–454.
- [135] **Sprecher, A., Hartmann, S., Drexl, A. (1997)**: An exact algorithm for project scheduling with multiple modes, OR Spektrum 19, 195–203.

- [136] **Sprecher, A., Kolisch, R., Drexl, A. (1995)**: Semi-active, active and non-delay schedules for the resource-constrained project scheduling problem, *European Journal of Operational Research* 80, 94–102.
- [137] **Stinson, J.P., Davis, E.W., Khumawala, B.M. (1978)**: Multiple resource-constrained scheduling using branch and bound, *AIIE Transactions* 10, 252–259.
- [138] **Tsang, E. (1993)**: *Foundations of Constraint Satisfaction*, Academic Press, Essex.
- [139] **van Laarhoven, P.J.M., Aarts, E.H.L., Lenstra, J.K. (1992)**: Job shop scheduling by simulated annealing, *Operations Research* 40, 113–125.
- [140] **Vilim, P. (2004)**: $O(n \log n)$ filtering algorithms for unary resource constraint in: *Proceedings of CPAIOR 2004*, Nice, France.
- [141] **Węglarz, J. (1998)**: *Project Scheduling: Recent Models, Algorithms and Applications*, Kluwer, Dordrecht.
- [142] **Wennink, M. (1995)**: *Algorithmic support for automated planning boards*, Ph.D. thesis, Technical University Eindhoven, The Netherlands.

Index

- active schedule, 142, 143, 160, 202
- activities, 1
- activity list, 144
- activity-mode combination, 118, 136
- activity-on-arc network, 2
- activity-on-node network, 2, 91
- adjacent pairwise interchange neighborhood, 87, 151
- alternative arcs, 205
- alternative graph, 206
- antiregular function, 10, 179
- arc flow, 60
- assignment problem, 58
- audit-staff scheduling, 13
- augmenting cycle, 59, 62
- augmenting path, 59
- augmenting path algorithm, 68
- auxiliary linear program, 43

- backward scheduling, 149
- basic matrix, 50
- basic variable, 42
- Bellman-Ford algorithm, 80
- bidirectional scheduling, 149
- binary encoding, 24
- binary knapsack problem, 76, 81
- binary linear program, 51
- binary search, 121, 136
- block, 195, 202, 247
- block extension, 163
- block shift neighborhood, 195
- block theorem, 195, 210, 247
- blocking job-shop, 204
- blocking operation, 204
- branch-and-bound, 74, 157, 202
- buffer, 217

- capacity of a cut, 65
- capacity of an arc, 57

- capacity scaling algorithm, 71, 73
- certificate, 25
- chain-packing bound, 235, 238
- chromosome, 88
- circulation problem, 183
- clique, 99, 113
- column generation, 53, 56, 125, 130, 139, 240
- combinatorial optimization problem, 23, 82
- complementary slackness, 49
- complete selection, 191
- complexity, 23, 28
- conjunctions, 93, 99, 171, 191, 222
- connected neighborhood, 88, 194
- consistent selection, 191
- constraint propagation, 93, 114, 128, 229
- constructive lower bound, 121, 235
- convex piecewise linear function, 181
- cost scaling algorithm, 73
- critical activity, 92
- critical arc, 194
- critical path, 92, 122
- crossover, 88, 153
- cumulative resource, 5, 114
- cut, 65, 186
- cutset rule, 170
- cutting-stock problem, 12, 53
- cycle, 29, 36, 43
- cycle-canceling algorithm, 72

- deadline, 4, 92, 204
- decision problem, 24
- degenerate, 43
- delayed column generation, 53, 125, 130, 139, 240
- delaying alternatives, 165, 166, 175
- demand node, 57

- destructive lower bound, 121, 128, 135, 136, 235
- dictionaries, 42
- Dijkstra's algorithm, 29
- discrete optimization problem, 23
- disjunctions, 93, 99, 171, 191, 202, 222
- disjunctive graph, 190, 194, 218, 222
- disjunctive linear program, 193
- disjunctive resource, 5, 99, 189
- disjunctive set, 99, 113
- distance matrix, 95, 113, 116, 230
- diversification, 86
- dominance rule, 127, 157, 160
- doubly-constrained resource, 8
- dual linear program, 45, 241
- duality, 45, 46
- due date, 10
- dummy activities, 2
- dynamic programming, 80, 231, 243
- dynamic tabu list, 86

- earliest start schedule, 92, 144, 157, 172, 191, 219
- earliness, 10
- edge finding, 112
- empty moving time, 218
- energetic cuts, 131
- entering variable, 43
- enumeration tree, 76, 126, 140, 157
- exact algorithm, 74, 80, 157, 202
- extension alternatives, 161, 175

- feasibility problem, 121
- feasible flow, 57, 63
- feasible schedule, 2, 142
- FIFO label-correcting algorithm, 36
- FIFO preflow-push algorithm, 71
- fitness, 88
- flexibility relations, 171
- flexible job-shop, 209
- flexible machine, 209
- flow, 57
- flow decomposition, 61
- flow-shop problem, 20, 190
- Floyd-Warshall algorithm, 36, 80, 95

- forward-backward improvement, 149

- Gantt chart, 3
- generalized precedence constraints, 3, 95
- genetic algorithms, 82, 88, 153
- global left shift, 142, 160

- head, 91, 95, 116, 226
- heuristic, 82, 142, 156, 194, 246
- high-school timetabling, 12

- immediate selection, 112
- inefficient mode, 114
- infeasibility, 93, 95, 121, 128, 135
- input, 24
- input buffer, 264
- input length, 24
- input negation test, 101, 105
- input test, 100, 101
- input-or-output test, 101, 109
- integer linear program, 51, 75
- integer linear programming, 38
- integrality property, 58, 71, 72
- intensification, 86
- interval consistency tests, 100, 112
- iterative improvement, 83

- job-shop problem, 19, 189, 217, 229, 235

- knapsack problem, 75, 81

- label-correcting algorithm, 33
- labeling algorithm, 68
- lateness, 10, 11, 180, 204
- latest start schedule, 92
- leaving variable, 43
- left shift, 142, 160, 163, 170, 176
- linear function, 179
- linear program, 38, 57, 124, 128, 136, 138, 236
- linear programming, 38
- list, 144, 151
- list scheduling, 144, 146, 157
- local left shift, 142, 160
- local minimum, 83

- local search algorithms, 82, 151, 194, 246
- lower bound, 121, 157, 235
- machine block, 195, 247
- machine disjunction, 223
- machine scheduling, 17
- machine selection, 223
- machine sequence, 190
- machine unavailabilities, 204
- makespan, 2, 191
- max-flow min-cut theorem, 71
- maximization problem, 23
- maximum cost flow problem, 180
- maximum flow problem, 57, 62, 67
- minimization problem, 23
- minimum cost circulation problem, 57
- minimum cost flow problem, 56, 72, 180
- minimum cut problem, 65, 184
- minimum mean cycle-canceling algorithm, 73
- mixed integer linear program, 51
- mode, 6, 114, 156
- multi-mode, 6, 52, 114, 136, 156, 175
- multi-mode left shift, 176
- multi-processor task, 21, 28
- multi-purpose machine, 19, 209
- mutation, 88
- negative cycle, 29, 36, 38, 81
- negative cycle optimality condition, 72
- negative time-lag, 4
- neighborhood, 83, 86, 151, 194, 246
- neighborhood graph, 83
- neighborhood search, 82
- neighborhood structure, 83
- net present value, 10
- network, 2, 29
- network flow algorithms, 56
- no-wait, 4, 204
- node-arc incidence matrix, 57
- non-basic variable, 42
- non-delay schedule, 142, 149, 161
- non-dominated, 124
- non-executable mode, 114
- non-renewable resource, 6, 136
- NP-complete, 26
- NP-hard, 26
- objective function, 10, 178
- one-period left shift, 142
- one-point crossover, 153
- open-shop problem, 20
- operator, 83
- opt-connected neighborhood, 88, 194, 215, 248
- optimization problem, 25
- output negation test, 101, 105
- output test, 100, 101
- parallel machine, 19, 64
- parallel machine problem, 18, 28
- parallel schedule generation scheme, 147
- parallelity relations, 93, 171
- partially renewable resource, 8
- partition problem, 25
- path, 29
- path and cycle flow, 61
- permutation flow-shop, 20, 190
- pivoting, 42
- polynomial-time algorithm, 24
- polynomially reducible, 26
- polynomially solvable, 24, 38
- population, 88, 153
- positive cycle, 95
- positive time-lag, 4
- precedence constraints, 1, 133
- precedence tree, 157, 175
- predecessor, 2
- preemption, 2, 64, 124, 131, 136
- preflow, 71
- preflow-push algorithm, 71
- pricing problem, 55, 242
- primal linear program, 46
- priority rule, 150
- priority-based heuristic, 150
- pseudo-polynomial, 24
- RCPSP, 1, 51, 91

- reduction, 26
- redundant resource, 114
- regular function, 10, 86, 142, 143, 179, 191
- relaxation, 121
- release time, 4, 204
- renewable resource, 1
- residual network, 59
- resource, 1
- resource deviation problem, 11
- resource investment problem, 11
- resource levelling problem, 11
- resource variation problem, 11
- resource-constrained project scheduling problem, 1, 91
- revised simplex method, 49
- robot block, 247
- robot disjunction, 223
- robot problem, 226, 229, 235
- robot selection, 223

- s-t-cut, 65
- schedule, 2
- schedule generation scheme, 144, 146
- schedule scheme, 171
- selection, 191, 194, 223, 246
- semi-active schedule, 142, 160, 191
- sequence-dependent setup times, 9
- serial schedule generation scheme, 146
- setup times, 9, 204, 227
- shaving, 113
- shift-neighborhood, 152
- shop problem, 19, 28
- shortest path, 80
- shortest path algorithm, 29
- shortest path problem, 29, 58
- simplex algorithm, 38
- simulated annealing, 84
- single-machine problem, 18, 28, 86
- sink node, 62
- slack, 92
- slack variable, 40
- smallest index tie-breaking rule, 43
- source node, 62
- sports league scheduling, 15

- start-start distance matrix, 95
- static tabu list, 86
- strongly NP-complete, 26
- successor, 2
- supply node, 57
- swap-neighborhood, 152
- swapping rule, 160
- symmetric triples, 96

- tabu list, 85
- tabu search, 85
- tail, 91, 95, 116, 226
- tardiness, 10, 86
- threshold acceptance method, 84
- time window, 4, 92, 100, 128, 136, 184, 203
- time-dependent resource profile, 5, 142, 144
- time-indexed variables, 51, 238
- time-lags, 4, 203, 226
- total flow time, 10
- transitive closure, 95, 116
- transitive orientation, 172
- transport operation, 222
- transport robot, 217, 229, 235, 246
- transportation problem, 57
- transportation time, 217, 246
- transshipment node, 57
- traveling salesman problem, 81, 231
- triangle inequality, 9, 217, 219
- TSP, 81
- two-phase method, 44
- two-point crossover, 154

- unary encoding, 24
- unbounded, 39
- uniform crossover, 155
- uniform machine, 19
- unrelated machine, 19

- value of a flow, 63

- work, 114

- yes-instance, 25