

Several Papers on Solar Energy Physics Published in *Applied Physics*

- W.A. Anderson, J.K. Kim: Reliability studies on MIS solar cells. *Appl. Phys.* **17**, 401 (1978)
- E. Bucher: Solar cell materials and their basic parameters. *Appl. Phys.* **17**, 1 (1978)
- G.H. Derrick, R.C. McPhedran, D. Maystre, M. Nevière: Crossed gratings: A theory and its applications. *Appl. Phys.* **18**, 39 (1979)
- P. de Visschere, H.J. Pauwels: The influence of tunneling effects on the efficiency of heterojunction solar cells. *Appl. Phys.* **15**, 413 (1978)
- V.M. Fridkin, B.N. Popov, K.A. Verhovskaya: The photovoltaic and photorefractive effects in KDP-type ferroelectrics. *Appl. Phys.* **16**, 313 (1978)
- A. Goetzberger: Fluorescent solar energy collectors: Operating conditions with diffuse light. *Appl. Phys.* **16**, 399 (1978)
- A. Goetzberger, W. Greubel: Solar energy conversion with fluorescent collectors. *Appl. Phys.* **14**, 123 (1977)
- A. Goetzberger, O. Schirmer: Second stage concentration with tapers for fluorescent solar collectors. *Appl. Phys.* **19** (May, 1979)
- H.-J. Hoffmann: On the density of localized levels in amorphous silicon. *Appl. Phys.* **18**, 429–431 (1979)
- H.F. Mataré, G.A. Wolff: Concentration enhancement of current density and diffusion length in III–V ternary compound solar cells. *Appl. Phys.* **17**, 335 (1978)
- R.C. McPhedran, D. Maystre: On the theory and solar application of inductive grids. *Appl. Phys.* **14**, 1 (1977)
- K. Toda, M. Oikawa, K. Hisano: Photovoltaic effect in thin film of $\text{Pb}(\text{Zr}, \text{Ti})\text{O}_3$ evaporated on stainless steel. *Appl. Phys.* **17**, 207 (1978)
- M. Tomkiewicz, H. Fay: Photoelectrolysis of water with semiconductors. *Appl. Phys.* **18**, 1 (1979)
- F. Demichelis, E. Minetti-Mezzetti: Concentrator for solar air heater. *Appl. Phys.* **19**, (June/July, 1979)
- F. Demichelis, G. Russo: Cavity-type surfaces for solar collectors. *Appl. Phys.* **18**, 307 (1979)

Additional References with Titles

Chapter 3

The references below refer to the text on p. 88

- R. Brako: Optical properties of composite media. *J. Phys. C* **11**, 3345 (1978)
D.R. McKenzie, R.C. McPhedran: Exact modeling of cubic lattice permittivity and conductivity. *Nature* **265**, 128 (1977)
R.C. McPhedran, D.R. McKenzie: The conductivity of lattices of spheres. I. The simple cubic lattice. *Proc. R. Soc. London A* **362**, 45 (1978)
D.R. McKenzie, R.C. McPhedran, G.H. Derrick: The conductivity of lattices of spheres. II. The body centered and face centered cubic lattice. *Proc. R. Soc. London A* **362**, 211 (1978)
R. Ruppini: Validity range of the Maxwell-Garnett theory. *Phys. Status Solidi b* **87**, 619 (1978)

The references below refer to the text on p. 110

- J.C.C. Fan: Selective-black absorbers using sputtered cermet films. *Thin Solid Films* **54**, 139 (1978)
R. Marchini, R. Gandy: Selective absorption properties of lead sulfide-aluminum coatings as a function of lead sulphide thickness. *J. Appl. Phys.* **49**, 390 (1978)
C.M. Horwitz: Solar-selective globular metal films. *J. Opt. Soc. Am.* **68**, 1032 (1978)
G.L. Harding, D.R. McKenzie, B. Window: The D.C. sputtering of solar-selective surfaces onto tubes. *J. Vac. Sci. Tech.* **13**, 1073 (1976)
L.C. Botten, I.T. Ritchie: Improvements in the design of solar selective thin film absorbers. *Opt. Commun.* **22**, 421 (1977)
D.R. McKenzie: Gold black and gold cermet absorbing surfaces. *Gold Bull.* **11**, 49 (1978)
D.R. McKenzie: Effect of substrate on graphite and other selective surfaces. *Appl. Opt.* **17**, 1884 (1978)
D.R. McKenzie: Gold, silver, chromium, and copper cermet selective surfaces for evacuated solar collectors. *Appl. Phys. Lett.* **34**, 25 (1979)
D.M. Trotter, H.G. Craighead, A.J. Sievers: Design of selective surfaces for solar energy collection. *Sol. Energy Mater.* **1**, (1979)
H.G. Craighead, R. Bartynski, R.A. Buhrman, L. Wojcik, A. J. Sievers: Metal/insulator composite selective absorbers. *Sol. Energy Mater.* **1** (1979)
B. Window, I.T. Ritchie, K. Cathro: A study of selective electroplated chromium black. *Appl. Opt.* **17**, 2637 (1978)
A. Ignatiev, P. O'Neill, G. Zajac: The surface microstructure optical properties relationship in solar absorbers: black chrome. *Sol. Energy Mater.* **1** (1979)
C.M. Lampert: Microstructure of a black chrome solar selective absorber. *Sol. Energy Mater.* **1**, (1979)
J.I. Gittleman, E.K. Sichel, Y. Arie: Composite semiconductors: selective absorbers of solar energy. *Sol. Energy Mater.* **1** (1979)

Chapter 6

- B.K. Gupta, O.P. Agnihotri: Structural investigations of spray-deposited CdS films doped with Cu, In, and Ga. *Phil. Mag. B* **37** (5), 631-633 (1978)
- S.R. Das, V.D. Vankar, Prem Nath, K.L. Chopra: The preparation of Cu₂S films for solar cells. *Thin Solid Films* **51**, 257-264 (1978)
- K.L. Chopra: High efficiency spray-deposited CdS/Cu₂S thin film solar cells. Private communication

Subject Index

- Abruptness 309, 310
- Absorber, simple black body 10
- Absorber temperature 10
- Absorptance
 - actual 11
 - hemispherical 9
 - of merit 11
 - solar 9
- Absorption 93, 267
 - angle of maximum 82
 - coefficient 148, 149, 186, 187
 - cross section 86
 - edge, fundamental 26
 - free carrier 27
 - infrared 75
 - intrinsic 15, 42
 - length 257
 - profile 26
- Absorptivity 66, 69, 72, 75, 103
 - diffuse 75
 - maximum total 57
 - solar 107–109
 - spectral 69, 73
 - specular 75
- Acceptance angle 13, 39
- Activation energy barriers 131
- Adsorbed ionic charge 117
- Agglomeration 47, 48
- Air mass 0, 1 (AM 0, AM 1) 173, 173n
- Aluminum 22, 42
 - oxide 42, 48
- Amorphous semiconductors 23 *see also*
 - Silicon, amorphous
- Anderson model for heterojunction 273–277, 292
- Annealing 29, 201, 203
- Antimony oxide 42
- Auger
 - analysis 302, 304, 306, 307, 310
 - recombination 192, 209
- Backwall CdS–Cu_xS cells 219
- Band bending 148
- Band-edge
 - discontinuities 275, 295, 309, 310
 - position 118, 120, 140
- Band-gap transition 28
- Bandpass reflection filters 7
- Band-profile discontinuity 3
- Barium titanate 160
- Barrier height 285–289, 303
- Blackbodies 69, 79
- Blackbody
 - centroid frequency 74
 - distribution 106
 - spectrum 71, 84
- Black chrome 13, 43–46, 108
- Black mirrors 7, 44
- Black nickel 45
- Blacks
 - gold 33, 108
 - metal 107
 - selective 1, 34, 35, 42–44
- Bohm and Pines result 64
- Boltzmann's constant 12
- Born and Oppenheimer separation of nuclear and electronic motion 59
- Boundary condition 264, 265
- Brillouin zone boundaries 20
- Bruggeman effective medium theory 88
- Capacity-voltage characteristics 241, 275, 279, 280, 304, 305
- Carbon 194
- Carrier
 - concentration, minority 264
 - cross sections 184, 199
 - lifetime 2, 173, 189, 210, 260, 263
 - mobility 260
 - transport equation 258
- CdS 25, 128, 143, 146, 150, 152, 268, 281, 302
 - bulk 220
 - films 220, 224
- CdSe 143, 151, 152
- CdTe 162, 265, 268, 281
- Centroid frequency 70, 74

- Cermets 108, 109
 Charge transfer 18, 126
 Chemical barriers 131
 Chemical spray deposition 215
 Chemical vapor deposition (CVD) 27, 31, 32, 39, 47–51, 213
 Chromium oxide 36, 44, 48
 Clausius-Mosotti relation 87
 Coating 2, 36, 37, 39, 40, 60, 108
 composite 58, 93, 97, 109
 electroplated 43, 45
 interference 36, 38
 selective 35, 58
 Cobalt oxide 42, 44
 Collection functions 267, 269
 Composite
 coating 58, 93, 97, 109
 films, graded 109
 layers 20
 materials 1, 2, 23
 media 87–89, 91, 92, 99, 100, 104, 108
 structures 34, 91
 Concentration ratio 8, 10
 Conductivity
 ac 102
 dc 101, 103, 104
 electron 103
 lattice 103
 Converter
 flat-plate 10
 single-material 17, 19
 Copper 22, 203, 302
 chloride 216
 dispersion-hardened 97, 98, 101–103
 oxides 42–44, 142
 sulfides 216, 217, 228, 229, 233, 235, 236, 276
 Coulomb interaction 62–65
 Current-voltage characteristics 126, 239, 261, 262, 265, 269, 273–275, 284, 304, 305

 Dangling bonds 29, 30, 313, 319
 Debye theory 85
 Decomposition 134, 135, 137, 139, 145
 anodic 136, 141, 147
 cathodic 136
 reaction 134, 137
 Depletion layer 263–266, 270, 275, 284
 Dielectric function 23, 28, 67, 89, 99, 100, 102
 Diffusion
 coefficient 197
 equations 259
 length 3, 173, 186, 187, 257, 266
 temperature 206
 Diode parameters 261, 270–272, 283

 Dipole-dipole coupling 108
 Dipping process 216
 Direct-gap material 26, 263, 264
 Dislocations 23, 205, 311–322
 Disorder 20, 23
 Dispersoid 98, 99
 Doping concentration 192, 209
 Drude
 metal 88, 101, 104
 model 72, 98, 100–103
 relaxation time 23
 Drude-Zener theory 19

 Ebanol 43
 Efficiency 267
 charge separation 128
 collection 175
 conversion 6, 9, 109, 164, 179, 258
 maximum 107
 quantum 257, 261, 270
 solar 261, 263, 269, 293, 294, 321
 storage 167, 169
 Electrical properties 225, 229, 233
 Electrode, two-layer *n*-type semiconductor 163
 Electrodeposition 34, 217
 Electrolysis 133, 169
 Electromagnetic response 67
 Electromagnetic waves 65, 69, 87
 TE 80
 TM 80
 Electron affinities 273, 275, 276, 285
 Electronegativity 28, 297
 Electron-electron interaction 61, 64
 Electron gas 69
 Electron-hole pair 105, 106
 Electron-phonon collisions 23, 73
 Electron transfer 18, 122, 124–126
 Ellipsoids 88, 89
 Elysium 16
 Emission, infrared 109
 Emissivity 57, 65, 69, 73, 78, 80, 82, 84, 97, 100–104, 106, 108, 109
 hemispherical 79, 81, 82, 109
 normal 78, 81, 109
 spectral 69, 72, 74
 thermal 69, 77, 107
 Emittance 9, 12, 24
 Epitaxy 313
 molecular beam 309
 Exchange current density 124, 125, 167
 Extinction coefficient 91, 94, 95

 Fe₂O₃ 160
 Fe₃O₄ 43

- Fermi
 - energy 135
 - statistics 64
 - temperature 58
- Fermi level 123, 135, 140
 - pinning 275, 277, 278, 286, 289, 293, 296, 299, 301–303, 320
 - stabilization of 299, 301–303, 320
- Figure of merit 9, 84
- Fill factor 258, 269, 320
 - curve 179
- Flux
 - amplification 12
 - densities 13
- Franck-Condon effect 23
- Frank-Read source 315
- Frontwall CdS–Cu_xS cells 219

- GaAs 128, 151, 152, 261, 264, 318
- GaP 152, 162
- Ge/GaAs 277
- Gettering 195, 206
- Glow discharge, rf 30
- Gold 22, 182, 185, 203, 299, 300
 - blacks 33, 108
 - particles 92
 - smoke 33, 92
- Graded-index profiles 39, 51
- Graded junctions 109, 282
- Grain boundaries 23, 98

- Hagen-Rubens result 73, 74
- Helmholtz double layer 118
- Heterojunctions 3, 213, 218, 257–326
- Heterostructures, double 280
- HfC_x films 18
- Holstein effect 77, 78
- Homojunctions 260, 265, 271, 272
- Hybridization 18
- Hydrogen 197

- Impedance, surface 71–73
- Indium oxide 25, 40
- Injection level 182, 199
- Insulators 65, 66
- Integrated circuitry 2
- Interband
 - critical points 20
 - transitions 15, 19, 24, 26, 82
- Interface 2, 257, 295
 - metal-insulator-semiconductor (MIS) 283, 291
 - metal-semiconductors (MS) 295–307
 - semiconductor-semiconductor (SS) 307–310
- Interface
 - behavior 297, 298, 311–320
 - states 277, 279, 280, 286, 295
- Interfacial
 - defects 3
 - dipoles 282
 - insulating layer 287
- Interference 93
 - coatings 36, 38
 - effects 35, 44
 - filter 15
 - stack 57
- Interstitials 23
- Iron 201
- Irrotational
 - motion 68
 - vector fields 62, 63

- Kink sites 137
- Kirchhoff's law 69, 72
- Kramers-Kronig relations 16
- KTaO₃ 160

- Lattice
 - mismatch 293, 311, 313
 - resonance 102
 - vibrations 27, 65, 98, 104
- Layer crystals 144, 145, 153
- Line-focussing systems 13
- Longitudinal motion 68
- Loss
 - by thermalization of carriers 265
 - coolant 13
 - energy 160
 - free energy 167
 - interfacial recombination 267
 - photogenerated current 280
 - reflection 6
 - reradiation 6, 11
- Low energy electron loss spectroscopy 302
- Manganese oxide 42
- Maxwell-Garnett theory 2, 34, 58, 87, 88, 97, 98, 108–110
- Maxwell's equations 63, 67, 69, 71, 72
- Metal
 - composite 88
 - mesh 58
 - particles 58, 86
- Metal-metal interaction 19
- Metals 19, 24, 66, 72, 75, 97
 - free-electron-like 66, 94
- Mie theory 85, 86
- Mirror
 - dark 25, 26, 41, 42
 - heat 25, 39

- Misfit strain 311, 315
- Modes
 optic 66, 102-104
 sphere 96
 surface 68, 69
- Molybdenum 17, 22, 50, 51
- MoS₂ 143-145
- Mott-Schottky relation 118
- Mott-Zener result 73
- Multilayer
 coatings 57
 films 23
 solar cells 169
 stacks 47, 51
- Nb 96
- Nb₂O₅ 160
- Nickel 22, 95
 blacks 44
 oxide 42
- NiS-ZnS coating 44
- One-electron approximation 61, 62
- Optical
 constants 91
 engineering 16
 processes, temperature dependence of 21, 23, 24
 properties 84, 98
 transmission: photoconduction 226
- Oscillator strength 26
- Overvoltages 131, 166
- Oxide interlayers 306
- Oxygen 194, 204
- Particles, small 86, 87, 93
- PbS
 films 109
 photocell 106
- Phase diagram of Cu-S system 228
- Phonons 23, 78
- Photochemical cells 2
- Photoconductive decay method 180
- Photocorrosion 142
- Photocurrent-voltage curves 127, 128, 151, 155
- Photodecomposition 133, 136, 137, 143, 146, 156
- Photoelectrochemical cells 149, 154, 158
- Photoelectrolysis 2, 167, 168
- Photoelectrolytic cell 132, 168
- Photogenerated current 2, 258, 263, 266, 321
- Photosynthesis 115
- Photothermal conversion 5, 6, 11, 109
- Photovoltage 128, 129
 surface 185
 surface, spectroscopy 280, 302
- Photovoltaic cells 2, 3, 238, 257, 258
- Planck's law 69
- Plasma
 edge 16, 18, 19, 40
 frequency 23, 24, 64, 87, 91, 100
 oscillations 62, 65
- Plasmon
 effects, surface 2
 frequency 91
- Plasmons 64, 69
- Platinum 22
- Polarizability of valence electrons 27
- Polarization 63, 65, 68, 88, 89
- Polycrystalline materials 3
- Porous materials 15
- Power characteristics 150, 164
- Quality factor 285, 289, 294
- Quantum yield 127
- Quasi-Fermi energies 131
 level 132, 260, 261, 263, 265, 266, 271, 285
- Quasi-neutral region 258, 261, 263, 264, 273
- Quenching 202
- Radiation 2, 80
- Ratio a/e 9
- Receivers 12, 13
- Recombination 261, 265-267, 279-281, 284
 Auger 192, 209
- Recombination
 centers 182, 263, 272
 probabilities 184
 rate 260, 263
 surface 3
 velocity 183, 267, 313, 318
 generation mechanism 266, 271
- Redox
 battery 153, 159, 169
 energy levels 123
 reactions 146
 systems 143, 150
- Reflectance 25
- Reflection
 multiple 32
 specular 76
- Reflectivity 72, 109, 187
- Reflector, metal 15
- Reflectometer 48
- Refractive index 27, 42, 51, 85
- Refractory metals 50-52 *see also* Transition metals
- Regenerative cells 147-149, 152
- Relaxation
 frequency 24, 74
 region 73, 74, 76
 time 77, 92, 93, 98, 260

- Resistivity, dc 74, 78, 82, 97, 98
 Resonance 69, 87, 90, 95
 frequency 93, 94
 particle 94, 100
 Response function 87
 Reststrahl 98
 Retardation effects 69
 Rhenium
 trioxide 21
 whiskers 33
 Richardson constant 284
 RuO₂ 167

 Sah, Noyce, and Shockley (SNS) theory 271, 272
 Scattering 16, 18, 20, 86
 reflective 15, 32
 resonant 15, 32–34
 surface 72, 76–78
 Schottky
 barrier 165, 298, 301, 304, 308
 diode 279, 284, 290, 292, 305
 limit 298, 303
 Selective surfaces 84, 105, 109 *see also* Blacks, Coating
 Se²⁻/Se₂²⁻ redox couple 151
 Shockley diode 266, 273
 Shockley-Read model 184, 263
 Silane 29, 30, 47
 Silicon 47, 181, 189, 194, 266, 278
 absorber 29, 32, 40, 47
 amorphous 29–32, 51, 52
 crystalline 2, 30, 51
 Si-MgO 109
 Si₃N₄ 48
 SiO₂ 48
 Silver 22
 Sintered layers 215
 Skin depth 71, 76
 Skin effect
 anomalous 72, 76, 77
 classical 76, 77
 Smokes 33, 92, 109
 SnO₂ 25, 40, 142, 160
 Sodium tungsten bronzes 21
 Solar
 absorbers 25, 29, 32, 40, 47
 cells 105, 174, 257, 262, 287
 collector 91, 93
 energy 106
 energy conversion 1
 flux intensity 12
 power 107
 selectivity 96
 spectrum 59, 91, 93, 94, 96, 105, 106

 Solenoidal
 motion 68
 vector fields 62, 63
 Space-charge layer 118
 Spectrally selective absorbers 6, 12, 24
 Spectral response 243
 Spectral selectivity 1, 6, 14, 15, 32, 57–114
 Sphere
 aggregated 108
 homogeneous 84
 mode 90, 91
 particles 91
 resonances 91
 Spray method 218
 Sputtering 29, 30, 214
 SrTiO₃ 160, 162
 S²⁻/S₂²⁻ 151
 Stability 109
 Stabilization 49, 50, 145
 Stagnation temperature 107
 Stainless steel 42
 Stefan-Boltzmann law 8
 Storage
 cell 155
 energy, direct 153
 Structural effects 28
 Sulfides 161
 Sum rules 20
 Superposition 258, 262
 Surface
 charge, point of zero 122
 morphology 43, 44
 properties 276, 277
 quality 304
 roughness 32, 69
 states 120, 146, 298
 texture 32, 34, 42, 58
 Surf-ride 76
 Sweep-out 182, 192
 Swirls 206

 Tandem
 absorber-reflector 24, 26, 28, 36, 39, 47, 50
 action of free and bound electrons 14
 stacks 39, 43, 48
 Te²⁻/Te₂²⁻ 151
 Textural
 effects 28, 35, 45
 profile of surface 32
 Thermal
 emission spectrum 8
 energy 106
 expansion mismatch 47
 reradiation 106

- Thermionic emission 284
Thin films 2, 3, 49, 213
Tin oxide 25, 40, 142, 160
Titanates 142
Titanium oxide 42, 142, 146, 159, 162
Transformer 106, 107
Transition-metal
 carbides, refractory 18
 coatings 58
 compounds, refractory 19
 nitrides, refractory 18
 oxides 20, 21, 43
Transition metals 2, 24, 91, 94, 95
Transport
 control 290
 equation 259
 parameters 294
Transverse motion 68
Trap 183
Tungsten 22, 50, 96
Tunneling 3, 257, 281, 284, 289, 320
Two-thirds rule 286

Ultraviolet photoemission spectroscopy 302

Vacancies 23, 197, 202
Vacuum evaporation 29
Vibrational energy 60

Water 156–159, 169
W-MgO 109
Wide-gap material 28, 273
Window
 effect 3, 273
 layer 259, 262
Windows, laser 23
WO₂ 92
WO₃ 142, 160
Work function 275, 285, 296, 297
WS₂ 143

X point 24

YFeO₃ 160

Zinc oxide 118, 142
Zirconium oxide 42, 160