

Subject Index

- Absorption
 - coefficient 259, 269, 293, 294
 - cross section 141
 - infrared 275, 279, 287, 289, 291, 295
 - optically induced 217, 228, 260, 264, 265, 267, 270, 273, 283, 293, 294
 - spectra 282
 - vibrational 262
- Acceptor 184, 187, 212
 - A-A transfer 80
 - excitation spectrum 80
 - ions (A) 78
 - modes 187
- Accidental degeneracy effect 83
- Activation energy 178, 180
- Additional boundary condition 211
- Alexandrite 15-17
- Alloy semiconductors 244
- Amalgamated vibrations 182, 194
- Amino acids 170
- Anderson localization 115-117
- Anharmonic interactions 175
 - coefficients 192, 193
 - cubic 188, 194
 - potential 188
 - quartic 178, 194
- Anthracene 167, 169, 170, 187, 189, 192
 - in fluorene 174
 - in naphthalene 171, 189, 194
- Arrhenius plot 177, 179
- As₂S₃ 257, 260, 262, 264, 274, 278, 284, 288, 293
- As₂Se₃ 257, 260, 262, 264-266, 274, 275, 278-280, 283, 291, 293
- Averaged anharmonic approximation 187, 194, 195
- Azulene in naphthalene 173

- Back transfer 78
 - A-D 78
 - rates 88
- Band filling 221
- Band structure 202, 203
 - conduction 204
 - edge 268
 - gap 273-275, 279-282, 287, 293, 294
 - valence 204
- Band-tail states 286, 293
- Behavior type analysis (BT) 149, 150
- Benzene 167, 169, 170, 180, 183, 187, 189, 193
 - C-H stretching mode 194
 - crystalline 176
 - in *s*/tetrazine 169
- Biexciton 216, 235
 - decay 20, 215
- Bloch function 203
- Bolometer 15
- Bose-Einstein condensation 208
- Bottleneck 193
- Bragg scattering 111
- Brillouin
 - resonant scattering 232
 - scattering 145, 226, 232
 - zone 203
- Burshtein 80
- Burstein-Moss shift 221

- CARS 167, 169
 - ps 170-172, 175, 176, 189
- Cd_(1-x)Hg_(x)Te 211
- CdS 204, 236, 237, 247
- CdS_(1-x)Se_(x) 211
- CdSe 204
- CdTe 204
- Ce³⁺ in CaF₂ 61
- Ceramics
 - activated 14
 - mullites 14
- Chalcogenide glasses 257, 260, 268, 270, 273, 274, 279, 281-283, 286-290, 293, 294
- Chemical potential 220
- Chi
 - $\chi^{(3)}$ 213, 230, 243
- Chlorophyll 169
- Closure approximation 33, 56
- Clustering 91

- Collective excitations 205
 Colliding pulse laser 5
 Collisional broadening 243
 Color center laser 1, 9, 123, 138, 140
 Complex dielectric function 212
 Configurational coordinate model 138
 – relaxation 157, 159
 Continuous random network 289
 Coupled rate equations 88, 92
 Coupling
 – dynamic 35, 40, 56
 – static 35
 – vibrational-bath 174, 175
 Cr^{3+}
 – in $\alpha\text{-Al}_{2x}\text{Ga}_{2(1-x)}\text{O}_3$ 119
 – in fibers 21
 – in glass 10
 – pairs 15, 87
 – R_1 to N transfer 117
 – in ruby 87, 114, 117
 Cross relaxation 77, 91, 98, 101, 104, 106–108
 – multipolar interaction 99
 – short range 101
 – thermally activated 100
 Cu 278
 CuBr 204, 238
 CuCl 204, 238

 dc effect 213
 Debye
 – frequency 182
 – integrals 86
 Defects 211, 293, 294
 Density of states 182, 188, 192, 194
 – glass 10
 Dephasing time 153, 175
 Detector, phonon sideband 15
 Deuteration 170
 Deuteronaphthalene in naphthalene 176
 Diamagnetic shift 236
 Diamagnetism 264
 Dichroism 137
 – absorption spectrum 135
 – induced 137
 Diffusion constant 96, 112, 113
 – cubic lattice 96
 – non-cubic lattice 97
 – organic systems 112
 – thermo-model 241
 Diffusion equation 112
 Diffusion length 112
 Diffusion model 96, 105
 – rapid 107
 Dilution narrowed fluorescence 23, 24

 Dimensionality, restricted 14
 Direct gap 204
 Dispersion
 – electrons 202, 209
 – soliton group velocity 144
 Donor (D) 78
 – concentration 89
 – D–A transfer rates 91
 – D–D transfer rates 80, 91, 109
 – nearest neighbor transfer 99
 – rapid D–D transfer 92
 Drift length 241
 Durene 167, 176, 183, 189, 193
 – in benzene 193
 – in naphthalene 172, 189, 194

 E mode 179
 Effective mass approximation 204, 207
 Eigenstates
 – confined 223
 – intermediate coupling 29, 36, 49–51, 86
 Electric dipole–dipole interaction 78, 86, 90, 94, 99, 109
 Electric quadrupole–quadrupole interactions 88, 91
 Electrical conductivity 258
 Electron nuclear double resonance (ENDOR) 123, 124
 Electron spin resonance (ESR) 123, 124, 131, 152, 262, 264, 270, 285, 287, 293
 Electronic density of states 262
 Electron–phonon (lattice) interaction
 see also Ion–phonon interaction 145, 151, 160, 263, 268, 282, 283, 294
 – optically induced 131
 – spectrum 135
 Electrons 202
 – -hole density 218
 – -hole droplet 238
 – -hole liquid 239
 – -hole plasma 218, 238
 Emission
 – cross section 141
 – time dependence 168
 Energy exchange theory 178, 179
 Energy mismatch 79, 84, 91, 109
 Energy shifting mechanism 81
 Energy transfer 1
 – asymmetry in rate 86
 – coherent resonant 81
 – interline 91
 – intermolecular 176
 – intraline 78, 88
 – macroscopic aspects 78, 88

- microscopic aspects 78, 85
- non-resonant 78, 110
- optical 2, 3, 77
- parametric dependences 80, 85
- phenomenological models 92
- rates, W 85, 88
- resonant 78, 110, 114
- temperature dependence 84, 94
- two-photon techniques 115
- vibrational excitations 167
- within inhomogeneously broadened line 88
- Er³⁺
 - in CaF₂ 42
 - in fibers 21
 - in tetragonal crystals 62
- ErPO₄ 64
- Eu²⁺ 54–56
 - in BaF₂ 54
 - in CaF₂ 54
 - in KCl 54
 - in KI 54
 - precipitated phases 57
 - in SrF₂ 54
- Eu³⁺ 62
 - in CaF₂ 42
 - in SrF₂ 16
- Evaporation 279
- Excimers 8
- Excitation
 - non-resonant 149
 - resonant 149
 - spectra 80, 228, 282, 283, 294
 - stepwise 43
 - strip length variation 228
- Excited state
 - relaxed 125, 160
 - spectroscopy 159
 - unrelaxed 125
- Excitonic enhancement 220
- Excitonic migration 113
- Excitonic molecule 216
- Exciton-phonon coupling 220
- Exciton-polariton 211, 237
- Excitons 207
 - binding energy 224
 - bound complexes 212, 233
 - localized 212
- F-center 124, 140, 147, 148
- F⁻ center 143
- F_A center 125, 140, 141, 148
- F_A⁻ center 143
- F_A(I) center 125
- F_A(II) center 125, 140
 - absorption band 157
 - F_A(Li) center 140, 148, 157, 159
 - F_A(Tl) center 126, 141
 - F_B center 140, 141
 - F_H(H⁻) center 148
 - infrared active mode 148
 - F₂⁻ center 129, 160
 - F₂⁻ center 129
 - F₂⁺ center 127, 141, 144, 160
 - F_{2A}⁺ center 143
 - F_{2A}⁺(Li) center 143
 - F_{2A}⁺(Na) center 143
 - F₃ center 131
 - F₃⁻ center 130
 - F₃⁺ center 130, 153
 - F-center laser 5, 9, 107, 123, 140–143
 - Fabry-Perot interferometers 83
 - Factor group components 181, 194
 - Fano Profile 60
 - Far infrared spectra 181, 194
 - Fatiguing 290
 - Feedback 247
 - Femtosecond 5
 - 5d bands 5, 6
 - Fibers 20
 - single crystal 21
 - Floppy benzene *see* Durene
 - Fluctuation dissipation theorem 167
 - Fluorescence
 - background 83
 - dynamics 80
 - lifetime *see* Radiative lifetime
 - Fluorescence line narrowing (FLN) 3, 80, 83, 86, 114, 132
 - Forbidden transitions
 - electric dipole 30
 - Förster-Dexter model 77, 78, 86, 114
 - Hamiltonian 85
 - Four level system 138
 - Four wave mixing 18, 81, 109, 111, 112, 117, 218, 229, 236, 242
 - 4f→4f transitions 30
 - 4f^(N-1)g orbitals 56–57
 - Fourier transform IR 169
 - Fourth order contributions
 - two-photon processes 39, 52
 - Fracions 13
 - Franck-Condon factor 168
 - Free electron laser (FEL) 6
 - miniature 7
 - g electrons 67
 - Ga_(1-x)Al_(x)As 224
 - GaAs 204, 247
 - GaAs/GAAlAs MQW 246, 249

- GaN 204
 GaP 18, 204
 Gain coefficients 138
 – excitation spectrum 228, 241
 – small 138, 140
 Gas-to-crystal shift 176
 Gd³⁺ 43
 – in aqueous solution 44, 45
 – in CaF₂ 44, 45
 – in LaF₃ 44
 – in SrS 77
 Ge 204
 – alloys 285
 – amorphous 268
 Germinate recombination 274, 293
 GeS₂ 257
 GeSe₂ 257
 Glass ceramics 77
 Glasses 257
 – transition temperature 275
 Grating contrast 112

 H⁻ ion 147, 148
 H center 135, 137
 – aggregation 150
 – in LiF 137
 – optical absorption 137
 H_A center 137
 Ho³⁺ 64, 67
 – in alkaline earth fluorides 62
 – in CaF₂ 42
 – in fibers 21
 – in tetragonal crystals 62
 HoPO₄ 64
 Hole
 – self-trapped 135
 Hole burning, optical (OHB) 81, 132, 151–153
 – in color centers 151
 – persistent 154, 169
 – photochemical 169
 – photon-gated 155
 Hole center
 – intrinsic 135
 – trapped 134
 Homogeneous broadening 80, 123, 138, 151, 174, 177
 Hopping model 92, 274, 293
 – Burshtein 80, 96, 106
 – temperature dependence 100
 Hopping time 92, 98, 99
 Hot luminescence 173
 Huang-Rhys factor 131, 146
 Hydrogen diffusion 270
 Hyperfine structure 124

 Hypersensitive transitions 33
 Hysteresis loops 248

 Impurity 294
 – absorption 260
 – scattering 176
 – states 211
 InP 249
 InSb 211, 247
 Index of refraction 275, 280, 294
 Indirect gap 204
 Infrared pump-probe 173
 Infrared quantum counters 77, 123, 151, 170, 174, 175, 177
 Inhomogeneous broadening 4, 80, 88, 224
 – microscopic 91
 Inokuti-Hirayama model 80, 85, 90, 92, 94, 99, 103
 Interacting anharmonic systems 167
 Interband transitions 205, 260
 Intermediate states – *g* 63, 65
 Intraband excitations 202, 206
 – relaxation time 251
 Intraline dynamics 88
 Ion-ion interactions 78, 85
 – coupling strength, *J* 86
 – like ion 81
 – microscopic 78
 Ion-phonon interactions 85, 141
 Iron impurities 262, 269
 Isolated ions 101, 103

 Judd-Ofelt theory 9, 32

K-space spectroscopy 218
 Kramers-Kronig relation 216

 Laplace transform 92
 Laser
 – induced gratings *see* Four wave mixing, Transient gratings properties 4
 – spectroscopy 1, 144, 226
 Laser heated pedestal growth 21
 Lattice defects
 – extrinsic 123
 – intrinsic 123
 Lattice relaxation 263
 Lead salts 211
 Librations 180
 Librons 180
 Ligand polarization 54
 Lineshape 168, 176
 – dynamical 168
 – function 174
 – Gaussian 175, 177

- Lorentzian 175, 177
- overlap integral 79
- vibrational 170
- Voigt 175, 177
- Lineshift 179
- Linewidths
 - homogeneous 80, 152, 153, 189
 - inhomogeneous 80, 84, 153
 - motionally narrowed 176
 - temperature dependence 177
- Localization 177, 224, 263
 - temperature 177
- Localized
 - electronic states 245, 263, 286, 293
 - exciton states 209
 - modes 179
- Lone-pair 264
- Longitudinal-transverse splitting 209
- Luminescence
 - assisted two-photon spectroscopy (LATS) 229, 236
 - excitation spectroscopy 226, 233
 - F-centers 131
 - high excitation 229, 234
- Lysozyme 170

- Magnons 19
 - ballistic 20
 - sidebands 20
 - two magnon absorption 20
- Matrix elements 288, 292, 295
 - optical 262
- Methyl
 - in durene 179
 - stretching modes 179
- Mixed crystals 212
- MnF₂ 19
 - with Er³⁺ 19
- Mobility 274
 - anion vacancy 133, 134
- Mobility edge 117, 212, 245
- Mode-locking 143, 156
 - F₂⁺ center laser 144
- Molecular crystals 167
- Molecular gas laser 7, 291
- Molecular ions
 - Br₂⁻ 135, 136
 - Cl₂⁻ 135, 136
 - F₂⁻ 135, 136
 - H₂⁻ 127
 - I₂⁻ 136
- Molecular orbital method 130
- Molecules
 - floppy 183
 - rigid 183
- Motional narrowing 176
- Mott density 220
- Multiple trapping 274, 293
- Multipolar interactions 78, 90

- n*-alkane 169
- Nanosecond spectroscopy 265, 273
- Naphthalene 167, 169, 170, 176, 177, 179, 181, 183, 187, 189, 192, 194, 195
 - in anthracene 171, 189, 194
 - in durene 171, 189, 194
 - lineshapes 176
 - phonons and vibrations 176
- Neutron scattering 292
- Nd³⁺ 107
 - in fibers 10
 - in glasses 42, 107
 - in LaF₃ codoped with Pr³⁺ 104
 - in Nd_xLa_(1-x)P₅O₁₄ 87, 107, 112, 114
 - in PrF₃ 93
 - in YAG 61, 108
 - in YLF 61
- nipi* structure 223
- Nonlinear frequency mixing 172
- Non-radiative decay 157, 168
- Nuclear quadrupole resonance 275, 279

- OH group 173
- OH⁻ ions 270
- One particle states 205
- One-phonon 279
 - direct process 87
- One-photon transitions 213
 - intensities 32
 - theory 32
- One-site
 - relaxation process 188, 189
 - resonant interaction 87
- Optical absorption 262, 264, 283, 287
 - edge 258, 260, 278
 - gap 259, 264
- Optical amplification 228
- Optical bistability 9, 247
- Optical chaos 249
- Optical computer 249
- Optical properties of semiconductors
 - amorphous 258
 - linear 202
 - non-linear 212
- Optical storage, frequency domain 155
- Optically detected magnetic resonance (ODMR) 9, 155

- Optically induced transparency 3
 Optoacoustic detection 62
 Oscillator strengths 125, 209
- Pair spectra**
 – exchange coupled 87, 117
 – in rare earths 84
- Paramagnetic defects 285
 Paramagnetism 263, 264
 Penetration depth 277
 Pentacene 170
 Peptides 170
 Perturbation spectroscopy, *F*-centers 131, 132
- Perylene 169**
 – in anthracene 174
 – excimer formation 173
- Phase conjugated mirror 230, 249
 Phase match process 183
 Phase relaxation process 175, 231
 Phase space filling 225, 247
- Phonon**
 – absorption 184
 – acoustic band 146, 147, 180
 – assisted transfer 6, 85–87, 110
 – coherence effects 86
 – density of states 78, 182, 287, 289, 291, 292, 295
 – effective energy 146
 – gap modes 147
 – high frequency 15
 – inelastic scattering imaging 16, 18
 – IR active 147, 169, 181, 189, 192
 – lineshapes 169
 – localized modes 146, 147
 – longitudinal modes 146
 – optical branch 146, 147, 180, 182, 187
 – phase factor 86
 – -polariton 211, 226
 – Raman active 159, 181, 192
 – Raman process 167
 – relaxation 16, 167
 – sidebands 78
 – spontaneous emission 176
 – stimulated emission 16
 – two-phonon density of states 184, 187, 194
- Photoacoustic spectroscopy 268
 Photoconductivity 287
 Photodarkening 267, 274–279, 294
 Photodimerization 173
 Photoionization 130, 133, 134, 154
 – two-step 134
 Photoluminescence 260, 269, 270, 282, 294
 – efficiency 294
 – excitation spectroscopy 233
 – time resolved 284
- Photon echoes 3, 167, 170
 – enhancement 17
 – ps 169, 171
- Photopolymerization 267, 274, 279, 280
 Photoreflexion 282
 Photoresist 280
 Photostructural effect 267, 274, 275, 279, 280, 294
- Photothermal deflection spectroscopy 268
 Photothermal non-linearity 221
- PICOLO 16**
 Picosecond
 – spectrochronography 173
 – spectroscopy 4, 9, 18, 156, 265, 267, 273
- Plasma density 241
 Plasmon 206
 – -polariton 211
- Pointgroup**
 – C_{6v} 204
 – O_h 204
 – T_d 204
- Polaritons 209**
 – mixed mode 236
- Polarizability 287, 294
 Polarization 288
 – anisotropy 53, 56, 66
- Polarized absorption *F*-centers 131, 135
- Polymeric character 279
 Polymerization 294
 Population inversion 138
- Porphyrin 169
 Power law behavior 282
 Poynting vector 213
- Pr^{3+} 58**
 – in CaF_2 58
 – in $LaCl_3$ 58, 62
 – in LaF_3 16, 58, 81–85, 98, 101, 102, 115
 – in LaF_3 co-doped with Gd^{3+} 59
 – in LaF_3 co-doped with Nd^{3+} 58, 59, 93, 104
 – in LaF_3 ion pairs 61, 94
 – in PrF_3 82, 85
 – 1S_0 state 58, 82
- PrF_3 82, 85, 86, 90, 93, 104, 115**
 Precipitated phases of Eu^{2+} in alkali halides 57
- Proton transfer 173
 Pseudo-diffusion 84
 Pseudo Stark effect 117
 Pump-probe techniques 173, 228, 267, 273
 Pure electronic transition 77
see also No- or Zero-phonon lines

- Quantum efficiency 141, 282, 294
- Quantum mechanical interference 52
- Quantum wells 222, 245
 - multiple 20, 223
 - structures 245
- Quenching 89, 91, 93, 98
 - absence in pentaphosphates 107
 - concentration 91
 - in disordered systems 104
 - linear concentration dependence 108
 - surface 107
 - temperature dependence 99

- $R(t)$ 84, 85, 88, 90, 94, 100
 - asymptotic behavior 89
 - short-time behavior 89
- Radiative decay rate, lifetime 84, 88
- Raman active modes 32-33, 35, 148, 181
- Raman down converters 107
- Raman scattering 145-150, 159, 226, 275, 279, 287, 290, 292, 294
 - anti-Stokes shift 147
 - coherent anti-stokes 170
 - echo 170
 - electronic 3, 38, 62
 - femtosecond techniques 170
 - fibers 21
 - first order in F-centers 146
 - hyper- 218, 236
 - local modes 148,
 - in molecules 168, 177
 - phonon 15
 - polarized intensities, spectrum 148, 149
 - ps coherent 167
 - ps stimulated 3, 170
 - relative intensities 66
 - second order in F-centers 147
 - symmetric transition 65
 - tensor, antisymmetric 38, 62
 - tensor, symmetric 38
- Random variables 79
- Rare earth ions 29, 77
 - divalent 33, 54
 - in glasses 84
 - trivalent 77
- Rayleigh scattering 145
 - tail 291
- Reciprocal lattice 203
- Reduced mass 208
- Reduced matrix element 34
- Reflection spectrum 209, 281
 - excitation 241
 - modulated 281

- Relaxation coefficients
 - A, A' 188, 189
 - B, B' 188, 189
 - C, C' 188
- Relaxation processes
 - intraband 231
 - three phonon, vibration 192
 - two phonon, vibration 192
- Renormalization process 213, 230
 - band gap 221, 240
 - self 216, 229, 238
- Reststrahlen band 206
- Ruby 3, 87, 114, 117
 - energy transfer 8
 - phonon dynamics 15

- Satellite lines 101
 - see also* Pair lines
- Scattering processes 213
 - exciton-exciton, electron 213
- Screening 221
- Se 257
- Second harmonic generation 213
- Second order theory
 - two-photon transitions 46
- Second quantization 41
- Selection rules
 - angular momentum 30
 - parity 43
 - spin 40
 - two photon 40, 43
- Self-diffraction 230
- Self-electro-optic devices (SEED) 249
- Self-quenching 82, 92
- Semiconductors
 - amorphous 2, 9
 - crystalline 2, 9, 201
 - I-VII elements 202
 - II-VI elements 202
 - III-V elements 202
- Sensitization 91
- Sensitized luminescence 77
- Silicon (Si) 204, 249
 - amorphous 257, 293
 - -carbon alloys 287
 - hydrogenated amorphous 257, 268, 282, 293
 - -germanium alloys, amorphous 285, 293
- Skeletal deformations, modes 179, 192
- Sm^{3+}
 - in CaF_2 43
 - in SrS 77

- Soliton, fundamental 144
 - higher order 144
 - laser 144
 - pulses 144
- Sols 14
- Spatial diffusion, transfer 81, 111
- Spatial dispersion 209
- Specific heat 290, 291
- Spectral diffusion, transfer 81, 87, 107
- Spectroscopy
 - coherent 15
 - dynamic 3
 - IR 169
 - linear, semiconductors 226
 - non-linear, semiconductors 227
 - static 3
- Spin orbit interaction 48
- Spontaneous emission 139, 140, 184
- Spontaneous mechanical fluctuations 167
- Sputtering 279
- SrS: Sm³⁺, Gd³⁺ 77
- Staabler-Wronski effect 270, 287, 293
- Stark effect 152
 - ac 225, 246
- Stimulated emission 139
 - from organics 173, 184
 - from semiconductors 228
- Stoke's shift 141, 157, 232, 283, 288
 - anti- 147, 232, 288
- Streak camera 173
- Stress 21
- Stretching modes 179
- Substrate cooling 19
- Superexchange 91, 101, 103, 104
- Superlattices 223
- Synchrotron radiation (SR) 8

- T-matrix approximation 93
- Tb³⁺
 - in CaF₂ 43
 - in Tb(OH)₃ 115
- Tensor operator
 - double 48
 - double spherical 41
- Tetracene in anthracene 174
- Thermal modulation 280
- Thermalization 266, 274, 293
- Third order contributions
 - spin-orbit interaction 48
 - static crystal field 50
 - two-photon processes 35, 39, 48, 50
- Three-phonon emission 194
- Threshold condition 138, 141, 174
- Time resolved FLN (TRFLN) 15, 80, 81, 82, 83, 88, 91, 93, 100, 107, 109, 114
 - microscopic analysis 85
- Time resolved laser spectroscopy 230, 245
- Tl⁰(1) center 126, 141
 - laser 144
 - Raman spectra 150
- Tm³⁺
 - in La₂O₂S 61
 - in tetragonal crystals 62
- TmPO₄ 63
- Torsional modes 179
- Transient grating techniques 111, 173
- Transition metal ions 77, 79, 84
- Translational mass 208
- Transmission spectrum 212, 281
- Trapping 88, 91, 93
- Tunable dye laser 43, 44
- Tunable solid state lasers 2, 3, 140, 141
- Tunneling modes 290
- Two-level systems (TLS) 10, 13
 - phonon mediation 13
- Two-particle transition 208
- Two-phonon process 187, 194, 279, 280
- Two-photon absorption 1, 3, 9, 29, 37, 42, 44, 54, 58, 216, 238
 - absolute cross sections 59
 - cooperative 60
 - direct 43
- Two-site
 - non-resonant interaction 85
 - relaxation process 188, 192

- U-center 147
- Ultrafast lasers 167
- Ultra-short pulses 156
- Ultrasonic attenuation 290
- Undulator 6, 8
 - micro 7
- Uni-axial stress splitting 152
 - in ruby 118
- Up-conversion 77
- Urbach edge, tail 259, 269, 273, 293
- Urbach-Martienssen rule 211

- V⁴⁺ in ruby 16
- V-coefficient 183, 187, 192
- Vibrational cascade 195
- Vibrational cooling 196
- Vibrational energy
 - dissipation 167
 - excitation 2
 - flow 168
 - localized 168
- Vibrational lifetime 175, 176
- Vibrational regimes 184

- acoustic regime 184
- anharmonic 168
- optic phonon regime 184
- Vibrational relaxation 167, 170, 173, 180, 183, 189
- Vibrational spectroscopy 169
- Vibrational states 168, 180
- Vibron
 - band 181
 - lineshapes 169
 - relaxation 167

- Wannier function 208
- Weak crystalline field 77
- Wiggler 8
- Wurtzite structure 204

- X_2^- center 135, 137
- $[X_2^-]_A$ 137
- X_4^{3-} molecule 137
- X-ray crystallography, scattering 169, 279

- YAG $Yb^{3+} Nd^{3+}$ 8
 - in phosphate glass 10
 - silicate glass 88
- Yokota-Tanimoto model 80, 92, 96, 105

- Zeeman effect 132
- Zero-phonon lines 132, 152
- Zinc blende structure 204
- ZnO 204, 236–238
- ZnSe 18, 204, 237, 238
- ZnTe 237–238