

---

# Subject Index

- Adhesion forces 110
- Adhesion model 111
- Adsorbate 273
- Affinity supports 32
- AFM 103, 270
- Akane-based monolayers 170
- Aldehyde-PEG-NHS 49
- Alkanethiol, S-acetylated 58
- Aminosilanes, aminofunctionalization 39
- Anisotropy of friction 147
- Anthraquinone 228, 300
- Antibodies, biotinylated 35
  - , thiol residues 50
- Aromatic systems 290
- Artificial nose 1
- Asperity tribology 110
- Avidin 37
  
- 1,3,5-Benzenetricarboxylic 206, 213
- Benzo[*rst*]pentaphene (BPP) 254
- Benzo[*rst*]perylene (BPL) 254
- Benzoannulene derivatives 251
- Benzoic acids 206
- Benzophenone-PEG-NHS 56
- BIACore chips, dextran-coated 32
- Bias dependence 269, 275
- Bi-component networks 221
- Bioelectronics 190
- Bioligands, multi-step coupling 49
- Biomolecules, electrostatic adsorption 34
- Biosensors 1
- Biosystems 106
- Biotin residues 35
- Biotin-BSA 37
- Biotin-PEG-NHS 48
- 5,15-Bis-(4-octadecyloxyphenyl)porphyrin 289
- Bottom-up approach 203
  
- BPP 254
- Butylamine 93
  
- Calyx [8]arene 249
- Carbon nanotubes (CNTs) 99
  - , functionalization 66 66
- Carboxymethylamylose 63
  - , EDC/NHS 53
- Charge transport 157
- Chemical vapor detection 17
- Chicken wire (or honeycomb), TMA 207
- Chrysene 254
- Coating, inkjet spotter 15
  - , microcapillary arrays 14
- Cobalt(II) 5,15-bis-(4-octadecyloxy-phenyl)porphyrin 289
- Compressive stress 4
- Concanavalin A 37
- Conducting atomic force microscopy (C-AFM) 157, 160
- Conducting polymers 184
- Confinement effects 103, 143
- Conformation 77
- Coronene 226, 249
- Co-tetraphenylporphyrin 282
- Covalent systems 298
- Current imaging tunneling spectroscopy (CITS) 274, 296
- Current–distance curve 276
- Cyanuric acid (CA) 225
- Cyclic voltammetry 287
- Cyclo[12]thiophene 304
- Cystamine dihydrochloride 64
  
- Deflection measurement 5
- Dendronized polymers 98
- Density of states (DOS), adsorbate 273
- Derjaguin, Muller, Toporov (DMT) model 113

- Dextran-coated BIAcore chips 32  
1,5-Di(octyloxy)anthracene 292  
Diacetylenes 84, 296  
4,9-Diaminoperylene-quinone-3,10-dimine (DPDI)  
229  
Diamond, functionalization 66  
Dichlorodiphenyltrichloroethane (DDT)  
21  
Differential measurements 5  
Diisopropyl methyl phosphonate (DIMP),  
detection 19  
9,10-Dimethoxyanthracene (DMA) 302  
Dimethylmethylphosphonate (DMMP)  
20  
2,4-Dinitrotoluene (DNT), in TNT 20  
Diphenylanthracene (dpa) 254  
Dipole-dipole bonded networks 233  
DNA 78, 92  
-, cytosine methylation 51  
-, detection 21  
-, electrostatic adsorption 35  
DNA-protein interaction 51  
Dynamic mode 11
- Electrochemistry 13  
Electron donor 300  
Electronic decoupling 277  
Electronically decoupled systems 277  
Electrostatic adsorption 34  
Ethanolamine hydrochloride,  
aminofunctionalization 46  
-, covalent functionalization 38  
Explosives detection 19  
Extravidin-peroxidase 55
- Fe-tetraphenylporphyrin 286  
Flexible porous networks 251  
Flower, TMA 207  
Fluorescein-PEG-NHS 48  
Force modulation microscopy (FMM)  
125  
Force-distance curves 126  
Friction 103  
-, anisotropy 147  
-, polymers 115  
-, -, nanoscale 129  
Friction force 109  
-, single vs multi asperity contacts 109  
Friction force microscopy (FFM) 115
- Friction loop 117  
Fullerene-porphyrin molecular pair 287  
Functionalization 13, 30, 66  
-, physisorption 34
- Glass, electrostatic adsorption of  
biomolecules 34  
Glass transition temperature 103  
Gold tips, direct chemisorption of ligands  
58  
-, functionalization 57  
-, mixed SAMs 59  
-, modular multi-step functionalization  
61  
Greenwood and Williamson model,  
multiasperity contact 114  
GTP/GDP, importin  $\beta$  with Ran 53
- Hapten-antibody interaction 48  
HBC 254  
Heat mode 12  
Hertz model 112  
Hexabenzocoronene 290, 300  
Hexabenzocoronene cyclophane 292  
Hexahistidine peptides, surface-bound  
NTA-Ni<sup>2+</sup> complexes 65  
Hexahydro-1,3,5-triazine (RDX), detection  
19  
Hexaiodobenzene (hib) 254  
Hexakis(phenylethynyl)benzene (hpeb)  
254  
Hexa-peri-hexabenzocoronene 300  
Highly oriented pyrolytic graphite (HOPG)  
33, 78, 87, 210  
HOMO 210, 273, 291  
HOPG 33, 78, 87, 210  
Hydrogen-bonded networks 206  
Hydrogen-terminated silicon,  
functionalization 66
- Immunoglobulin G/protein A 64  
Indentation 128  
Inelastic tunneling spectroscopy (IETS)  
275  
Interface 77  
Inverse photoemission spectroscopy (IPES)  
279  
Iodoacetamido-phorizin 51  
Isophthalic acid (1,3-benzene-dicarboxylic  
acid) 212

- Johnson, Kendall, and Roberts (JKR) model 112
- Kinetic/dynamic friction force 109
- Kondo effect 308
- Lateral force microscopy (LFM) 115
- Ligand coupling, aminofunctionalized tips 47
- Ligand-PEG conjugates, aminofunctionalized tips 48
- Linkage, covalent 98
- Lipoic acid 58
- Local density of states (LDOS) 271
- Long-range mesoscale reconstructions 257
- LUMO 210, 273, 291
- Lysozyme 36
- Macrocycle networks 245
- Macromolecules, single 78
- Maleimide-PEG-NHS 51, 64
- Manipulation 77, 87
- , contact mode, bare HOPG 87
- , contact mode, precoated HOPG 89
- , tapping mode, precoated HOPG 93
- Melamine 223
- Metal-organic coordination networks 237
- 2-[Methoxy-poly(ethyleneoxy)propyl]trimethoxysilane 4
- Methyltriethoxysilane 43
- Mica, electrostatic adsorption of biomolecules 34
- Microcantilever sensors 1
- Microcapillary arrays 14
- Microelectromechanical systems (MEMS) 106
- Molecular electronics 157
- Molecular layers 170
- Molecular wires 157, 188
- Molecular workbench, imaging/manipulation of single macromolecules 77
- Multi-component/multi-interacting systems 298
- Multiphase systems, mapping 131
- Nanoelectromechanical systems (NEMS) 106
- Nanostructured surfaces 203, 257
- Nanotemplate 203
- Nanotribology 103
- Naphthalocyanine 285
- Near-edge X-ray absorption fine structure (NEXAFS) 209
- NH<sub>3</sub>/H<sub>2</sub>O<sub>2</sub>/water 57
- NHS-PEG-NHS 52
- Ni(II)-octaethylporphyrin 282
- Non-covalent systems 304
- Normal force 122
- Octadecylamine 83
- Octadecyltrimethoxysilane 42
- Oligomer of phenylene-ethynylene 226
- Oligomers conjugated 295
- Oligo-*p*-phenylene vinylene (OPV) 298
- Oligothiophenes 304
- Operating modes 10
- Optical beam-deflection setup 8
- Organic monolayers, solid-liquid interface 269
- Organic porous network 203
- Organosilanes, covalent functionalization 38
- Ozone 57
- P-selectin 37
- PDP-PEG-NHS 49
- PEG chain density 48
- PEG-NHS 49
- PEG-NTA 54
- PEG-silane 13
- PEG-S-S-pyridine, thiol protein coupling 67
- Pentacene 254, 278
- Pentaerythritol tetranitrate (PETN), detection 19
- Perylene bisimide (PDI) 298
- Perylene tetracarboxylic di-imide (PTCDI) 223
- Perylenediimides 278
- Phenylene-ethynylene, oligomer 226
- 1-Phenyl octane 293
- Phosphorous-containing chemical warfare agents, detection 19
- Photothermal spectroscopy 13
- Phthalic acid (1,2-benzene-dicarboxylic acid) 212
- Phthalocyanines 254, 280

- Physisorption 34  
Piranha (extremely hazardous) 57  
Plasma 57  
Plastic junction model 111  
Poly(3-dodecylthiophene)s (P3DDT) 296  
Poly(isocyno-L-alanine-D-alanine methyl ester) 81  
Poly(methyl methacrylate) (PMMA) 144  
-, relaxations 108  
Poly(tetrafluoroethylene) 105  
Polydiacetylenes 84, 295  
Polyelectrolyte–amphiphile complexes (PACs) 83  
Polymer dynamics 106  
Polymer linkage, predefined sites 98  
Polymer relaxation 123  
-, chain dynamics/viscoelasticity 134  
Polymer viscoelasticity 103  
Polymers, conjugated 295  
Polystyrene sulfonate 82  
Porous molecular networks at surfaces 206  
Porphyrin networks 233  
Porphyrins 280  
Preadsorption 67  
Prostate-specific antigen (PSA), immunoassay 22  
Protein adsorption, AFM tip functionalization 37  
Protein–protein recognition 38  
PS 144  
PTCDA 278  
Pull-off forces 126  
PVME 146  
PVP coated Si 145  
1-Pyrenehexadecanoic acid 307  
Pyrenes,  $\pi$ -stacked 307  
  
Quinone 228  
Quinone-like porous networks 228  
 $\alpha$ -Quinqueithiophene (T5) 257  
  
Recognition 30  
Rubrene 257  
  
Scanning force microscopy (SFM) 77  
Scanning local acceleration microscopy (SLAM) 125  
Scanning thermal microscopy 129  
Scanning tunneling microscopy (STM) 269  
Scanning tunneling spectroscopy (STS) 209, 269, 272  
Scanning viscoelasticity microscopy (SVM) 124  
Self-assembled monolayers 157  
Self-assembly 203  
Sensor proteins 38  
Shear modulation force microscopy (SM-FM) 123  
Short conjugated molecules 179  
Silane 30  
Silanization 13  
Silicon nitride tips 30, 38  
Single macromolecules 77  
Single-molecule recognition force microscopy 32  
Single-step coupling, ligand-PEG conjugates 48  
Solid–liquid interface 269  
Static mode 10  
Stilbenoids 254  
Superflower, TMA 220  
Supports, flat, immobilization of biological samples/individual target molecules 33  
Surface attachment, preadsorption 67  
Surface cues 203  
Surface dynamics, polymers 115  
-, polymers, nanoscale 129  
Surface forces apparatus (SFA) 110  
Surface properties, tuning 308  
Surface stress 3  
  
Tensile stress 4  
Terephthalic acid (TPA) (1,4-benzenedicarboxylic acid) 212, 221  
Tetraaminobenzene (TAB) 225  
Tetra(ethylene glycol), protein resistance 57  
Tetralactam macrocycle 248  
Tetrapyridylporphyrin 286  
Thin film effects 103  
Thin films 143  
Thiol protein coupling, tip-linked PEG-S-S-pyridine 67  
Thiol residues on antibody 50  
Thiols/disulfides/thioethers 57

- Thiophenes, bis(urea)-substituted 304  
Titanylphthalocyanine 287  
TMA 206  
Torsional resonance (TR) mode AFM 126  
1,5,3-Triazine-2,4,6-triamine (melamine)  
223  
Trimesic acid (TMA) 206  
Trinitrotoluene (TNT), detection 19  
1,3,5-Tris(4-pyridil)-2,4-triazine (TPT)  
221
- UHV (ultra-high vacuum) 270  
– vs liquid–solid interface 275  
UV photoemission spectroscopy (UPS)  
279
- Vanadyl phthalocyanine 284  
Vinylsulfone-PEG-NHS 51
- Viruses, electrostatic adsorption 35  
Viscoelasticity, polymers 106  
Volatile organic compounds (VOCs) 11
- Wear modes, tribological behavior  
147  
Wentzel–Kramers–Brillouin (WKB)  
method 272  
Wheatstone bridge 6  
Williams–Landel–Ferry (WLF) 107
- X-ray photoelectron spectroscopy (XPS)  
209
- Zinc(II) 5,15-bis-(4-  
octadecyloxyphenyl)porphyrin  
289  
Zincoctaethylporphyrin (ZnOEP) 231