

# Index

## A

Abbreviated scanning protocols, 28–29  
Annulus fibrosus, 3, 32, 34, 42, 51, 59, 65, 78, 79, 89, 100, 102  
Anterior epidural space (AES), 36, 39, 52  
Anterior epidural veins, 39, 40, 47  
Anterolisthesis, 95, 103, 104, 106  
    degenerative, 89, 93, 95, 97, 104, 106, 108  
    spondylolytic, 106, 108, 109  
Arachnoiditis, 144, 150, 153, 154  
Arachnoid membrane, 32, 33  
Articular processes, 40, 43, 48, 87, 95, 97, 100, 102–104, 106  
    Superior, 40, 42, 43, 45, 47, 56  
    Inferior, 43, 46–48  
Aseptic postoperative changes, 140  
Asymptomatic disc herniation,  
    *see*: disc herniation, asymptomatic  
Autoimmune component in radicular pain, 4  
Axilla or point of departure of root sleeve, 33, 101

## B

Basivertebral vein, 40, 47, 48  
Bony lateral recess, 69, 95, 100–102, 104  
Bulges, *see*: disc bulging

## C

Cauda equina compression, 115, 116, 119,  
Cauda equina syndrome, 5, 31–33, 48, 51, 131, 132  
Cerebrospinal fluid (CSF), 33  
Classification of disc disease, 59  
Computed tomography (CT), 9, 12–15  
Conservative treatment, 115, 123, 126, 130  
    Contrast enhancement, disc extrusion, 3, 132  
    Contrast enhancement, nerve root, 1, 123, 125  
Contrast studies, radiological, 10–12  
Conus medullaris, 31–33, 48  
Conventional radiology, 9–29  
CT discography, 11–12  
CT myelography, 14–15  
CT-or ultrasound-guided aspiration, 140  
Cul-de-sac, dural, 32, 39, 40, 47, 55

## D

De-afferentation pain, 2, 6  
Degenerative bulging of annulus fibrosus, 89  
Degenerative ligamentous changes, 89  
Dimensions of the canal, 117–119  
Disc bulging, 59, 64, 65, 79, 91, 93, 101, 108, 116, 126

Disc extrusion, 60, 65, 82, 84, 116, 117, 122,  
    128, 131, 132, 141, 142  
    migrated, 60, 78, 84  
    sequestered, 78  
    subligamentous, 78  
    transligamentous, 78, 79  
Disc herniations, 1, 3, 5, 6, 10–15, 18, 26–28, 59, 60,  
    74, 79, 80, 84, 115–117, 119, 123, 125, 131,  
    132, 135, 137, 140, 141, 144, 149  
    asymptomatic, 1, 65–79, 116–125  
    broad-based, 64, 65  
    central and paracentral, 79, 87  
    extraforaminal, 79  
    focal, 64, 65  
    foraminal, 79, 80, 82  
    subarticular (lateral recess), 79  
    in upper lumbar region, 79–87  
Disc (*syn.* lower foraminal) spinal level, 43, 44  
Discography, 11–12  
Disc protrusion, 65, 79, 80, 83, 88, 94, 116, 119, 153  
Dorsal root ganglia, 31–34, 36, 39, 40, 44, 45, 47, 48  
Driven equilibrium technique (DRIVE), 20  
Dural sac, 31–34, 36, 39, 40, 43, 45–48, 51–53, 55  
Dural sac, functional anatomy, 52–53  
Dura mater, 32

## E

End-sac, dural, *see*: cul-de-sac dural  
Epidural fat, 33, 34, 39, 40, 43, 45, 47,  
    48, 51, 55  
Epidural fat, functional anatomy, 51  
Epidural lipomatosis, 59, 63, 96, 98  
Epidural scarring or fibrosis, 135, 137  
Epidural space, 33, 36, 39, 40, 47, 52  
Epidural veins functional anatomy, 52–54  
Epidural venous plexus, 36, 40, 52, 53  
Extension (retroflexion, lordosis), 48  
Extrusion, 115–119, 121–126, 128, 131–133, 135,  
    137, 138, 141, 142

## F

Facet (s), 43, 89, 91, 93, 95, 100, 106, 110  
    capsule, 36  
    hypertrophy, 89, 91  
Failed back surgery, 131, 153, 154  
Fat pad, epidural, 91, 92, 95, 110, 111  
Fat-suppressed images, 21

- Field strength, 28  
 Flaval hypertrophy, 91, 97, 108  
 Flaval ligaments, 45  
 Flexion (anteflexion, kyphosis), 48  
 Foramen, *see*: Intervertebral foramen  
 Foraminal narrowing, 103  
 Functional anatomy, 31, 48–56  
 Functional imaging studies, 5
- H**  
 Hematoma, 132, 142  
 Herniated disc, 1–4, 59–87  
 Herniations with peripheral contrast enhancement,  
*see*: Contrast enhancement, disc extrusion  
 Histological evidence of inflammation, 3  
 Hyperaesthesia of compressed nerve roots, 3
- I**  
 Imaging planes, 27–28  
 Inferior articular process, *see*: Articular process, inferior  
 Inflammatory aspect of compressed roots, 4  
 Inflammatory reaction, 3, 4  
 Interfacet diameter, 89  
 Interpedicular diameter, 87, 89  
 Intervertebral disc, 32, 33, 40, 43, 47, 51  
 Intervertebral foramen, 32, 34, 40, 42, 43, 47, 45–48, 55  
 Intervertebral foramen, functional anatomy, 55  
 Intradural nerve roots, 10–12, 18, 20, 26  
 Intraspinous ligaments, 34  
 Isthmus, 87, 104, 106
- K**  
 Kyphosis, 5
- L**  
 Lateral recess, 34, 36, 40, 47, 48, 51, 59, 69, 77–79, 84,  
 85, 87, 88, 91, 93, 95, 100–104, 110, 116,  
 117, 119, 122, 123, 125, 423–45  
 Lateral recess, functional anatomy, 51  
 Ligamentous lateral recess, 100–102  
 Localisation of herniation, 79  
 Lordosis, 5  
 Lumbar flexion and extension, 11  
 Lumbar retroflexion or lordosis, 89  
 Lumbosacral plexus, 31
- M**  
 Magnetic resonance imaging (MRI), 9–29  
 Measurements, spinal, 110–111  
 Meningovertebral ligaments, 40  
 MRI studies in the first 6 to 8 postoperative weeks, 135  
 MR myelography, 4, 10, 21–27, 119–124, 150, 153  
 Myelography, conventional, 9–12
- N**  
 Narrowing of lateral recess, 88, 93, 95, 100, 102–103  
 Natural history of disc herniations, 126  
 Neoplasms, 87
- Nerve root (s), 10–12, 14, 15, 18, 20, 21, 24, 26, 28, 31–34,  
 36, 40, 42, 43, 47, 51, 59, 64, 84, 85, 87, 89,  
 91, 93, 95, 101, 102, 111  
 canal, 42, 47  
 compression, 1, 3, 5, 6, 115, 116, 119–126, 131, 132, 139,  
 144, 154  
 enhancement, *see*: Contrast enhancement, nerve root  
 Nerves, 31  
 Neurogenic claudication, 4–5, 87, 89, 91, 92, 95, 116, 119,  
 131, 153  
 Neurologic deficit, 121, 123, 131, 142, 153  
 Nucleus pulposus, 59
- O**  
 Options for lumbar spinal MR imaging, 18  
 Outcome, clinical, 123, 126, 130–132
- P**  
 Pedicular spinal level, 40, 43, 44, 46, 47, 51  
 Phospholipase A2 (PLA2), 4  
 Physical examination in radicular pain, 2  
 Pia mater, 32, 33  
 Plain film studies, 10  
 Posterior longitudinal ligament (PLL),  
 34, 78  
 Post-gadolinium  
 imaging, 21, 146, 149  
 MR images with fat suppression, 137  
 Posture-related morphologic changes, 51  
 Proton density-weighted (PD-W) images, 21  
 Protrusion, 115–117, 119, 125, 126, 128, 131, 132,  
 139, 153  
 Pseudomeningocele, 142, 144, 150  
 Pseudoradicular pain, 2, 116
- R**  
 Radicular canal, *see*: Nerve root, canal  
 Radicular pain, 1–6, 59, 94, 95, 115, 116, 123, 125,  
 130–132, 135, 140, 149  
 Radicular symptoms, *see*: Symptoms, radicular  
 Referred pain, 2, 3, 6  
 Regional spinal narrowing, 95–109  
 Residual or recurrent disc herniation, 132, 135–137, 140, 144,  
 149, 154  
 Retrolisthesis, 93, 106  
 Root sleeves, 31–34, 36, 37, 39, 40, 43–48, 51, 55, 60, 67, 85,  
 89, 95
- S**  
 Sagittal and coronal sectional anatomy, 47–48  
 Sciatica, 1–3, 6, 115–117, 119, 123, 126, 128, 130, 132, 140,  
 141, 142, 144  
 Sectional anatomy, 31, 42–48  
 Short TI inversion recovery (STIR), 21, 23  
 Spinal canal, 32–34, 36, 39, 40, 42–48,  
 51–53, 55  
 Spinal canal functional anatomy, 51  
 Spinal lipomatosis, *see*: Epidural lipomatosis

Spinal stenosis, 12, 15  
Spiral CT scanning, 4, 6  
SPIR or fatsat, 21  
Spondylodiscitis, 132, 135, 137, 140, 141, 144  
Spondylolisthesis, 93, 103, 106  
Spondylolysis, 87, 95, 106, 108, 109  
Stenosis, 4, 5, 59, 62, 64, 88, 89, 91, 94, 110, 111, 116,  
119, 130–132, 142, 153, 154  
  absolute, 88, 89, 91, 110  
  or narrowing of spinal canal, 4, 5, 88  
  relative, 89, 91, 94, 110  
Straight-leg-raising (SLR) test, 2, 4  
Subarachnoid space, 31, 33  
Subdural space, 32  
Superior articular process, *see*: Articular process, superior  
Surgical therapy, 115–154  
Symptoms, radicular, 1, 2, 4, 5  
Symptoms, in neurogenic claudication, 4  
Synovial cyst, 87

**T**

Terminology of disc disease, 59  
Topographic anatomy, 31–42  
Trefoil shape of canal, 89, 91  
Tumour necrosis factor  $\alpha$  (TNF $\alpha$ ), 4  
T1-weighted images, 15–18, 20, 21, 23, 24, 28, 124, 133, 135,  
137, 140–142, 144, 146–149  
T2 weighted images, 117, 121, 122, 125, 128, 133, 137,  
139–142, 144, 146, 148–150, 153  
T2\*-weighted, 18–21  
T2-weighted images, 18–21  
T1-weighted volume scans, 21

**U**

Upper foraminal (*syn.* infrapedicular) spinal level, 47  
Upright imaging, 28

**V**

Venous congestion, 5