

## References

- [1] Gomez, A., Bingham, D., de Jaun, L.: Production of protein nanoparticles by electrospray drying. *Journal of Aerosol Science* 29(5/6), 561 (1998)
- [2] Urishima, K., Chang, J.S., Park, J.Y., Lee, D.C.: Reduction of NO<sub>x</sub> from natural gas combustion flue gases by corona discharge radical injection techniques. *IEEE Transactions on Industry Applications* 34(5), 934 (1998)
- [3] Law, S.E.: Embedded-electrode electrostatic-induction spray charging nozzle: theoretical and engineering design. *Trans. ASAE*, 1096 (1978)
- [4] Ganan-Calvo, A.M., Davila, J., Barrero, A.: Current and droplet size in the electrospraying of liquids: scaling laws. *Journal of Aerosol Science* 28(2), 249 (1997)
- [5] Luther, F.: Electrostatic atomization of No.2 heating oil. In: *Proceedings of the API Research conference on distillate fuel combustion*, API Publication 1701, Paper CP62-3 (1962)
- [6] Thong, K.C., Weinburg, F.J.: Electrical combustion of solid and liquid particulate suspensions. *Proceedings of the Royal Society A* 324, 201 (1971)
- [7] Gomez, A., Tang, K.: On the structure of an electrostatic spray of monodisperse droplets. *Physics of Fluids* 6(7), 2317 (1994)
- [8] Shrimpton, J.S., Laonual, Y.: Dynamics of Electrically-Charged transient evaporating sprays. *International journal for numerical methods in engineering* 67(8), 1063–1081 (2006)
- [9] Bellan, J., Harstad, K.: Mechanical and electrostatic dispersion of a polydisperse cluster of drops for soot control. In: *Proceedings of ICLASS 1997*, Seoul, South Korea, August 18-22, vol. 1, p. 617 (1997)
- [10] Chang, J.S., Crowley, J.M., Kelly, A.J.: *Handbook of electrostatic processes*, 1st edn. Marcel Dekkar Inc., NY (1995)
- [11] Lawton, J., Weinburg, F.J.: *Electrical aspects of combustion*. Clarendon Press, Oxford (1969)
- [12] Bailey, A.G., Balachandran, W.: Dispersion of liquids using centrifugal and electrostatic forces. *IEEE Transactions of the Industrial Applications Society* 1A 20(3), 682 (1984)
- [13] Crowley, J.M.: *Fundamentals of Applied Electrostatics*, 1st edn. Laplacian Press/Morgan Hill, California (1999)
- [14] Melcher, J.R.: *Continuum Electromechanics*, 1st edn. MIT Press, Cambridge (1981)
- [15] Castellanos, A.: Basic Concepts and Equations in Electrohydrodynamics. In: Castellanos, A. (ed.) *Electrohydrodynamics*, 1st edn. CISM Courses and Lectures No. 380, pp. 1–82. Springer, Heidelberg (1998)

- [16] Crowley, J.M.: Electrostatic Fundamentals. In: Chang, J.-S., Kelly, A.J., Crowley, J.M. (eds.) *Handbook of Electrostatic Processes*, 1st edn., pp. 1–24. Marcel Dekker, New York (1995)
- [17] Tobazéon, R.: Electrohydrodynamic Instabilities and Electroconvection in the Transient and A. C. Regime of Unipolar Injection in Insulating Liquids: A Review. *Journal of Electrostatics* 15, 359–384 (1984)
- [18] Crowley, J.M.: Dimensionless Ratios in Electrohydrodynamics. In: Chang, J.-S., Kelly, A.J., Crowley, J.M. (eds.) *Handbook of Electrostatic Processes*, 1st edn., pp. 99–120. Marcel Dekker, New York (1995)
- [19] Tobazéon, R.: Electrical Phenomena of Dielectric Materials. In: Chang, J.-S., Kelly, A.J., Crowley, J.M. (eds.) *Handbook of Electrostatic Processes*, 1st edn., pp. 51–82. Marcel Dekker, New York (1995)
- [20] Felici, N.J.: DC Conduction in Liquid Dielectrics (Part II) Electrohydrodynamic Phenomena. *Direct Current and Power Electronics* 2(4), 147–165 (1971)
- [21] Castellanos, A.: Coulomb Driven Convection in Electrohydrodynamics. *IEEE Transactions on Electrical Insulation* 26(6), 1201–1215 (1991)
- [22] Chang, J.-S.: Two-Phase Flow in Electrohydrodynamics. In: Castellanos, A. (ed.) *Electrohydrodynamics*, 1st edn. CISM Courses and Lectures No. 380, pp. 279–363. Springer, Heidelberg (1998)
- [23] Chang, J.-S., Watson, A.: Electromagnetic Hydrodynamics. *IEEE Transactions on Dielectrics and Electrical Insulation* 1(5), 871–895 (1994)
- [24] He, W., Chang, J.-S.: EHD Enhanced Mass Transfer Operations and Chemical Reactions. In: Chang, J.-S., Kelly, A.J., Crowley, J.M. (eds.) *Handbook of Electrostatic Processes*, 1st edn., pp. 527–554. Marcel Dekker, New York (1995)
- [25] Yabe, A.: Heat Engineering. In: Chang, J.-S., Kelly, A.J., Crowley, J.M. (eds.) *Handbook of Electrostatic Processes*, 1st edn., pp. 555–580. Marcel Dekker, New York (1995)
- [26] Castellanos, A.: Entropy Production and the Temperature Equation in Electrohydrodynamics. *IEEE Transactions on Dielectrics and Electrical Insulation* 10(1), 22–26 (1993)
- [27] IEEE Recommended International Standard for Dimensionless Parameters used in Electrohydrodynamics. *IEEE Transactions on Dielectrics and Electrical Insulation* 10(1), 3–6 (2003)
- [28] Atten, P.: Electrohydrodynamic Instability and Motion Induced by Injected Space Charge in Insulating Liquids. *IEEE Transactions on Dielectrics and Electrical Insulation* 3(1), 1–17 (1996)
- [29] Hopfinger, E.J., Gosse, J.P.: Charge Transport by Self-Generated Turbulence in Insulating Liquids Submitted to Unipolar Injection. *Physics of Fluids* 14(8), 1671–1682 (1971)
- [30] Zhakin, A.I.: Conduction Phenomena in Dielectric Liquids, EHD Models, Linear and Nonlinear Effects on the Charged Interface, EHD Pumping of Dielectric Liquids. In: Castellanos, A. (ed.) *Electrohydrodynamics*, 1st edn. CISM Courses and Lectures, vol. 380, pp. 83–162. Springer, Heidelberg (1998)
- [31] Schneider, J.M., Watson, P.K.: Electrohydrodynamic Stability of Space-Charge-Limited Currents in Dielectric Liquids. I. Theoretical Study. *Physics of Fluids* 13(8), 1948–1954 (1970)
- [32] Atten, P., Malraison, B., Zahn, M.: Electrohydrodynamic Plumes in Point-Plane Geometry. *IEEE Transactions on Dielectrics and Electrical Insulation* 4(6), 710–718 (1997)

- [33] Watson, P.K., Schneider, J.M., Till, H.R.: Electrohydrodynamic Stability of Space-Charge-Limited Currents in Dielectric Liquids. II. Experimental Study. *Physics of Fluids* 13(8), 1955–1961 (1970)
- [34] Vazquez, P.A., Perez, A.T., et al.: Origin of the Double Layer Structure of EHD Plumes. In: *Conference on Electrical Insulation and Dielectric Phenomena: Annual Report 1998*, pp. 211–214 (1998)
- [35] Malraison, B., Atten, P., Pérez, A.T.: Panaches Charges Resultant de l'Injection d'Ions dans un Liquide Isolant par une Lame ou une Pointe Placée en face d'un Plan. *Journal de Physique III France* 4, 75–85 (1994)
- [36] Vazquez, P.A., Perez, A.T., Castellanos, A.: Thermal and Electrohydrodynamic Plumes: A Comparative Study. *Physics of Fluids* 8(8), 2091–2096 (1996)
- [37] Felici, N.J.: Electrostatics and Hydrodynamics. *Journal of Electrostatics* 4(2), 119–129 (1978)
- [38] Lacroix, J.C., Atten, P., Hopfinger, E.J.: Electro-convection in a Dielectric Liquid Layer Subjected to Unipolar Injection. *Journal of Fluid Mechanics* 69(3), 539–563 (1975)
- [39] Kuffel, E., Zaengl, W.S., Kuffel, J.: *High Voltage Engineering: Fundamentals*, 1st edn. Butterworth-Heinemann, Oxford (2000)
- [40] Schmidt, W.F.: Elementary Processes in the Development of the Electrical Breakdown of Liquids. *IEEE Transactions on Electrical Insulation* EI-17(6), 478–483 (1982)
- [41] Kitai, A.: Electrostatics in Flat Panel Displays. In: Chang, J.-S., Kelly, A.J., Crowley, J.M. (eds.) *Handbook of Electrostatic Processes*, 1st edn., pp. 351–364. Marcel Dekker, New York (1995)
- [42] Alj, A., Denat, A., Gosse, J.P., Gosse, B.: Creation of charge carriers in non-polar liquids. *IEEE Transaction on Electrical Insulation* 20(2), 221 (1985)
- [43] Denat, A., Gosse, B., Gosse, J.P.: Ion Injections in Hydrocarbons. *Journal of Electrostatics* 7, 205–225 (1979)
- [44] Atten, P., Seyed-Yagoobi, J.: Electrohydrodynamically Induced Dielectric Flow through Pure Conduction in Point/Plane Geometry. *IEEE Transactions on Dielectrics and Electrical Insulation* 10(1), 27–36 (2003)
- [45] Denat, A., Gosse, J.P., Gosse, B.: Electrical Conduction of Purified Cyclohexane in a Divergent Electric Field. *IEEE Transactions on Electrical Insulation* 23(4), 545–554 (1988)
- [46] Coelho, R., Debeau, J.: Properties of the Tip-Plane Configuration. *Journal of Physics D: Applied Physics* 4, 1266–1280 (1971)
- [47] Takashima, T., Hanaoka, R., Ishibashi, R., Ohtsubo, A.: I-V Characteristics and Liquid Motion in Needle-to-Plane and Razor Blade-to-Plane Configurations in Transformer Oil and Liquid Nitrogen. *Trans. IEEE Elec. Ins.* 23, 645–658 (1988)
- [48] Haidara, M., Denat, A.: Electron Multiplication in Liquid Cyclohexane and Propane. *IEEE Transactions on Electrical Insulation* 26(4), 592–597 (1991)
- [49] Qureshi, M.I., Chadband, W.G.: On the Relation Between Current Pulses and Discharges. *IEEE Transactions on Electrical Insulation* 23(4), 715–722 (1988)
- [50] Oliveri, S., Kattan, R., Denat, A.: Numerical Study of Single Vapour Bubble Dynamics in Insulating Liquids Initiated by Electrical Current Pulses. *Journal of Applied Physics* 71(1), 108–112 (1992)
- [51] Kattan, R., Denat, A., Bonifaci, N.: Formation of Vapour Bubbles in Non-Polar Liquids Initiated by Current Pulses. *IEEE Transactions on Electrical Insulation* 26(4), 656–662 (1991)

- [52] Watson, P.K., Qureshi, M.I., Chadband, W.G.: The Growth of Pre-Breakdown Cavities in Silicone Fluids, and the Frequency of the Accompanying Discharge Pulses. *IEEE Transactions on Dielectrics and Electrical Insulation* 5(3), 344–350 (1998)
- [53] Qureshi, M.I., Chadband, W.G., Watson, P.K.: Prebreakdown Cavities in Viscous Silicone Fluids and their Relationship to Initiating Current Pulses. In: Sixth International Conference on Dielectric Materials, Measurement and Applications, pp. 89–92 (1992)
- [54] Watson, P.K., Qureshi, M.I., Chadband, W.G.: A Diffusion Limited Mechanism to Explain Current Pulse Rate in a Pre-Breakdown Current Burst in Silicone Fluids. In: 7th International Conference on Dielectric Materials, Measurements and Applications, pp. 146–148 (1996)
- [55] Aitken, F., McCluskey, F.M.J., Denat, A.: An Energy Model for Artificially Generated Bubbles in Liquids. *Journal of Fluid Mechanics* 327, 373–392 (1996)
- [56] Watson, P.K., Chadband, W.G., Sadeghzadeh-Araghi, M.: The Role of Electrostatic and Hydrodynamic Forces in the Negative-Point Breakdown of Liquid Dielectrics. *IEEE Transactions on Electrical Insulation* 26(4), 543–559 (1991)
- [57] Lord Rayleigh, O.M.: On the Pressure Developed in a Liquid During the Collapse of a Spherical Cavity. *Philosophical Magazine* 34(199), 94–98 (1917)
- [58] Lord, R.: On the equilibrium of liquid conducting masses charged with electricity. *Philosophy Magazine* 14, 184–186 (1882)
- [59] Bailey, A.G.: Theory and practice of electrostatic spraying. *Atomization and Spray Tech* 2, 95–134 (1986)
- [60] Zeleny, J.: On the conditions of the instability of electrified drops, with applications to the electrical discharge from liquid points. *Camb. Phil. Soc. Proc.* 18, 71–83 (1914)
- [61] Taylor, G.I.: Disintegration of water drops in an electric field. *Proc. Royal Soc. A* 280, 383–397 (1964)
- [62] Hendricks, C.D.: Charged droplet experiments. *J. Colloid Sci.* 17, 249 (1962)
- [63] Doyle, A., Moffett, D.R., Vonnegut, B.: Behaviour of Evaporating Electrically Charged Droplets. *J. Colloid Sci.* 19, 136–143 (1964)
- [64] Abbas, M.A., Latham, J.: The Instability of Evaporating Charged Drops. *J. Fluid Mech.* 30(4), 663–670 (1967)
- [65] Schweizer, J.W., Hanson, D.N.: Stability Limit of Charged Drops. *J. Colloid and Interface Sci.* 35(3), 417–423 (1971)
- [66] Taflin, D.C., Ward, T.L., Davis, E.J.: Electrified Droplet Fission and the Rayleigh Limit. *Langmuir* 5(2), 376–384 (1989)
- [67] Richardson, C.B., Pigg, A.L., Hightower, R.L.: On the Stability Limit of Charged Droplets. *Proc. R. Soc. Lond., A* 422, 319–328 (1989)
- [68] Gomez, A., Tang, K.: Charge and Fission of Droplets in Electrostatic Sprays. *Phys. Fluids* 6(1), 404–414 (1994)
- [69] De Juan, L., Fernandez de la Mora, J.: Charge and size descriptions of electrospray drops. *J. Colloid and Interface Science* 186, 280–293 (1997)
- [70] Lide, D.R.: *CRC Handbook of Chemistry and Physics*, 79th edn., 1998-1999 (1999)
- [71] Sherwood, J.D.: Breakup of fluid droplets in electric and magnetic fields. *J. Fluid Mech.* 188, 133–146 (1988)
- [72] Stone, H.A., Lister, J.R., Brenner, M.P.: Drops with conical ends in electric and magnetic fields. *Proc. Roy. Soc. Lond. A* 455, 329–347 (1999)

- [73] Fernandes De La Mora, J.: On the Outcome of the Coulombic Fission of a Charged Isolated Drop. *J. Colloid Interface Sci.* 178, 109–218 (1996)
- [74] Fernandez de la Mora, J., Loscertales, I.G.: *J. Fluid Mech.* 260, 155 (1994)
- [75] Shrimpton, J.S.: Dielectric Charged Drop Break up at Sub-Rayleigh Limit Conditions. *IEEE Trans. Dielectrics and Electrical Insulation* 12(3), 573–578 (2005)
- [76] Incullet, I.I., Kromann, R.: Break up of Large Water Droplets by Electric Fields. *IEEE Trans. Ind. Appl.* 25(5), 945–948 (1989)
- [77] Vonnegut, B., Neubauer, R.L.: Production of monodisperse liquid particles by electrical atomization. *J. Colloid Sci.* 7, 616–622 (1952)
- [78] Inclulet II, Floryan, J.M., Haywood, R.: Dynamics of water droplets breakup in electric fields, *IEEE, IAS Annual Meeting, 7-12/9/1990*. IEEE cat no. 90CH2935-5, pp. 915–921 (1990)
- [79] Zeleny, J.: Instability of electrified liquid surfaces. *Physics Review, 2nd Series* 10(1), 1–6 (1917)
- [80] Law, S.E.: Charge and mass flux in the radial electric field of an evaporating charged water droplet: An Experimental Analysis. *I.E.E.E. Transactions of the Industrial Applications Society* 25(6), 1081–1087 (1989)
- [81] Cerkanowicz, A.E.: Rayleigh limit for nonstationary drops. In: *Proc. IEEE-IAS Conference record*, pp. 1161–1165 (1981)
- [82] Hinze, J.O.: Critical speeds and sizes of liquid globules. *App. Sci. Res. A1*, 273–288 (1946)
- [83] Hinze, J.O.: Fundamentals of the hydrodynamic mechanism of splitting in dispersion processes 1(3), 289–298 (1955)
- [84] Haywood, R.J., Raithby, G.D., Renksizbulut, M.: Transient deformation of freely suspended liquid drops in electrostatic fields. *AIChE J.* 9(37), 1305–1317 (1991)
- [85] Roth, D.G., Kelly, A.J.: Analysis of the disruption of evaporating charged droplets. *IEEE Trans. IAS* 1A-19(5), 771–775 (1983)
- [86] Elgahazaly, H.M.A., Castle, G.S.P.: Analysis of the instability of evaporating charged liquid drops. *IEEE Trans. IAS* 1A-22(5), 892–896 (1986)
- [87] Elgahazaly, H.M.A., Castle, G.S.P.: Analysis of the multisibling instability of charged liquid drops. *IEEE Trans. IAS* 1A-23(1), 108–113 (1987)
- [88] Ryce, S.A., Patriache, D.A.: Energy considerations in the electrostatic dispersion of liquids. *Canadian J. Physics* 43, 2192–2199 (1965)
- [89] Pfeifer, J., Hendricks, C.D.: Charge to mass relationships for electrohydrodynamically sprayed liquid droplets. *Physics of Fluids* 10(10), 2149–2154 (1967)
- [90] Elgahazaly, H.M.A., Castle, G.S.P.: Experimental study on the breakup of charged liquid droplets. *IEEE Trans. IAS* 1A-25(1), 48–53 (1989)
- [91] Nakamura, J.: Effect of the electric field upon the spectra of the hydrocarbon diffusion flame *Combust. Flame* 3, 277 (1959)
- [92] Ueda, T., Imamura, O., Okai, K., Tsue, M., Kono, M., Sato, J.: Combustion Behavior Of Single Droplets For Sooting And Non-Sooting Fuels In Direct Current Electric Fields Under Microgravity. *Proc. Combust. Inst.* 29, 2595 (2002)
- [93] Okai, K., Ueda, T., Imamura, O., Tsue, M., Kono, M., Sato, J., Deitrich, D.L., Williams, F.A.: Effects of DC electric fields on combustion of Octan droplet pairs in microgravity. *Combustion and Flame* 136, 390–393 (2004)
- [94] Anderson, E.K., Kyritsis, D.C., Carlucci, A.P., de Risi, A.: Electrostatic Effects related to automotive gasoline injection and combustion, *SAE 07PFL-324* (2007)

- [95] Meesters, G.M.H., Vercoulen, P.H.W., Scarlett, B., Marijnissen, J.C.M.: Generation of micron sized droplets from the Taylor cone. *J. Aerosol Sci.* 23(1), 37–49 (1992)
- [96] Crowley, J.M., Wright, G.S., Chato, J.C.: Selecting a working fluid to increase the efficiency and flowrate of an EHD pump. *IEEE Trans. IAS* 26(1), 42–49 (1990)
- [97] Agui, T., Nakajima, M.: Drop formation characteristics of electrostatic ink jets using a water based ink. *IEEE Trans. Electron Devices* ED24(3), 262–266 (1977)
- [98] Byers, C.H., Perona, J.J.: Drop formation from an orifice in an electric field. *AIChE Journal* 9(34), 1577–1580 (1988)
- [99] Bailey, A.G., Balachandran, W.: The Influence of electrostatic fields on the centrifugal atomization of liquids. *J. Electrostatics* 10, 189–196 (1981)
- [100] Bailey, A.G., Balachandran, W.: Dispersion of liquids using centrifugal and electrostatic forces. *IEEE Trans. IAS* 1A-20(3), 682–686 (1984)
- [101] Sato, M.: Formation of uniformly sized liquid drops using a spinning disc under applied electrostatic field. *IEEE Trans. IAS* 27(2), 316–322 (1991)
- [102] Kim, K., Turnbull, J.: Generation of charged drops of insulating liquids by electrostatic spraying. *Journal of Applied Physics* 47(5), 1964 (1976)
- [103] Cloupeau, M.: Recipes for use of EHD spraying in cone jet mode and notes on corona discharge effects. *Journal of Aerosol Science* 25(6), 1143 (1994)
- [104] Kelly, A.J.: Electrostatic Atomizing Device., US Patent 4,255,777 (March 1981)
- [105] Kelly, A.J.: Electrostatic Atomizing Device, US Patent 4,380,786 (April 1983)
- [106] Kelly, A.J.: The electrostatic atomization of hydrocarbons. *Journal of the Institute of Energy*, 312–320 (June 1984)
- [107] Nordgard, J.D.: On the optimisation of electron emitting arrays. *Journal of Applied Physics* 48(7), 3042 (1977)
- [108] Shrimpton, J.S.: Electrostatic Atomization and Combustion of Hydrocarbon Oils, PhD thesis, UMIST, Manchester, UK (1995)
- [109] Rigit, A.R.H.: performance of a charge injection atomizer and spray characteristics, PhD thesis, University of London (2005)
- [110] Shrimpton, J.S., Yule, A.J.: Electrohydrodynamics of Charge Injection Atomization Regimes and Fundamental Limits. *Atomization and Spray* 13, 173–190 (2003)
- [111] Shrimpton, J.S., Yule, A.J.: Design issues concerning Charge Injection Atomization. *Atomization and Spray* 14(2), 127–142 (2004)
- [112] Rigit, A.R.H., Shrimpton, J.S.: Electrical performance of charge injection atomizers. *Atomization and Sprays* 16(4), 401–419 (2006)
- [113] Romat, H., Badri, A.: Internal Electrification of Diesel Oil Injectors. *J. Electrostatics* 51-52, 481–487 (2001)
- [114] Priol, L., Baudel, P., Louste, C., Romat, H.: Laser granulometry measurements on electrified jets for different lengths of injector. *J. Electrostatics* 63, 899–904 (2005)
- [115] Sehili, M., Romat, M.: Modification of the size and velocity of droplets for a diesel oil high speed jet induced by an electric field. In: 2002 Annual report Conference on Electrical insulation and dielectric phenomena, October 20-24, 2002, pp. 196–199 (2002)
- [116] Mintz, D., JKelly, A.J., Gleason, A.M.: Polymerization reaction by charge injection. US Patent 4,435,261 (March 1984)
- [117] Kelly, A.J.: Electrostatic Atomizing Device. US Patent 4,581,675 (April 1986)
- [118] Kelly, A.J.: Charge injection Device. US Patent 4,630,169 (December 1986)
- [119] Mintz, D., Kelly, A.J., Gleason, M.: Separation of Dispersed Phase from phase mixture. US Patent 4,661,226 (April 1987)

- [120] Bankston, C.P., Back, L.H., Kwack, E.Y., Kelly, A.J.: Experimental Investigation of Electrostatic Dispersion and Combustion of Diesel Fuel Jets. *J. Engineering for Gas Turbine and Power* 110, 361–368 (1988)
- [121] Kelly, A.J.: On the statistical, Quantum and Practical Mechanics of Electrostatic Atomization. *J. Aerosol Sci.* 25(6), 1159–1177 (1994)
- [122] Jido, M.: Study of Electrostatic Charged Droplets: Part 1. *J. Jap. Soc. Chem. Eng.* 40, 24–33 (1986)
- [123] Jido, M.: Study of Electrostatic Charged Droplets: Part 2. *J. Jap. Soc. Chem. Eng.* 41, 32–40 (1987)
- [124] Adamczewski, I.: Ionization, conductivity and breakdown in dielectric liquids, p. 362. Taylor and Francis Ltd., London (1969)
- [125] Bonifaci, N., Denat, A., Atrazhev, V.M.: Work Functions for a HV Cathode in Nonpolar Liquids. *Trans. IEEE Die. and Elect. Ins.* 1, 657–662 (1994)
- [126] Higuera, F.J.: Electrohydrodynamic Flow of a Dielectric Liquid Due to Autonomous Injection of Charge by a Needle Electrode. *Phys. Fluids* 14, 423–426 (2002)
- [127] Dumitrescu, L., Lesaint, O., Bonifaci, N., Denat, A., Notingher, P.: Study of Streamer Inception in Cyclohexane with a Sensitive Charge Measurement Technique under Impulse Voltage. *J. Electrostatics* 53, 135–146 (2001)
- [128] Nakayashiki, T., Watanabe, Y., Yamashita, H.: The Effect of the Tip Curvature on the Prebreakdown Current Pulse Relating to the Negative Streamer Inception. In: *Proc. Conf. Elect. Ins. Die. Phenomena*, pp. 284–287 (2000)
- [129] Bonifaci, N., Denat, A.: Spectral Analysis of Light Emitted by Prebreakdown Phenomena in Nonpolar Liquids and Gases. *Trans. IEEE Elect. Ins.* 26, 610–614 (1991)
- [130] McCluskey, F.M.J., Denat, A., Lesaint, O.: Breakdown and Prebreakdown Phenomena in Liquids under Positive Impulse Voltages. *Trans. IEEE Die. Elect. Ins.* 1, 377–382 (1994)
- [131] Julliard, Y., Kist, K., Badent, R., Schwab, A.J.: Behaviour of the Metal-Oxide-Fluid-Interface. In: *Proc. Conf. IEEE Elect. Ins. And Die. Phenomena*, pp. 780–783 (2000)
- [132] Peek, F.W.: Determination phenomena in high voltage engineering, p. 52. McGraw Hill, New York (1929)
- [133] Balachandran, W., Machowski, W., Halimic, M., Morgan, L., Gray, C., Wilson, C.: Development of an Electrostatic Nozzle for Gas Turbine Applications. In: *Proc. Liquid Atomization and Spray Systems*, Toulouse, France (1999)
- [134] Shrimpton, J.S., Yule, A.J.: Drop size and velocity measurements in an electrostatically produced hydrocarbon spray. *Journal of Fluids Engineering* 120(3), 580 (1998)
- [135] Yule, A.J., Shrimpton, J.S., Watkins, A.P., Balachandran, W., Hu, D.: Electrostatically Atomized Hydrocarbon Sprays. *Fuel* 74, 1094–1103 (1995)
- [136] Chapman, A.T., Gerdes, R.J., Wilson, J.C., Clark, G.W.: Unidirectional solidification behaviour in refractory oxide-metal systems. *J. Crystal growth* 13(13), 765 (1972)
- [137] Nemamcha, M., Gosse, J.P., Gosse, B., Denat, A.: Influence of insulating electrode coatings on the electrical conduction of cyclohexane. *IEEE Transaction on Electrical Insulation* 23(4), 529 (1988)
- [138] Laryea, G.N., No, S.Y.: Development of electrostatic pressure-swirl nozzle for agricultural applications. *J. Electrostatics* 57, 129–142 (2003)

- [139] Laryea, G.N., No, S.Y.: Spray angle and breakup length of charged injected electrostatic pressure-swirl nozzle. *J. Electrostatics* 60, 37–47 (2004)
- [140] Anderson, E.K., Kyritsis, Carlucci, A.P., Risi, A.: Electrostatic Effects related to Automotive gasoline injection and combustion. SAE 07PFL-324 (2007)
- [141] Anderson, E.K., Kyritsis, Carlucci, A.P., Risi, A.: Experimental investigation of the possibility of automotive gasoline spray manipulation through electrostatic fields. *International Journal of Vehicle Design* 2007 - 45(1/2), 61–79 (2007)
- [142] Anderson, E.K., Kyritsis, Carlucci, A.P., Risi, A.: Electrostatic effects on gasoline direct injection in atmospheric ambience. *Atomization and Sprays* 17(4), 289–313 (2007)
- [143] Kelly, A.J.: Electrostatic Atomizers. US Patent 6,474,573 B1 (November 2002)
- [144] Kelly, A.J.: Method and apparatus for high throughput generation of fibres by charge injection. US Patent 6,656,394 B2 (December 2002)
- [145] Kelly, A.J.: Method and apparatus for high throughput charge injection. US Patent 6,964,385 B2 (November 2005)
- [146] Kelly, A.J.: Electrostatic Atomizers. US Patent US2003/0015594 A1 (January 2003)
- [147] Thomas, M.E., DiSalvo, R., Makar, P.: Electrostatic Atomization Insertion into compression ignition engines. SAE paper 2002-01-3053 (2002)
- [148] Hetrick, Parsons: Electrospray for fuel Injection, SAE paper 972987 (1997)
- [149] Allen, J.: International Patent IPN WO 2004/071670 A1 (2004)
- [150] Allen, J.: International Patent IPN WO 2004/083623 A1 (2004)
- [151] Allen, J., Haverhill, P., Shrimpton, J.S.: Electrical Characteristics of a Novel Multi Orifice Electrostatic Atomiser. In: ILASS-Europe 2005, Orleans, France (September 2005)
- [152] Allen, J., Ravenhill, P.: A Novel Approach to Port Fuel Atomisation using a Very Low Power Multi-Holed Micro Atomiser. JSAE Paper number 20055436 (2005)
- [153] Schirmer, G., Lehr, W., Kelly, A.J.: Fuel injection valve. US Patent 5,234,170 (August 1993)
- [154] Lehr, W., Hiller, W.: Electrostatic atomization of liquid hydrocarbons. *Journal of Electrostatics* 30, 433–440 (1993)
- [155] Allen, J.: International Patent, IPN WO 2006/032901 A1 (2006)
- [156] Kelly, A.J.: Methods and Apparatus for dispensing a fluent material utilizing an electron beam. US Patent 5,093,602 (March 1992)
- [157] Kelly, A.J.: Methods and apparatus for dispersing a fluent material utilizing and electron beam. US Patent 5,378,957 (January 1995)
- [158] Kelly, A.J.: Electron beam window devices and methods for making same. US Patent 5,391,958 (February 1995)
- [159] Kelly, A.J.: Beam window devices and methods for making same. US Patent 5,478,266 (December 1995)
- [160] Kelly, A.J.: Electrostatic Injector using vapour and mist insulation. US Patent 4,991,774 (February 1991)
- [161] Kelly, A.J., Prah, F.: Electrostatic atomizer with controller. US Patent 6,206,307 B1 (March 2001)
- [162] Kelly, A.J.: Pulsing Electrostatic Atomizer. US Patent 6,227,465 B1 (May 2001)
- [163] Lopez-Herrera, J.M., Ganán-Calvo: A note on charged capillary break up and conducting liquids: experimental validation of a viscous one-dimensional model. *Journal of Fluid Mechanics* 501, 303–326 (2004)



- [164] Leuteritz, U., Velji, A., Bach, E.: A Novel Injection System for Combustion Engines Based on Electrostatic Fuel Atomization. In: SAE International Spring Fuels & Lubricants Meeting & Exposition, Paris, France (2000)
- [165] Shrimpton, J.S., Yule, A.J.: Atomization, combustion and control of charged hydrocarbon sprays. *Atomization and Sprays* 11, 1–32 (2001)
- [166] Crowley, J.M., Wright, G.S., Chato, J.C.: Selecting a Working Fluid to Increase the Efficiency and Flow Rate of an EHD Pump. *Trans. IEEE Ind. Appl.* 26, 42–49 (1990)
- [167] Kelly, A.J.: Charge Injection Electrostatic Atomizer Modelling. *Aerosol Sci. Tech.* 12, 526–537 (1990)
- [168] Kelly, A.J.: Charge Injection Electrostatic Atomizer Performance Modelling. In: Proc. 4th Int. Conf. Liquid Atomization and Spray Systems, Sendai, Japan (1988)
- [169] Shrimpton, J.S., Yule, A.J., Watkins, A.P.: Modelling of charged sprays including drop break up. In: Proc. 3rd ECCOMAS Computational Fluid Dynamics Conference, Paris, France, pp. 97–103 (1996b)
- [170] True, M.A.: Modelling of electrostatic spray plumes. *IEEE Trans. IAS* 1A-19(5), 754–758 (1983)
- [171] Putnam, A.: Integratable form of the drop drag coefficient. *Journal American Rocket Science* 31, 1467–1468 (1961)
- [172] Shrimpton, J.S., Yule, A.J.: Drop size and velocity measurements in an electrostatically produced hydrocarbon spray. *Journal of Fluids Engineering* 120(3), 580 (1998)
- [173] Shrimpton, J.S., Yule, A.J.: Characterization of charged hydrocarbon sprays for application in combustion systems. *Experiments in Fluids* 26(4), 315 (1999)
- [174] Zaidi, S.H., Azzopardi, B.J.: An experimental study of the aerodynamic break up of liquid drops using laser diffraction techniques. In: 8th International symposium on applications of laser techniques to fluid mechanics, Lisbon, Portugal, July 8-11, 1996, vol. 2 (1996)
- [175] Grace, J.M.: PhD Dissertation, University of Notre Dame, IN, USA (1993)
- [176] Grace, J.M., Dunn, P.F.: Droplet motion in an electrohydrodynamic fine spray. In: ICLASS 1994, Rouen, France, paper XII-3, pp. 1002–1009 (1994)
- [177] Clopeau, M., Prunet-Foch, B.: Electrostatic spraying of liquids: Main functioning modes. *Journal of Electrostatics* 25, 165–184 (1990)
- [178] Lefebvre, A.H.: *Atomization and Sprays*, Hemisphere, London (1989)
- [179] Dunkley, J.J., Yule, A.J.: *Atomization of Melts*. Oxford University Press, Oxford (1994)
- [180] Zhang & Reeks, Private communication (2007)
- [181] Bailey, A.G.: Energy minimization and charge to mass relationships of electrohydrodynamic sprayed liquid drops. *Physics of Fluids* 14, 4 (1976)
- [182] Kelly, A.J.: Electrostatic metallic spray theory. *Journal of Applied Physics* 47(12), 5264–5271 (1976)
- [183] Kelly, A.J.: Electrostatic spray theory. *Journal of Applied Physics* 49(5), 2621–2628 (1978)
- [184] Kelly, A.J.: Low charge density electrostatic atomization. *I.E.E.E. Transactions of the Industrial Applications Society* 1A-20(2), 267–273 (1984)
- [185] Krohn, V.E.: Progress in astronautics and rocketry. In: Langmuir, Stutlinger, Sellen (eds.), vol. 5(73). Academic, New York (1961)
- [186] Huberman, M.N., Cohen, A.F.: Aero propulsion laboratory report AFAPL-TR-67-115 (1967)

- [187] Dunn, P.F., Snarski, S.R.: Droplet diameter, flux, and total current measurements in an electrohydrodynamic spray. *J. Applied Physics* 71(1), 80–84 (1992)
- [188] Okuda, H., Kelly, A.J.: Electrostatic atomization – Experiment, theory and industrial applications. *Physics of Plasmas* 3(5), 2191–2196 (1996)
- [189] Kelly, A.J.: Emission limited electrostatic atomization and the fine structure constant. *J. Vac. Sci. Technol. B* 23(4), 1645–1649 (2005)
- [190] Jones, A.R., Thong, K.C.: The production of charged monodisperse fuel droplets by electrical dispersion. *J. Phys. D: Appl. Phys.* 4, 1159–1166 (1971)
- [191] Weinburg, F.J.: *Advanced combustion methods*. Academic, London, UK (1986)
- [192] Gomez, A., Chen, G.: Experimental investigation on self-sustained co-flow laminar diffusion flames of monodisperse sprays. In: *Proc. ICLASS 1994*, Rouen, France, Paper VII-5, Begell House NY, pp. 718–725 (1994)
- [193] Kyritsis, D.C., Roychoudhury, S., McEnally, C.S., Pfefferle, Gomez, A.: Mesoscale combustion: a first step towards liquid fuelled batteries. *Experimental Thermal and Fluid Science* 28, 763–770 (2004a)
- [194] Kyritsis, D.C., Coriton, B., Faure, F., Roychoudhury, S., Gomez, A.: Optimization of a catalytic combustor using electrosprayed liquid hydrocarbons for mesoscale power generation. *Combustion and Flame* 139, 77–89 (2004b)
- [195] Shrimpton, J.S., Rigit, A.: Spray characteristics of charge injection atomizers with small orifice diameters. *Atomization and Sprays* 16(4), 421–442 (2006)

# Index

- atomizer performance, 117
- bubble formation, 46, 49
  - cavity expansion, 52
  - streamers, 60
- bulk flow, 13
- C* parameter, 19
- centrifugal force, 2, 80, 81
- charge density. *See* space charge
- charged spray plume, 140
- conductivity, 11
- conductor, 6
- corona discharge, 94
- crossover radius, 61
- current pulse, 46
- Debye length, 11
- dielectrophoretic force, 8
- Diesel, 85, 107
- dipole, 7
- displacement field, 9
- doping, 2
- drop break up, 72
  - multi sibling, 75
  - single sibling, 74
- drop charge-diameter distribution, 160
- drop combustion, 77
- electric field, 9, 22
- electric Nusselt number, 35
- electrical convection, 10
- electrical force, 5, 13
- electrical Froude number, 20
- electrical Grashof number, 20
- electrical Prandtl number, 20
- electrical Rayleigh number, 24
- electrical Reynolds number, 19, 20
- electrode gap, 83, 93, 113
- electrohydrodynamics, 5
- electro-inertial timescale, 17
- electro-viscous timescale, 17
- energy equation, 15
- equation, 9
- Gauss's Law, 9
- gravity body force, 14
- hexagonal convection cells, 30
- injection current, 40
- ionic diffusion timescale, 16
- ionic transit timescale, 17
- jet break-up, 127
- kerosene, 85, 107
- Laplace equation, 10
- leakage current, 85, 90
- M* parameter, 20
- mechanical timescale, 18
- mobility, 11, 18, 89, 105
- Navier-Stokes equations, 14, 36
- Ohmic-charge relaxation timescale, 15
- orifice diameter, 105, 111
- orifice space charge, 132
- partial breakdown. *See* corona discharge
- permittivity, 6, 18, 66
- point-plane, 118, 123
- polarization, 6, 9, 40

- quantum tunneling, 37
- radial mass flow profiles, 157
- Rayleigh Limit, 61, 64
- soot, 2
- space charge, 18, 22
- space charge equation, 13
- space charge relaxation timescale, 15
- space-charge, 10, 13
- spray combustion, 173
- spray current, 85, 113
  - maximum, 93
- spray formation, 125
- Spray Triode, 81, 99
- spray visualization, 139, 150
- strong injection, 21
- sub critical breakdown*, 87
- super critical breakdown*, 92
- super critical regime, 112
- super-critical regime, 103
- T* parameter, 20
- the mass continuity equation, 13
- threshold voltage, 98
- total current, 87
- Walden's Rule, 11
- weak injection, 21