Graduate Texts in Mathematics 72

Springer
New York
Berlin
Heidelberg
Barcelona
Budapest
Hong Kong
London
Milan
Paris
Santa Clara
Singapore
Tokyo

Graduate Texts in Mathematics

continued after index

John Stillwell

Classical Topology and Combinatorial Group Theory

Second Edition

Illustrated with 312 Figures by the Author

Springer

John Stillwell
Department of Mathematics
Monash University
Clayton (Victoria 3168)
Australia

Mathematics Subject Classifications (1991): 55-01, 51-01, 57-01

Library of Congress Cataloging-in-Publication Data
Stillwell, John.
Classical topology and combinatorial group theory / John Stillwell.—2nd ed.
p. cm.—(Graduate texts in mathematics; 72)
Includes bibliographical references and index.
ISBN-13: 978-0-387-97970-0 **e-ISBN-13: 978-1-4612-4372-4**
DOI: 10.1007/978-1-4612-4372-4
1. Topology. 2. Combinatorial group theory. I. Title. II. Series.
QA611.S84 1993
514—dc20 92-40606

Printed on acid-free paper.

Production managed by Ellen Seham; manufacturing supervised by Vincent Scelta.
Composition by Asco Trade Typesetting Ltd., Hong Kong.

9 8 7 6 5 4 3

ISBN-13: 978-1-4612-8749-0 Springer-Verlag Berlin Heidelberg New York SPIN 10664636

To my mother
and father

Preface to the First Edition

In recent years, many students have been introduced to topology in high school mathematics. Having met the Möbius band, the seven bridges of Königsberg, Euler's polyhedron formula, and knots, the student is led to expect that these picturesque ideas will come to full flower in university topology courses. What a disappointment "undergraduate topology" proves to be! In most institutions it is either a service course for analysts, on abstract spaces, or else an introduction to homological algebra in which the only geometric activity is the completion of commutative diagrams. Pictures are kept to a minimum, and at the end the student still does not understand the simplest topological facts, such as the reason why knots exist.

In my opinion, a well-balanced introduction to topology should stress its intuitive geometric aspect, while admitting the legitimate interest that analysts and algebraists have in the subject. At any rate, this is the aim of the present book. In support of this view, I have followed the historical development where practicable, since it clearly shows the influence of geometric thought at all stages. This is *not* to claim that topology received its main impetus from geometric recreations like the seven bridges; rather, it resulted from the *visualization* of problems from other parts of mathematics—complex analysis (Riemann), mechanics (Poincaré), and group theory (Dehn). It is these connections to other parts of mathematics which make topology an important as well as a beautiful subject.

Another outcome of the historical approach is that one learns that classical (prior to 1914) ideas are still alive, and still being worked out. In fact, many simply stated problems in 2 and 3 dimensions remain unsolved. The development of topology in directions of greater generality, complexity, and abstractness in recent decades has tended to obscure this fact.

Attention is restricted to dimensions ≤ 3 in this book for the following reasons.

(1) The subject matter is close to concrete, physical experience.
(2) There is ample scope for analytic, geometric, and algebraic ideas.
(3) A variety of interesting problems can be constructively solved.
(4) Some equally interesting problems are still open.
(5) The combinatorial viewpoint is known to be completely general.

The significance of (5) is the following. Topology is ostensibly the study of arbitrary continuous functions. In reality, however, we can comprehend and manipulate only functions which relate finite "chunks" of space in a simple combinatorial manner, and topology originally developed on this basis. It turns out that for figures built from such chunks (simplexes) of dimension ≤ 3, the combinatorial relationships reflect all relationships which are topologically possible. Continuity is therefore a concept which can (and perhaps should) be eliminated, though of course some hard foundational work is required to achieve this.

I have not taken the purely combinatorial route in this book, since it would be difficult to improve on Reidemeister's classic *Einführung in die Kombinatorische Topologie* (1932), and in any case the relationship between the continuous and the discrete is extremely interesting. I have chosen the middle course of placing one combinatorial concept—the fundamental group—on a rigorous foundation, and using others such as the Euler characteristic only descriptively. Experts will note that this means abandoning most of homology theory, but this is easily justified by the saving of space and the relative uselessness of homology theory in dimensions ≤ 3. (Furthermore, textbooks on homology theory are already plentiful, compared with those on the fundamental group.)

Another reason for the emphasis on the fundamental group is that it is a two-way street between topology and algebra. Not only does group theory help to solve topological problems, but topology is of genuine help in group theory. This has to do with the fact that there is an underlying computational basis to both combinatorial topology and combinatorial group theory. The details are too intricate to be presented in this book, but the relevance of computation can be grasped by looking at topological problems from an algorithmic point of view. This was a key concern of early topologists and in recent times we have learned of the *nonexistence* of algorithms for certain topological problems, so it seems timely for a topology text to present what is known in this department.

The book has developed from a one-semester course given to fourth year students at Monash University, expanded to two-semester length. A purely combinatorial course in surface topology and group theory, similar to the one I originally gave, can be extracted from Chapters 1 and 2 and Sections 4.3, 5.2, 5.3, and 6.1. It would then be perfectly reasonable to spend a second semester deepening the foundations with Chapters 0 and 3 and going on to 3-manifolds in Chapters 6, 7, and 8. Certainly the reader is not obliged to master Chapter 0 before reading the rest of the book. Rather, it should be skimmed once and then referred to when needed later. Students who have had a conventional first course in topology may not need 0.1–0.3 at all.

The only prerequisites are some familiarity with elementary set theory, coordinate geometry and linear algebra, ε-δ arguments as in rigorous calculus, and the group concept.

The text has been divided into numbered sections which are small enough, it is hoped, to be easily digestible. This has also made it possible to dispense with some of the ceremony which usually surrounds definitions, theorems, and proofs. Definitions are signalled simply by italicizing the terms being defined, and they and proofs are not numbered, since the section number will serve to locate them and the section title indicates their content. Unless a result already has a name (for example, the Seifert-Van Kampen theorem) I have not given it one, but have just stated it and followed with the proof, which ends with the symbol □.

Because of the emphasis on historical development, there are frequent citations of both author and date, in the form: Poincaré 1904. Since either the author or the date may be operative in the sentence, the result is sometimes grammatically curious, but I hope the reader will excuse this in the interests of brevity. The frequency of citations is also the result of trying to give credit where credit is due, which I believe is just as appropriate in a textbook as in a research paper. Among the references which I would recommend as parallel or subsequent reading are Giblin 1977 (homology theory for surfaces), Moise 1977 (foundations for combinatorial 2- and 3-manifold theory), and Rolfsen 1976 (knot theory and 3-manifolds).

Exercises have been inserted in most sections, rather than being collected at the ends of chapters, in the hope that the reader will do an exercise more readily while his mind is still on the right track. If this is not sufficient prodding, some of the results from exercises are used in proofs.

The text has been improved by the remarks of my students and from suggestions by Wilhelm Magnus and Raymond Lickorish, who read parts of earlier drafts and pointed out errors. I hope that few errors remain, but any that do are certainly my fault. I am also indebted to Anne-Marie Vandenberg for outstanding typing and layout of the original manuscript.

October 1980 JOHN C. STILLWELL

Preface to the Second Edition

There have been several big developments in topology since the first edition of this book. Most of them are too difficult to include here, or else, well written up elsewhere, so I shall merely mention below what they are and where they may be found. The main new inclusion in this edition is a proof of the unsolvability of the word problem for groups, and some of its consequences. This is made possible by a new approach to the word problem discovered by Cohen and Aanderaa around 1980. Their approach makes it feasible to prove a series of unsolvability results we previously mentioned without proof, and thus to tie up several loose ends in the first edition. A new Chapter 9 has been added to incorporate these results. It is particularly pleasing to be able to give a proof of the unsolvability of the homeomorphism problem, which has not previously appeared in a textbook.

What are the other big developments? They would have to include the proof by Freedman in 1982 of the 4-dimensional Poincaré conjecture, and the related work of Donaldson on 4-manifolds. These difficult results may be found in Freedman and Quinn's *The Topology of 4-manifolds* (Princeton University Press, 1990) and Donaldson and Kronheimer's *The Geometry of Four-Manifolds* (Oxford University Press, 1990). With Freedman's proof, only the original (3-dimensional) Poincaré conjecture remains open. In fact, the main problems of 3-dimensional topology seem to be just as stubborn as they were in 1980. There is still no algorithm for deciding when 3-manifolds are homeomorphic, or even for recognizing the 3-sphere. Since the first printing of the second edition, the latter problem has been solved by Hyam Rubinstein. However, there has been important progress in knot theory, most of which stems from the *Jones polynomial*, a new knot invariant found by Jones in 1983. For a sampling of this rapidly growing field, and its mysterious connections with physics, see Kauffman's *Knots and Physics* (World Scientific, 1991).

Recent developments in combinatorial group theory are a natural continuation of two themes in the present book—the tree structure behind free groups and the tessellation structure behind Dehn's algorithm. The main results on tree structure and its generalizations may be found in Dicks and Dunwoody's *Groups Acting on Graphs* (Cambridge University Press, 1989). Dehn's algorithm has been generalized to many other groups which act on tessellations with combinatorial properties like those discovered by Dehn in the hyperbolic plane (see *Group Theory from a Geometrical Viewpoint*, edited by Ghys, Haefliger and Verjovsky, World Scientific, 1991). Both these lines of research should be accessible to readers of the present book, though a little more preparation is advisable. I recommend Serre's *Trees* (Springer-Verlag, 1980) and Dehn's *Papers in Group Theory and Topology* (Springer-Verlag, 1987). My own *Geometry of Surfaces* (Springer-Verlag, 1992) may also serve as a source for hyperbolic geometry, and as a replacement for the very sketchy account of geometric methods given in 6.2 below.

Finally, I should mention that this edition includes numerous corrections sent to me by readers. I am particularly grateful to Peter Landweber, who contributed the most thorough critique, as well as encouragement for a second edition.

Clayton, November 1992 JOHN C. STILLWELL

Contents