

Lecture Notes in Physics

Editorial Board

R. Beig, Wien, Austria
J. Ehlers, Potsdam, Germany
U. Frisch, Nice, France
K. Hepp, Zürich, Switzerland
W. Hillebrandt, Garching, Germany
D. Imboden, Zürich, Switzerland
R. L. Jaffe, Cambridge, MA, USA
R. Kippenhahn, Göttingen, Germany
R. Lipowsky, Golm, Germany
H. v. Löhneysen, Karlsruhe, Germany
I. Ojima, Kyoto, Japan
H. A. Weidenmüller, Heidelberg, Germany
J. Wess, München, Germany
J. Zittartz, Köln, Germany

Springer

Berlin

Heidelberg

New York

Barcelona

Hong Kong

London

Milan

Paris

Singapore

Tokyo

Physics and Astronomy



<http://www.springer.de/phys/>

The Editorial Policy for Proceedings

The series Lecture Notes in Physics reports new developments in physical research and teaching – quickly, informally, and at a high level. The proceedings to be considered for publication in this series should be limited to only a few areas of research, and these should be closely related to each other. The contributions should be of a high standard and should avoid lengthy redraftings of papers already published or about to be published elsewhere. As a whole, the proceedings should aim for a balanced presentation of the theme of the conference including a description of the techniques used and enough motivation for a broad readership. It should not be assumed that the published proceedings must reflect the conference in its entirety. (A listing or abstracts of papers presented at the meeting but not included in the proceedings could be added as an appendix.)

When applying for publication in the series Lecture Notes in Physics the volume's editor(s) should submit sufficient material to enable the series editors and their referees to make a fairly accurate evaluation (e.g. a complete list of speakers and titles of papers to be presented and abstracts). If, based on this information, the proceedings are (tentatively) accepted, the volume's editor(s), whose name(s) will appear on the title pages, should select the papers suitable for publication and have them refereed (as for a journal) when appropriate. As a rule discussions will not be accepted. The series editors and Springer-Verlag will normally not interfere with the detailed editing except in fairly obvious cases or on technical matters.

Final acceptance is expressed by the series editor in charge, in consultation with Springer-Verlag only after receiving the complete manuscript. It might help to send a copy of the authors' manuscripts in advance to the editor in charge to discuss possible revisions with him. As a general rule, the series editor will confirm his tentative acceptance if the final manuscript corresponds to the original concept discussed, if the quality of the contribution meets the requirements of the series, and if the final size of the manuscript does not greatly exceed the number of pages originally agreed upon. The manuscript should be forwarded to Springer-Verlag shortly after the meeting. In cases of extreme delay (more than six months after the conference) the series editors will check once more the timeliness of the papers. Therefore, the volume's editor(s) should establish strict deadlines, or collect the articles during the conference and have them revised on the spot. If a delay is unavoidable, one should encourage the authors to update their contributions if appropriate. The editors of proceedings are strongly advised to inform contributors about these points at an early stage.

The final manuscript should contain a table of contents and an informative introduction accessible also to readers not particularly familiar with the topic of the conference. The contributions should be in English. The volume's editor(s) should check the contributions for the correct use of language. At Springer-Verlag only the prefaces will be checked by a copy-editor for language and style. Grave linguistic or technical shortcomings may lead to the rejection of contributions by the series editors. A conference report should not exceed a total of 500 pages. Keeping the size within this bound should be achieved by a stricter selection of articles and not by imposing an upper limit to the length of the individual papers. Editors receive jointly 30 complimentary copies of their book. They are entitled to purchase further copies of their book at a reduced rate. As a rule no reprints of individual contributions can be supplied. No royalty is paid on Lecture Notes in Physics volumes. Commitment to publish is made by letter of interest rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume.

The Production Process

The books are hardbound, and the publisher will select quality paper appropriate to the needs of the author(s). Publication time is about ten weeks. More than twenty years of experience guarantee authors the best possible service. To reach the goal of rapid publication at a low price the technique of photographic reproduction from a camera-ready manuscript was chosen. This process shifts the main responsibility for the technical quality considerably from the publisher to the authors. We therefore urge all authors and editors of proceedings to observe very carefully the essentials for the preparation of camera-ready manuscripts, which we will supply on request. This applies especially to the quality of figures and halftones submitted for publication. In addition, it might be useful to look at some of the volumes already published. As a special service, we offer free of charge \LaTeX and \TeX macro packages to format the text according to Springer-Verlag's quality requirements. We strongly recommend that you make use of this offer, since the result will be a book of considerably improved technical quality. To avoid mistakes and time-consuming correspondence during the production period the conference editors should request special instructions from the publisher well before the beginning of the conference. Manuscripts not meeting the technical standard of the series will have to be returned for improvement.

For further information please contact Springer-Verlag, Physics Editorial Department II, Tiergartenstrasse 17, D-69121 Heidelberg, Germany

Series homepage – <http://www.springer.de/phys/books/lnpp>

Hugues Dreyssé (Ed.)

Electronic Structure and Physical Properties of Solids

The Uses of the LMTO Method

Lectures of a Workshop Held at Mont Saint Odile,
France, October 2–5, 1998



Springer

Editor

Prof. Hugues Dreyssé
IPCMS-GEMME
23 rue du Loess, BP 20 Cr
67037 Strasbourg, France

Library of Congress Cataloging-in-Publication Data applied for.

Die Deutsche Bibliothek - CIP-Einheitsaufnahme

Electronic structure and physical properties of solids : the uses of
of the LMTO method ; lectures of a workshop held at Mont Saint Odile,
France, October 2 - 5, 1998 / Hugues Dreyssé (ed.). - Berlin ;
Heidelberg ; New York ; Barcelona ; Hong Kong ; London ; Milan ; Paris
; Singapore ; Tokyo : Springer, 2000
(Lecture notes in physics ; Vol. 535)
ISBN 3-540-67238-9

ISSN 0075-8450

ISBN 3-540-67238-9 Springer-Verlag Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable for prosecution under the German Copyright Law.

Springer-Verlag is a company in the BertelsmannSpringer publishing group
© Springer-Verlag Berlin Heidelberg 2000
Printed in Germany

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Typesetting: Camera-ready by the authors/editor
Cover design: *design & production*, Heidelberg

Printed on acid-free paper
SPIN: 10720521 55/3144/du - 5 4 3 2 1 0

Preface

In recent years, computational materials science has clearly emerged as an important field of condensed matter physics. In particular, the development of new computing facilities has made it possible to study physical phenomena at the *atomic* scale by means of *ab initio* electronic structure methods. Among various approaches used, the Linear Muffin-Tin Orbitals method (LMTO) proposed in the seventies by O.K. Andersen has played a key role. In its Atomic Sphere Approximation (ASA), the LMTO method has been widely used to tackle various type of problems. In 1984, O.K. Anderson and coworkers introduced a *localized* LMTO basis set. This new approach, called Tight-Binding LMTO (TB-LMTO), has paved the way to an order- N scheme, giving new impetus to the study of numerous physical properties of systems with large number of atoms.

This book is based on selected contributions presented at a workshop, organized in October 1998 in the monastery of Mont Saint Odile (near Strasbourg, France). A large number of scientists involved in the development and the practice of the LMTO method gathered there for three days. The first part of this book is devoted to the formalisms for ground and excited states. It starts with a review, by Andersen and coworkers, of the TB-LMTO method and its generalization. The Schrödinger equation of N th order in the energy expansion for an overlapping muffin-tin potential is solved using a minimal basis set. The aim of this third generation LMTO method is to take a further step beyond the limitations of the popular atomic-sphere approximation. The present approach uses wave functions which are accurate not only in the muffin-tin spheres but also in the interstitial region. In the conventional implementations of the LMTO-ASA method it is difficult to determine the forces on the atoms. For this reason Full-Potential LMTO approaches have been developed. In this book two different approaches are described. The first one is proposed by Methfessel and coworkers and is based on smooth Hankel functions. The use of these special functions allows the method to provides a good accuracy of the total energy with an almost minimal basis set. The second approach proposed by Wills and coworkers uses a large basis set which can describe multiple principal quantum numbers within a single *fully hybridized* basis set. This large basis set allows this method to determine the excited states to higher energies without the need for cumbersome multiple energy panel calculations like in the minimal basis set methods. However, the drawback and limitation of these FP methods remains the huge computational effort needed, which inhibits calculations of systems with large

numbers of atoms. To overcome these computational hurdles, Kollar and coworkers presented the so called *full-density* method, a method halfway between the ASA and the FP, which combines the simplicity of the former and the accuracy of the latter. In the initial description of the Density Functional Theory (DFT), the eigenvalues are Lagrange multipliers, and thus no physical meaning can be associated with them. However the success of excited states calculations based on DFT can be understood due to the fact that the Kohn–Sham equations can be viewed as an approximation to the quasi-particle equations where the self-energy is local and time independent. Alouani and Wills give the basics and some applications to the determination of optical properties and x-ray magnetic dichroism.

One of the main success of the LMTO schemes in the last few years has been the description of magnetic systems. A fully relativistic formalism and the applications to spectroscopy are presented by Ebert. The key question of the magnetic anisotropy of bulk and thin films is addressed by Eriksson and Wills, illustrating the high level of precision reached, whereas Temmerman and coworkers present a unified formalism to describe localized and delocalized states, pointing out the importance of the self-interaction correction. Another spectacular use of the TB-LMTO method is given by Kudrnovsky and coworkers on the Interlayer Exchange Coupling (IEC). Ab initio formulations of the IEC between non-collinearly aligned magnetic slabs lead to results in good agreement with experiment.

One advantage of the TB-LMTO is its use to describe disordered systems such as alloys with the precision of ab initio methods. A short review of the TB-LMTO within the Coherent Potential Approximation (CPA) applied to disordered alloys and surfaces is given by Turek and coworkers, whereas Abrikosov and coworkers present a locally self-consistent Green’s function method. This latter order- N method is particularly interesting for systems with a large number of inequivalent atoms.

Mathematical and numerical problems are the building blocks of ab initio methods, and numerical algorithms for solving various parts of the formalism are of great interest. In particular, the diagonalisation of sparse matrices, which is at the heart of the TB-LMTO method, by efficient algorithms is highly desirable. In this respect, Scott has given an introduction to direct methods for the solution of large-scale linear systems, emphasizing the progress made in the development of routines which are now available in numerical libraries. The book ends with two contributions on the determination of the electronic structure in real space: a real-space derivation of the TB-LMTO method by Spisak and Hafner, and the venerable semi-empirical tight-binding method by Cornea and Stoeffler.

I would like to thank each of the sixty-seven scientists from seventeen different countries who make this book possible, especially those who came from far away countries, like Argentina, Brasil, India, and Japan. The meeting was held over three days in a lively atmosphere where the most recent progress in the ab initio methods was presented and where discussions continued well after the talks.

Besides the fourteen invited talks which form the basis of this book, nineteen shorter presentations offered the opportunity to focus on more precise points.

The “Ab-initio Calculations of Magnetic Properties of Surfaces, Interfaces, and Multilayers” TMR European network provided the first impulse for this meeting. The support of the European Science Foundation (ESF) through the program Ψ_k allowed the participation of a large number of scientists. Finally, the local support of the IPCMS (Institut de Physique et Chimie de Strasbourg) was greatly appreciated. I would also like to thank M. Alouani for constant interest and I. Galanakis, who struggled and succeeded in finalizing the electronic version of the book.

Strasbourg, August 1999

Hugues Dreyssé

Contents

Part I	Ground and Excited-State Formalisms	
---------------	--	--

Developing the MTO Formalism <i>O. K. Andersen, T. Saha-Dasgupta, R. W. Tank, C. Arcangeli, O. Jepsen, G. Krier</i>	3
From ASA Towards the Full Potential <i>J. Kollár, L. Vitos, H. L. Skriver</i>	85
A Full-Potential LMTO Method Based on Smooth Hankel Functions <i>M. Methfessel, M. van Schilfgaarde, R. A. Casali</i>	114
Full-Potential LMTO Total Energy and Force Calculations <i>J. M. Wills, O. Eriksson, M. Alouani, D. L. Price</i>	148
Excited States Calculated by Means of the LMTO Method <i>M. Alouani, J. M. Wills</i>	168

Part II	Magnetic Properties	
----------------	----------------------------	--

Fully Relativistic Band Structure Calculations for Magnetic Solids – Formalism and Application <i>H. Ebert</i>	191
First Principles Theory of Magneto–Crystalline Anisotropy <i>O. Eriksson, J. Wills</i>	247
On the Implementation of the Self-Interaction Corrected Local Spin Density Approximation for d- and f-Electron Systems <i>W. M. Temmerman, A. Svane, Z. Szotek, H. Winter, S. V. Beiden</i>	286
Ab Initio Theory of the Interlayer Exchange Coupling <i>J. Kudrnovský, V. Drchal, I. Turek, P. Bruno, P. Dederichs, P. Weinberger</i>	313

Part III Disordered Alloys

**Disordered Alloys and Their Surfaces:
The Coherent Potential Approximation**

I. Turek, J. Kudrnovský, V. Drchal 349

**Locally Self-Consistent Green's Function
Method and Its Application in Theory
of Random Alloys**

I. A. Abrikosov, P. A. Korzhavyi, B. Johansson 379

Part IV Large-Scale Real-Space Calculations

Sparse Direct Methods: An Introduction

J. A. Scott 401

**Real-Space Tight-Binding Approach to Magnetic Anisotropy:
Application to Nickel Films on Copper**

D. Spišák and J. Hafner 416

**Combining Real Space and Tight Binding
Methods for Studying Large Metallic Systems**

C. Cornea and D. Stoeffler 434

List of Contributors

O. K. Andersen

Max-Planck-Institut FKF
D-70569 Stuttgart
Germany
andersen@and.mpi-stuttgart.mpg.de

J. Kollár

Research Institute for Solid State
Physics
H-1525 Budapest,
P.O.Box 49, Germany
jk@ppc1.szfki.kfki.hu

M. Methfessel

Institute for Semiconductor Physics
Walter-Korsing-Str. 2
D-15230 Frankfurt (Oder)
Germany
msm@th4.ihp-ffo.de

J. M. Wills

Los Alamos National Laboratory
Los Alamos, NM 87545
USA
jxw@lanl.gov

M. Alouani

Institut de Physique et Chimie des
Matériaux de Strasbourg
23, rue du Loess
F-67037 Strasbourg, France
mea@ipcms.u-strasbg.fr

H. Ebert

Institut für Phys. Chemie,
Univ. München
Butenandtstr. 5-13
D-81377 München, Germany
he@gaia.phys.chemie.uni-muenchen.de

O. Eriksson

Department of Physics
Uppsala University
Box 530
S-75112 Uppsala, Sweden
Olle.eriksson@Fysik.UU.SE

W. M. Temmerman

Daresbury Laboratory
Daresbury
Warrington, WA4 4AD
United Kingdom
W.M.TEMMERMAN@d1.ac.uk

J. Kudrnovský

Institute of Physics
Academy of Sciences of the Czech
Republic
CZ-182 21 Praha 8
Czech Republic
jk@ws7.cms.tuwien.ac.at

I. Turek

Institute of Physics of Materials
Academy of Sciences
Žižkova 22, CZ-616 62 Brno
Czech Republic
turek@ipm.cz

I. A. Abrikosov

Condensed Matter Theory Group
Physics Department
Uppsala University
S-75121 Uppsala, Sweden
Igor.Abrigosov@Fysik.UU.SE

J. A. Scott

Department for Computation and
Information
Rutherford Appleton Laboratory
Chilton, Didcot, Oxon OX11 0RA
England
J.Scott@rl.ac.uk

D. Spišák

Institut für Theoretische Physik
and Center for Computational
Materials Science
Technische Universität Wien
Wiedner Hauptstraße 8-10/136
A-1040 Vienna, Austria
spisak@hal27.cmt.tuwien.ac.at

C. Cornea

Institut de Physique et Chimie des
Matériaux de Strasbourg
Groupe d'Etude des Matériaux
Métalliques
23, rue du Loess
F-67037 Strasbourg, France
Daniel.Stoeffler@ipcms.u-strasbg.fr